SAFETY DATA SHEET

1. Identification

Product identifier	Insulcast MRTV 9 Black - F	Part A		
Other means of identification SKU#	IS103R			
Recommended use	Not available.			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier/Distributor information				
Manufacturer				
Company name Address	ITW Performance Polymers 130 Commerce Drive Montgomeryville, PA 18936 United States			
Telephone Website E-mail Contact person	Customer Service www.itwperformancepolyme Not available. EHS Department	215-855-8450 rs.com		
Emergency phone number	CHEMTREC International	800-424-9300 703-527-3887		

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	65.54% of the mixture consists of component(s) of unknown acute oral toxicity. 94.25% of the mixture consists of component(s) of unknown acute dermal toxicity. 57.92% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Siloxanes And Silicones, Dimethyl, Ethenyl Group Terminated		68083-19-2	30 - 60
Silica, Amorphous		7631-86-9	10 - 30
Quartz		14808-60-7	5 - 10
Hexamethyldisilazane		999-97-3	1 - 5
Other components below reportable	levels		1 - 5

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Move containers from fire area if you can do so without risk.

> Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

Fire fighting

equipment/instructions Specific methods

General fire hazards

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	for Air Contaminants (29 CFR 1910.10 Type	Value	Form
Quartz (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CF	R 1910.1000)		
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Silica, Amorphous (CAS 7631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Silica, Amorphous (CAS 7631-86-9)	TWA	6 mg/m3	
logical limit values	No biological exposure limits noted for	• • • •	
logical limit values propriate engineering trols	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor	res, local exhaust ventilation nmended exposure limits. I
propriate engineering trols	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor hed, maintain airborne levels	res, local exhaust ventilation nmended exposure limits. I to an acceptable level. Prov
vidual protection measures	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. s, such as personal protective equipme	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor hed, maintain airborne levels	res, local exhaust ventilation nmended exposure limits. I to an acceptable level. Prov
vidual protection measures	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. s, such as personal protective equipme	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor shed, maintain airborne levels ant afety glasses with side shields	res, local exhaust ventilation nmended exposure limits. It to an acceptable level. Prov
vidual protection measures Eye/face protection	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. s, such as personal protective equipme Face shield is recommended. Wear sa	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor hed, maintain airborne levels ent afety glasses with side shields loves.	res, local exhaust ventilation nmended exposure limits. It to an acceptable level. Prov (or goggles).
vidual protection measures Eye/face protection Skin protection Hand protection Other	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. s, such as personal protective equipme Face shield is recommended. Wear sa Wear appropriate chemical resistant g Wear appropriate chemical resistant c	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor hed, maintain airborne levels ent afety glasses with side shields loves. lothing. Use of an impervious	res, local exhaust ventilation nmended exposure limits. I to an acceptable level. Prov (or goggles). apron is recommended.
vidual protection measures Eye/face protection Skin protection Hand protection	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. 5, such as personal protective equipme Face shield is recommended. Wear sa Wear appropriate chemical resistant g	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor shed, maintain airborne levels ent afety glasses with side shields loves. lothing. Use of an impervious suitable respiratory equipmer	res, local exhaust ventilatio nmended exposure limits. I to an acceptable level. Prov (or goggles). apron is recommended.
vidual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. 5, such as personal protective equipme Face shield is recommended. Wear sa Wear appropriate chemical resistant g Wear appropriate chemical resistant c In case of insufficient ventilation, wear	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor shed, maintain airborne levels afety glasses with side shields loves. lothing. Use of an impervious suitable respiratory equipmen lothing, when necessary. e measures, such as washing	res, local exhaust ventilation nmended exposure limits. I to an acceptable level. Prov (or goggles). apron is recommended. ht. after handling the material
vidual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. 5, such as personal protective equipme Face shield is recommended. Wear sa Wear appropriate chemical resistant g Wear appropriate chemical resistant c In case of insufficient ventilation, wear Wear appropriate thermal protective cl Always observe good personal hygien and before eating, drinking, and/or sm equipment to remove contaminants.	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor shed, maintain airborne levels afety glasses with side shields loves. lothing. Use of an impervious suitable respiratory equipmen lothing, when necessary. e measures, such as washing	res, local exhaust ventilatio nmended exposure limits. I to an acceptable level. Prov (or goggles). apron is recommended. nt. after handling the material
vidual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards heral hygiene siderations	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. 5, such as personal protective equipme Face shield is recommended. Wear sa Wear appropriate chemical resistant g Wear appropriate chemical resistant c In case of insufficient ventilation, wear Wear appropriate thermal protective cl Always observe good personal hygien and before eating, drinking, and/or sm equipment to remove contaminants.	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor shed, maintain airborne levels afety glasses with side shields loves. lothing. Use of an impervious suitable respiratory equipmen lothing, when necessary. e measures, such as washing	res, local exhaust ventilation nmended exposure limits. I to an acceptable level. Prov (or goggles). apron is recommended. ht. after handling the material
vidual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards meral hygiene siderations Physical and chemical	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. 5, such as personal protective equipme Face shield is recommended. Wear sa Wear appropriate chemical resistant g Wear appropriate chemical resistant c In case of insufficient ventilation, wear Wear appropriate thermal protective cl Always observe good personal hygien and before eating, drinking, and/or sm equipment to remove contaminants. properties	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor shed, maintain airborne levels afety glasses with side shields loves. lothing. Use of an impervious suitable respiratory equipmen lothing, when necessary. e measures, such as washing	res, local exhaust ventilatio nmended exposure limits. I to an acceptable level. Prov (or goggles). apron is recommended. nt. after handling the material
vidual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards heral hygiene siderations Physical and chemical pearance	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. 5, such as personal protective equipme Face shield is recommended. Wear sa Wear appropriate chemical resistant g Wear appropriate chemical resistant c In case of insufficient ventilation, wear Wear appropriate thermal protective of Always observe good personal hygien and before eating, drinking, and/or sm equipment to remove contaminants. properties Liquid.	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor shed, maintain airborne levels afety glasses with side shields loves. lothing. Use of an impervious suitable respiratory equipmen lothing, when necessary. e measures, such as washing	res, local exhaust ventilatio nmended exposure limits. I to an acceptable level. Prov (or goggles). apron is recommended. nt. after handling the material
vidual protection measures Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards meral hygiene siderations Physical and chemical pearance Physical state	Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis eyewash station and safety shower. 5, such as personal protective equipme Face shield is recommended. Wear sa Wear appropriate chemical resistant g Wear appropriate chemical resistant c In case of insufficient ventilation, wear Wear appropriate thermal protective cl Always observe good personal hygien and before eating, drinking, and/or sm equipment to remove contaminants. properties Liquid.	air changes per hour) should b plicable, use process enclosu ain airborne levels below recor shed, maintain airborne levels afety glasses with side shields loves. lothing. Use of an impervious suitable respiratory equipmen lothing, when necessary. e measures, such as washing	res, local exhaust ventilation nmended exposure limits. I to an acceptable level. Prov (or goggles). apron is recommended. ht. after handling the material

Not available.

Odor threshold

рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 200.0 °F (> 93.3 °C)
Evaporation rate	<1
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
VOC	< 1 %
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informat	ion
Information on likely routes of e	

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Information on toxical arisel of	fe etc

Information on toxicological effects

Acute toxicity	
----------------	--

Not known.

Components	Species	Test Results
Hexamethyldisilazane (CAS 999-9	7-3)	
<u>Acute</u>		
Inhalation		
LC50	Rat	8.7 mg/l, 4 Hours
Oral		
LD50	Rat	847 mg/kg
Silica, Amorphous (CAS 7631-86-9	9)	
Acute		
Oral	Det	00500
LD50	Rat	> 22500 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to	o cause skin sensitization.
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	roduct or any components present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinog	enicity to humans.
IARC Monographs. Overall E	Evaluation of Carcinogenicity	
Quartz (CAS 14808-60-7) Silica, Amorphous (CAS 7 OSHA Specifically Regulated		1 Carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.)01-1052)
Quartz (CAS 14808-60-7)		Cancer
	gram (NTP) Report on Carcine	-
Quartz (CAS 14808-60-7)		Known To Be Human Carcinogen.
Reproductive toxicity		o cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be h	armful.
12. Ecological information		
•		a lasting offects
Ecotoxicity Persistence and degradability	Harmful to aquatic life with long lasting effects. No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential		graduality of any ingredients in the mixture.
Partition coefficient n-octan Hexamethyldisilazane	ol / water (log Kow)	2.62
Mobility in soil	No data available.	
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation
		, global warming potential) are expected from this component.
13. Disposal consideration	าร	
Disposal instructions	this material to drain into sewe	in sealed containers at licensed waste disposal site. Do not allow ers/water supplies. Do not contaminate ponds, waterways or ditche er. Dispose of contents/container in accordance with ional regulations.
Local disposal regulations	Dispose in accordance with al	applicable regulations.
Hazardous waste code	The waste code should be ass disposal company.	igned in discussion between the user, the producer and the waste

Waste from residues / unused
productsDispose of in accordance with local regulations. Empty containers or liners may retain some
product residues. This material and its container must be disposed of in a safe manner (see:
Disposal instructions).Contaminated packagingSince emptied containers may retain product residue, follow label warnings even after container is
emptied. Empty containers should be taken to an approved waste handling site for recycling or
disposal.14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Quartz (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical Classified hazard Acute toxicity (ar categories Skin corrosion or

Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to chemicals including Quartz, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Carbon Black (CAS 1333-86-4)	Listed: February 21, 2003
Quartz (CAS 14808-60-7)	Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Quartz (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

,	
Issue date	08-05-2014
Revision date	07-17-2018
Version #	03
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 1 Personal protection: B
NFPA ratings	Health: 2 Flammability: 1 Instability: 1
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Product and Company Identification: Product and Company Identification Hazard(s) identification: Hazard statement Accidental release measures: Personal precautions, protective equipment and emergency procedures Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Precautions for safe handling Handling and storage: Conditions for safe storage, including any incompatibilities Exposure controls/personal protection: Appropriate engineering controls Physical & Chemical Properties: Multiple Properties Stability and reactivity: Conditions to avoid Ecological information: Persistence / degradability Regulatory information: California Proposition 65 Other information, including date of preparation or last revision: References Other information, including date of preparation or last revision: Disclaimer