# SAFETY DATA SHEET

1. Identification			
Product identifier	DEVCON® Aluminum Liquid (F-2) Resin		
Other means of identification			
SKU#	0103		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Company name	ITW Performance Polymers		
Address	35 Brownridge Rd		
	Unit 1		
	Halton Hills, ON L7G 0C6		
Contact person	Customer Service		
Telephone number	978-777-1100		
Fax			
E-mail			
Emergency telephone number	800-424-9300		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2A	
	Sensitization, skin	Category 1	
Environmental hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	Causes skin irritation. May cause an allergic	skin reaction. Causes serious eye irritation.	
Precautionary statement			
Prevention	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.		
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.	
Other hazards	None known.		
Supplemental information	None.		

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Aluminum Flake		7429-90-5	30 - 60
Epoxy Resin:reaction Product Bisphenol A And Epichlorohydr (refer To Epichlorohydrin)		25068-38-6	30 - 60
Calcium carbonate		1317-65-3	10 - 30
Alkyl Glycidyl Ether		68609-97-2	1 - 5
Other components below report	able levels		1 - <3
All concentrations are in percent b	y weight unless ingredient is a gas. Gas conce	entrations are in percent by volu	ume.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptor	ms develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water f present and easy to do. Continue rinsing. Get		
Ingestion	Rinse mouth. Get medical attention if sympton	oms occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include vision. Skin irritation. May cause redness an Rash.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		m under observation.
General information	Ensure that medical personnel are aware of protect themselves. Wash contaminated clo		ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Car	bon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as t	his will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may h	be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Use water spray to cool unopened container		
Specific methods	Use standard firefighting procedures and co	nsider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothir or spilled material unless wearing appropriat Local authorities should be advised if signific protection, see section 8 of the SDS.	ng during clean-up. Do not touc te protective clothing. Ensure a	h damaged containers dequate ventilation.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this possible. Absorb in vermiculite, dry sand or erecovery, flush area with water.		
	Small Spills: Wipe up with absorbent materia remove residual contamination.	al (e.g. cloth, fleece). Clean sur	face thoroughly to
Environmental precautions	Never return spills to original containers for a Avoid discharge into drains, water courses o		section 13 of the SDS.
7. Handling and storage			
Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapours. Provide adequate ventilation. Wear appropri industrial hygiene practices.	/spray. Avoid contact with eyes iate personal protective equipm	, skin, and clothing. ent. Observe good

upational exposure limits			
US. ACGIH Threshold Limit Values Components	Turno	Value	Form
•	Туре		-
Aluminum Flake (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupation Components	al Health & Safety Code, Sche Type	dule 1, Table 2) Value	Form
Aluminum Flake (CAS 7429-90-5)	TWA	5 mg/m3	Pyrophoric powder.
		10 mg/m3	Dust.
Calcium carbonate (CAS 1317-65-3)	TWA	10 mg/m3	
Canada. British Columbia OELs. (O Safety Regulation 296/97, as ameno		for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Aluminum Flake (CAS 7429-90-5)	TWA	1 mg/m3	Respirable.
Calcium carbonate (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 217/	2006, The Workplace Safety A	nd Health Act)	
Components	Туре	Value	Form
Aluminum Flake (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction.
Canada. Ontario OELs. (Control of	Exposure to Biological or Che	emical Agents)	
Components	Туре	Value	Form
Aluminum Flake (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction.
Canada. Quebec OELs. (Ministry of	Labor - Regulation respecting	g occupational health and sat	iety)
Components	Туре	Value	Form
Aluminum Flake (CAS	TWA	5 mg/m3	Welding fume.
7429-90-5)		10 mg/m3	
Calcium carbonate (CAS	TWA	10 mg/m3	Total dust.
1317-65-3)		i o mg/mo	
Canada. Saskatchewan OELs (Occ	upational Health and Safety Re	egulations, 1996, Table 21)	
Components	Туре	Value	Form
Aluminum Flake (CAS 7429-90-5)	15 minute	20 mg/m3	Dust.
		10 mg/m3	Pyrophoric powder.
	8 hour	5 mg/m3	Pyrophoric powder.
		10 mg/m3	Dust.
Calcium carbonate (CAS 1317-65-3)	15 minute	20 mg/m3	

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.	
Individual protection measure	s, such as personal protective equipment	
Eye/face protection	Face shield is recommended. Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	
9. Physical and chemical properties		

-	• •
Appearance	Paste.
Physical state	Solid.
Form	Paste.
Colour	Grey.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °C (608 °F) estimated
Flash point	> 204.4 °C (> 399.9 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower ( %)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	2.17 g/cm3 estimated
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

Percent volatile	0.11 % estimated
Specific gravity	2.17 estimated

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.	
Material is stable under normal conditions.	
No dangerous reaction known under conditions of normal use.	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.	
Strong oxidising agents.	
No hazardous decomposition products are known.	

# 11. Toxicological information

Information on likely routes of e	exposure		
Inhalation	No adverse effects due to inhalation are expected.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye irritation	Causes serious eye irritation.	
Ingestion	Expected to be a low ingest	ion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics		Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.	
Information on toxicological eff	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation	n.	
Respiratory or skin sensitisatio	n		
Canada - Alberta OELs: Irri	tant		
Aluminum Flake (CAS 74 Calcium carbonate (CAS			
<b>Respiratory sensitisation</b>	Not a respiratory sensitizer.		
Skin sensitisation	May cause an allergic skin r	reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity			
ACGIH Carcinogens			
Aluminum Flake (CAS 74 Canada - Manitoba OELs: c	,	A4 Not classifiable as a human carcinogen.	
Aluminum Flake (CAS 74	429-90-5)	Not classifiable as a human carcinogen.	
Reproductive toxicity	This product is not expected	to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
12. Ecological informatio	n		
Ecotoxicity		as environmentally hazardous. However, this does not exclude the uent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential			
Mobility in soil	No data available.		

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

### 14. Transport information

### TDG

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

# Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

## Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases

Not listed.

**Canadian regulations** 

Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

Aluminum Flake (CAS 7429-90-5)

### Precursor Control Regulations

Not regulated.

### International regulations

**Stockholm Convention** 

Not applicable.

### **Rotterdam Convention**

Not applicable.

### **Kyoto Protocol**

Not applicable.

### **Montreal Protocol**

Not applicable.

**Basel Convention** 

Not applicable.

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region	Inventory name On invento	ry (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country	(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information Issue date 29-May-2019 Version No. 01 Disclaimer ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

# SAFETY DATA SHEET

1. Identification				
Product identifier	Aluminum Liquid (F-2) Hardener			
Other means of identification				
SKU#	5331			
Recommended use	Not available.	Not available.		
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier	<pre>/Distributor information</pre>			
Company name	ITW Performance Polymers			
Address	35 Brownridge Rd			
	Unit 1			
	Halton Hills, ON L7G 0C6			
Contact person	Customer Service			
Telephone number	978-777-1100			
Fax				
E-mail				
Emergency telephone number	800-424-9300			
Supplier	Not available.			
2. Hazard identification				
Physical hazards	Not classified.			
Health hazards	Acute toxicity, oral	Category 4		
	Acute toxicity, dermal	Category 4		
	Skin corrosion/irritation	Category 1		
	Serious eye damage/eye irritation	Category 1		
	Sensitization, skin	Category 1		
Environmental hazards	Not classified.			
Label elements				
Signal word	Danger			
Hazard statement	Harmful if swallowed. Harmful in contact May cause an allergic skin reaction. Cau	with skin. Causes severe skin burns and eye damage. ses serious eye damage.		
Precautionary statement				
Prevention	Do not breathe mist/vapours. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.			
Response	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.			
Storage	Store locked up.			
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.			
Other hazards	None known.			

### 3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Benzyl alcohol		100-51-6	10 - 30
TRIETHYLENETETRAMINE		112-24-3	10 - 30
Other components below reportable levels			50
All concentrations are in perce	ent by weight unless ingredient is a gas. Gas conce	ntrations are in percent by vol	ume.
1 First aid massives			

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.
Ingestion	Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	

Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Use water spray to reduce vapours or divert vapour cloud drift. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage			
Precautions for safe handling	Do not breathe mist/vapours. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		
8. Exposure controls/pe	rsonal protection		
Occupational exposure limits			
Canada. Ontario OELs. (C	ontrol of Exposure to Biological or C	chemical Agents)	
Components	Туре	Value	
TRIETHYLENETETRAMIN E (CAS 112-24-3)	TWA	3 mg/m3	
		0.5 ppm	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Exposure guidelines			
Canada - Ontario OELs: S	kin designation		
TRIETHYLENETETRA	MINE (CAS 112-24-3) Can	be absorbed through the skin.	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
Individual protection measure	s, such as personal protective equip	ment	
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.		
Skin protection			
Hand protection	Wear appropriate chemical resistar	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistar	nt clothing. Use of an impervious apron is recommended.	
<b>Respiratory protection</b>	In case of insufficient ventilation, we	ear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.	
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		
9. Physical and chemica	I properties		
Appearance			
Physical state	Liquid		

Liquid.		
Liquid.		
Amber.		
Amine-like.		
Not available.		
Not available.		
-15.2 °C (4.64 °F) estimated		
216 °C (420.8 °F) estimated		
93.3 °C (199.9 °F) estimated		
Not available.		
Not applicable.		
Upper/lower flammability or explosive limits		
Not available.		

Flammability limit - upper (%)	Not available.
Explosive limit - lower ( %)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	5.73 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	337.78 °C (640 °F) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.97 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	0.97 estimated
VOC	100 % SOLIDS
10. Stability and reactivity	/
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Peroxides. Phenols.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informa	tion
Information on likely routes of e	xposure

Information on likely routes of exposure		
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.	
Skin contact	Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.	
Eye contact	Causes serious eye damage.	
Ingestion	Causes digestive tract burns. Harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	
Information on toxicological effects		
Acute toxicity	Harmful in contact with skin. Harmful if swallowed.	

Components	Species	Test Results
Benzyl alcohol (CAS 100-51	-6)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Rat	1000 mg/l, 8 Hours


Components	Species	Test Results
TRIETHYLENETETRAMINE (CAS	6 112-24-3)	
<u>Acute</u>		
Dermal		
<i>Liquid</i> LD50	Rat	1465 mg/kg
Oral	hat	1465 mg/kg
Liquid		
LD50	Rat	1716 mg/kg
Skin corrosion/irritation	Causes severe skin burns and eye	
Serious eye damage/eye	Causes servere skin burns and eye damage.	
irritation	, ,	
Respiratory or skin sensitisation	n	
<b>Respiratory sensitisation</b>	Not a respiratory sensitizer.	
Skin sensitisation	May cause an allergic skin reactio	
Germ cell mutagenicity	No data available to indicate produ mutagenic or genotoxic.	uct or any components present at greater than 0.1% are
Carcinogenicity	Not available.	
Reproductive toxicity		use reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harm	ful.
12. Ecological information	n	
Ecotoxicity		vironmentally hazardous. However, this does not exclude the ills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degrad	ability of any ingredients in the mixture.
Bioaccumulative potential		
Partition coefficient n-octar Benzyl alcohol	nol / water (log Kow) 1.1	
Mobility in soil	No data available.	
Other adverse effects	The product contains volatile orga potential.	nic compounds which have a photochemical ozone creation
13. Disposal consideratio	ns	
Disposal instructions	Collect and reclaim or dispose in s contents/container in accordance	ealed containers at licensed waste disposal site. Dispose of with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigne disposal company.	ed in discussion between the user, the producer and the waste
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging		ain product residue, follow label warnings even after container is be taken to an approved waste handling site for recycling or
14. Transport information		

### TDG

UN number	UN2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, Aliphatic Amines), Limited
	Quantity

Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s. (TRIETHYLENETETRAMINE, Aliphatic Amines), Limited Quantity
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	No.
ERG Code	8L
· ·	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, Aliphatic Amines), Limited Quantity
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
<b>Environmental hazards</b>	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and	Not established.

# the IBC Code



**General information** 

IMDG Regulated Marine Pollutant.

15. Regulatory information		
Canadian regulations	This product has been classified in accordance with the hazard criter contains all the information required by the HPR.	ia of the HPR and the SDS
Controlled Drugs and Subs	ances Act	
Not regulated.		
Export Control List (CEPA 1	999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed. Precursor Control Regulation		
Not regulated.	112	
nternational regulations		
-		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable.		
Kyoto Protocol		
Not applicable.		
Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
nternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no
Australia	Australian Inventory of Chemical Substances (AICS)	Y
Canada	Domestic Substances List (DSL)	Y
Canada	Non-Domestic Substances List (NDSL)	1
China	Inventory of Existing Chemical Substances in China (IECSC)	Y
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Y
Europe	European List of Notified Chemical Substances (ELINCS)	I
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Y
Korea	Existing Chemicals List (ECL)	Y
New Zealand	New Zealand Inventory	Y
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Y
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Y
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Y
	nents of this product comply with the inventory requirements administered by the components of the product are not listed or exempt from listing on the inventory	

country(s).

# 16. Other information

Issue date	29-May-2019
Version No.	01
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.