SAFETY DATA SHEET

1. Identification			
Product identifier	DEVCON® Epoxy Coat™ 7000 AR (Acid Re	esistant) Resin	
Other means of identification			
SKU#	0150		
Recommended use	Not available.	Not available.	
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	Distributor information		
Company name	ITW Performance Polymers		
Address	35 Brownridge Rd		
	Unit 1		
	Halton Hills, ON L7G 0C6		
Contact person	Customer Service		
Telephone number	978-777-1100		
Fax			
E-mail			
Emergency telephone number	800-424-9300		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2A	
	Sensitization, skin	Category 1	
Environmental hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	Causes skin irritation. May cause an allergic	skin reaction. Causes serious eye irritation.	
Precautionary statement			
Prevention	Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.		
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

of Epoxy resin <u>Titanium dioxide</u> ble levels weight unless ingredient is a gas. Gas conce	28064-14-4 25068-38-6 13463-67-7 entrations are in percent by volu	60 - 100 1 - 5 1 - 5
Titanium dioxide ble levels weight unless ingredient is a gas. Gas conce	13463-67-7	
ble levels weight unless ingredient is a gas. Gas conce		1 - 5
weight unless ingredient is a gas. Gas conce	entrations are in percent by volu	
· · ·	entrations are in percent by volu	1 - 5
		ume.
Maria ta fua da sin Osti a ultratista di comanda u		
Move to fresh air. Call a physician if sympton	ns develop or persist.	
Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.		
Rinse mouth. Get medical attention if sympto	oms occur.	
Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		m under observation.
		ke precautions to
Water fog. Foam. Dry chemical powder. Carl	bon dioxide (CO2).	
Do not use water jet as an extinguisher, as th	nis will spread the fire.	
During fire, gases hazardous to health may be formed.		
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Move containers from fire area if you can do so without risk.		
	nsider the hazards of other invo	lved materials.
No unusual fire or explosion hazards noted.		
ures		
appropriate protective equipment and clothin not touch damaged containers or spilled mat Ensure adequate ventilation. Local authoritie contained. For personal protection, see secti	ng during clean-up. Avoid breat terial unless wearing appropria tes should be advised if signification 8 of the SDS.	hing mist/vapours. Do te protective clothing. Int spillages cannot be
Small Spills: Wipe up with absorbent materia remove residual contamination.	al (e.g. cloth, fleece). Clean sur	face thoroughly to
		section 13 of the SDS
Avoid discharge into drains, water courses o	r onto the ground.	
	contaminated clothing before reuse. Immediately flush eyes with plenty of water foresent and easy to do. Continue rinsing. Ge Rinse mouth. Get medical attention if symptor Severe eye irritation. Symptoms may include vision. Skin irritation. May cause redness and Rash. Provide general supportive measures and trees Symptoms may be delayed. Ensure that medical personnel are aware of porotect themselves. Wash contaminated clother Water fog. Foam. Dry chemical powder. Car Do not use water jet as an extinguisher, as the During fire, gases hazardous to health may be Self-contained breathing apparatus and full prove containers from fire area if you can do Use standard firefighting procedures and con No unusual fire or explosion hazards noted. Ures Keep unnecessary personnel away. Keep per appropriate protective equipment and clothir not touch damaged containers or spilled mation Ensure adequate ventilation. Local authorities contained. For personal protection, see secting Large Spills: Stop the flow of material, if this possible. Absorb in vermiculite, dry sand or erecovery, flush area with water. Small Spills: Wipe up with absorbent materiar remove residual contamination. Never return spills to original containers for reaction. Wear appropriate personal protection and containers for the discharge into drains, water courses of Avoid breathing mist/vapours. Avoid contact ventilation. Wear appropriate personal protection and prote- Protection. Wear appropriate personal protection and protection. Ensure appropriate protective equipment material for the discharge into drains and protection and protection. Avoid breathing mist/vapours. Avoid contact for the discharge into drains and protection and protection. Ensure appropriate protective personal protect	contaminated clothing before reuse. Immediately flush eyes with plenty of water for at least 15 minutes. Remove present and easy to do. Continue rinsing. Get medical attention if irritation of Rinse mouth. Get medical attention if symptoms occur. Severe eye irritation. Symptoms may include stinging, tearing, redness, swe vision. Skin irritation. May cause redness and pain. May cause an allergic s Rash. Provide general supportive measures and treat symptomatically. Keep victi Symptoms may be delayed. Ensure that medical personnel are aware of the material(s) involved, and ta protect themselves. Wash contaminated clothing before reuse. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be work Nove containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involve No unusual fire or explosion hazards noted. ures Keep unnecessary personnel away. Keep people away from and upwind of appropriate protective equipment and clothing clean-up. Avoid breatt not touch damaged containers or spilled material unless wearing appropriat Ensure adequate ventilation. Local authorities should be advised if significa contained. For personal protection, see section 8 of the SDS. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled possible. Absorb in vermiculite, dry sand or earth and place into containers. recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean sur remove residual containnation. Never return spills to original containers for re-use. For waste disposal, see Avoid discharge into drains, water courses or onto the ground. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Fe ventilation. Wear appropriate personal protective equipment. O

. Exposure controls/per	rsonal protection		
ccupational exposure limits US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Alberta OELs (Oc Components	cupational Health & Safety Code, Schedu Type	le 1, Table 2) Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. British Columbia Safety Regulation 296/97, a	OELs. (Occupational Exposure Limits for as amended)	Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
	Reg. 217/2006, The Workplace Safety And		
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Ontario OELs. (Co Components	ontrol of Exposure to Biological or Chemi Type	cal Agents) Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Quebec OELs. (M Components	inistry of Labor - Regulation respecting o Type	ccupational health and sa Value	fety) Form
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.
Canada. Saskatchewan Ol Components	ELs (Occupational Health and Safety Regu Type	ulations, 1996, Table 21) Value	
Titanium dioxide (CAS 13463-67-7)	15 minute	20 mg/m3	
	8 hour	10 mg/m3	
ological limit values	No biological exposure limits noted for th	e ingredient(s).	
propriate engineering ntrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safe shower.		
dividual protection measures Eye/face protection	s, such as personal protective equipment Wear safety glasses with side shields (or		commended.
Skin protection			
Hand protection	Wear appropriate chemical resistant glov	/es.	
Other	Wear appropriate chemical resistant clot	hing. Use of an impervious a	apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear su	uitable respiratory equipmen	t.
Thermal hazards	Wear appropriate thermal protective clot	hing, when necessary.	
eneral hygiene Insiderations	Always observe good personal hygiene r and before eating, drinking, and/or smok equipment to remove contaminants. Con workplace.	ing. Routinely wash work cl	othing and protective

9. Physical and chemical properties

9. Physical and chemical	properties
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Grey
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	245 °C (473 °F) estimated
Flash point	93.4 °C (200.1 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.28 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.28 estimated
VOC	0 g/l
10 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Information on likely routes of	exposure		
Inhalation	Knowledge about health hazard is incomplete.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye irritation.		
Ingestion	Knowledge about health hazard is incomplete.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological eff	iects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irrita	ition.	
Respiratory or skin sensitisatio	n		
Canada - Alberta OELs: Irri	tant		
Titanium dioxide (CAS 1		Irritant	
Respiratory sensitisation	Due to partial or complet	e lack of data the classification is not possible.	
Skin sensitisation	May cause an allergic sk		
Germ cell mutagenicity	Due to partial or complet	e lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complet	e lack of data the classification is not possible.	
ACGIH Carcinogens			
Titanium dioxide (CAS 1 Canada - Manitoba OELs: c		A4 Not classifiable as a human carcinogen.	
Titanium dioxide (CAS 1 IARC Monographs. Overall		Not classifiable as a human carcinogen. icity	
Titanium dioxide (CAS 1	3463-67-7)	2B Possibly carcinogenic to humans.	
Reproductive toxicity	Due to partial or complet	e lack of data the classification is not possible.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard	Due to partial or complet	e lack of data the classification is not possible.	
12. Ecological informatio	n		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential			
Mobility in soil	No data available.		
Other adverse effects		nmental effects (e.g. ozone depletion, photochemical ozone creation uption, global warming potential) are expected from this component.	
13. Disposal consideration	ons		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should b disposal company.	be assigned in discussion between the user, the producer and the waste	
Waste from residues / unused products		e with local regulations. Empty containers or liners may retain some laterial and its container must be disposed of in a safe manner (see:	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
Material name: DEVCON® Epoxy Co	oat™ 7000 AB (Acid Besistant)	Besin SDS CANAD	

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information	lion	
Canadian regulations	This product has been classified in accordance with the hazard crite contains all the information required by the HPR.	eria of the HPR and the SDS
Controlled Drugs and Su	bstances Act	
Not regulated.		
Export Control List (CEP	A 1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.	-tiono	
Precursor Control Regula		
Not regulated.		
nternational regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
nternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	N
Canada	Domestic Substances List (DSL)	Ν
Canada	Non-Domestic Substances List (NDSL)	Ν
China	Inventory of Existing Chemical Substances in China (IECSC)	Ν
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Ν
Europe	European List of Notified Chemical Substances (ELINCS)	Ν
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Ν
Korea	Existing Chemicals List (ECL)	Ye
New Zealand	New Zealand Inventory	Ye
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Ν
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Ye
United States & Puerto Ric		Ye
United States & Puerto Ric *A "Yes" indicates that all com		

16. Other information

Issue date	28-May-2019	
Revision date	29-April-2020	
Material name: DEVCON® Epoxy Coat™ 7000 AR (Acid Resistant) Resin SDS CAR		

Version No.	02
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.

SAFETY DATA SHEET

1. Identification			
Product identifier	DEVCON® Epoxy Coat™ 7000 AR (Acid	Resistant) Hardener	
Other means of identification SKU#	5372A		
Recommended use	Not available.	Not available.	
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Company name	ITW Performance Polymers		
Address	35 Brownridge Rd		
	Unit 1		
	Halton Hills, ON L7G 0C6		
Contact person	Customer Service		
Telephone number	978-777-1100		
Fax			
E-mail			
Emergency telephone number	800-424-9300		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral	Category 4	
	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 1	
	Sensitization, skin	Category 1	
Environmental hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.		
Precautionary statement			
Prevention	Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.		
Response	IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		

46 % of the mixture consists of component(s) of unknown acute oral toxicity. 49 % of the mixture consists of component(s) of unknown acute dermal toxicity. 46 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 49 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 46 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Benzyl alcohol		100-51-6	30 - 60
Formaldehyde, Polymer With Benzenamine, Hydrogenated		135108-88-2	30 - 60
Organic acid		N/A	3 - 7
4,4'-methylenedicyclohexaneamine		1761-71-3	1 - 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release measures	

Personal precautions,
protective equipment and
emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear
appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do
not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be
contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where th possible. Absorb in vermiculite, dry sand or earth and place into containers. Following produc recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Do not get this material in contact with eyes. Do not taste or swallow. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	
8. Exposure controls/pers	onal protection	
Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.	
Individual protection measures,	such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.	
Skin protection Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	
9 Physical and chemical	proportion	

9. Physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Amber.
Odour	Ammoniacal.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	-15.2 °C (4.64 °F) estimated
Initial boiling point and boiling range	205.3 °C (401.54 °F) estimated
Flash point	104.0 °C (219.2 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	0.13 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	436 °C (816.8 °F) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.06 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.06 estimated
10. Stability and reactivity	/

-	•
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Knowledge about health hazard is incomplete.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	Harmful if swallowed.	
Components	Species	Test Results
Benzyl alcohol (CAS 100-51-6)		
Acute		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Rat	1000 mg/l, 8 Hours
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye damage.	

Respiratory or skin sensitisation	n	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	
Skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
12. Ecological information	n	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential		
Partition coefficient n-octan Benzyl alcohol	nol / water (log Kow) 1.1	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed.

Not regulated.		
ernational regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
ernational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no
Australia	Australian Inventory of Chemical Substances (AICS)	Ye
Canada	Domestic Substances List (DSL)	Ye
Canada	Non-Domestic Substances List (NDSL)	Ν
China	Inventory of Existing Chemical Substances in China (IECSC)	Ye
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Ν
Europe	European List of Notified Chemical Substances (ELINCS)	Ν
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Ν
Korea	Existing Chemicals List (ECL)	Ye
New Zealand	New Zealand Inventory	Ye
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Ye
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Ye
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Ye

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information	n
Issue date	28-May-2019
Revision date	30-April-2020
Version No.	02
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Composition/information on ingredients: Component information Physical & Chemical Properties: Multiple Properties Stability and reactivity: Conditions to avoid Toxicological information: Aspiration hazard Toxicological information: Carcinogenicity Toxicological information: Corrosivity Toxicological information: Eye contact Toxicological information: Mutagenicity Toxicological information: Reproductivity Toxicological information: Respiratory sensitisation Toxicological information: Inhalation Toxicological information: Skin contact Toxicological information: Specific target organ toxicity - repeated exposure Toxicological information: Specific target organ toxicity - single exposure