SAFETY DATA SHEET

1. Identification		
Product identifier	DEVCON® DFense Blok™ Resin	
Other means of identification		
SKU#	0053	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an allergic	skin reaction. Causes serious eye irritation.
Precautionary statement		
Prevention	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.	
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Other hazards	None known.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Bauxite		92797-42-7	60 - 100
Phenol Polymer With Formaldehyde, Glycidyl Ether		28064-14-4	10 - 30
Epoxy Resin:reaction Product Bisphenol A And Epichlorohydri (refer To Epichlorohydrin)		25068-38-6	7 - 13
Other components below report	table levels		1 - 5
All concentrations are in percent by	y weight unless ingredient is a gas. Gas concer	ntrations are in percent by volu	ume.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Remove contaminated clothing immediately a eczema or other skin disorders: Seek medica contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water fo present and easy to do. Continue rinsing. Get		
Ingestion	Rinse mouth. Get medical attention if sympton	ms occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include vision. Skin irritation. May cause redness and Rash.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treas Symptoms may be delayed.	at symptomatically. Keep victi	m under observation.
General information	Ensure that medical personnel are aware of the protect themselves. Wash contaminated clother		ike precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers		
Specific methods	Use standard firefighting procedures and con-	sider the hazards of other invo	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing or spilled material unless wearing appropriate Local authorities should be advised if significat protection, see section 8 of the SDS.	during clean-up. Do not touc protective clothing. Ensure a	h damaged containers dequate ventilation.
Methods and materials for	Prevent entry into waterways, sewer, baseme	nts or confined areas.	
containment and cleaning up	Large Spills: Stop the flow of material, if this is possible. Absorb in vermiculite, dry sand or earecovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean sur	face thoroughly to
Environmental precautions	Never return spills to original containers for re Avoid discharge into drains, water courses or		section 13 of the SDS.

7. Handling and storage	
Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
8. Exposure controls/pers	onal protection
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

9. Physical and chemical	higherines
Appearance	Solid.
Physical state	Solid.
Form	Solid.
Colour	Not available.
Odour	Mild.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	245 °C (473 °F) estimated
Flash point	485.0 °C (905.0 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.18 g/cm3 estimated
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Specific gravity	1.18 estimated
VOC	0 g/l

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Knowledge about health hazard is incomplete.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
	Causes serious eye irritation.
Eye contact	-
Ingestion	Knowledge about health hazard is incomplete.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Information on toxicological eff	ects
Acute toxicity	Not known.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	n
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
12. Ecological information	n
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Material name: DEVCON® DFense B	Blok™ Resin SDS CANADA

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA


Not regulated as dangerous goods.

IMDG

UN number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
ransport in bulk according to	Not applicable.
nnex II of MARPOL 73/78 and	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

anadian regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.	
Controlled Drugs and Subst	ances Act	
Not regulated.		
Export Control List (CEPA 1	999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Regulation	ons	
Not regulated.		
ternational regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
ternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/n
Australia	Australian Inventory of Chemical Substances (AICS)	
Canada	Domestic Substances List (DSL)	
Canada	Non-Domestic Substances List (NDSL)	
China	Inventory of Existing Chemical Substances in China (IECSC)	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	
Europe	European List of Notified Chemical Substances (ELINCS)	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	
Korea	Existing Chemicals List (ECL)	,
New Zealand	New Zealand Inventory	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Y

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

28-May-2019 28-April-2020
28-April-2020
02
ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
This document has undergone significant changes and should be reviewed in its entirety.

SAFETY DATA SHEET

1. Identification	
-------------------	--

Product identifier	DEVCON® DFense Blok™ Hardener	
Other means of identification		
SKU#	5203	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplie	r/Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1A
	Reproductive toxicity	Category 2
Environmental hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement		age. May cause an allergic skin reaction. Causes serious na symptoms or breathing difficulties if inhaled. born child.
Precautionary statement		
Prevention	and understood. Avoid breathing dust/fu handling. Contaminated work clothing sh	oo not handle until all safety precautions have been read me/gas/mist/vapours/spray. Wash thoroughly after nould not be allowed out of the workplace. Wear protection/face protection. Wear respiratory protection.
Response	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Store locked up.	
Storage	•	

Other hazards Supplemental information

Disposal

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Bauxite		92797-42-7	40 - 70
Paratertiarybutylphenol		98-54-4	3 - 7
Benzene-1,3-Dimethaneam	nine	1477-55-0	1 - 5
DIETHYLENETRIAMINE		111-40-0	1 - <3
TRIMETHYLHEXAMETHYL DIAMINE	ENE	25513-64-8	1 - <3
PIPERAZINE		110-85-0	0.1 - 1
Titanium dioxide	Titanium dioxide	13463-67-7	0.1 - 1
Other components below reportable levels			10 - 30

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or doctor/physician.Skin contactRemove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.Eye contactImmediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.Most important symptoms/effects, acute and delayedSkin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing.Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.General informationIF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in		
Eye contactor poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.Eye contactImmediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately. Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.Most important symptoms/effects, acute and delayedBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing.Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.General informationIF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in	Inhalation	Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a
Ingestionpresent and easy to do. Continue rinsing. Call a physician or poison control centre immediately.IngestionCall a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.Most important symptoms/effects, acute and delayedBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing.Indication of immediate medical attention and special treatment neededProvide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.General informationIF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in	Skin contact	or poison control centre immediately. Chemical burns must be treated by a physician. Wash
 vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Most important symptoms/effects, acute and delayed Indication of immediate medical attention and special treatment needed General information Fexposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in 	Eye contact	
 symptoms/effects, acute and delayed include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing. Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed. General information IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in 	Ingestion	
medical attention and special treatment neededimmediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.General informationIF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in	Most important symptoms/effects, acute and delayed	include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including
(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in	Indication of immediate medical attention and special treatment needed	ambulance. Continue flushing during transport to hospital. Keep victim under observation.
5	General information	(show the label where possible). Ensure that medical personnel are aware of the material(s)
5. Fire-fighting measures	5. Fire-fighting measures	

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

6. Accidental release mea	b. Accidental release measures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.			
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.			
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.			
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.			
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.			
7. Handling and storage				
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.			
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).			

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Benzene-1,3-Dimethaneami ne (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	1 ppm	
PIPERAZINE (CAS 110-85-0)	TWA	0.03 ppm	Inhalable fraction and vapor.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	
Benzene-1,3-Dimethaneami ne (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	4.2 mg/m3	
		1 ppm	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Benzene-1,3-Dimethaneami ne (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	1 ppm	
PIPERAZINE (CAS 110-85-0)	STEL	1 mg/m3	
	TWA	0.3 mg/m3	
Titanium dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 217)	2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	Form
Benzene-1,3-Dimethaneami ne (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	1 ppm	
PIPERAZINE (CAS 110-85-0)	TWA	0.03 ppm	Inhalable fraction and vapor.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Ontario OELs. (Control of	Exposure to Biological or Ch	nemical Agents)	

Components	Туре	Value	Form
Benzene-1,3-Dimethaneami ne (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	1 ppm	
PIPERAZINE (CAS 110-85-0)	TWA	0.03 ppm	Inhalable fraction and vapor.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Туре	Value	Form
Benzene-1,3-Dimethaneami ne (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	4.2 mg/m3	
		1 ppm	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Гуре	Value
Ceiling	0.1 mg/m3
15 minute	2 ppm
8 hour	1 ppm
15 minute	20 mg/m3
8 hour	10 mg/m3
	Ceiling 15 minute 8 hour 15 minute

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Canada - Alberta OELs: Skin designation	
Benzene-1,3-Dimethaneamine (CAS 1477-55-0)	Can be absorbed through the skin.
DIETHYLENETRIAMINE (CAS 111-40-0)	Can be absorbed through the skin.
Canada - British Columbia OELs: Skin designation	
Benzene-1,3-Dimethaneamine (CAS 1477-55-0)	Can be absorbed through the skin.
DIETHYLENETRIAMINE (CAS 111-40-0)	Can be absorbed through the skin.
Canada - Manitoba OELs: Skin designation	
Benzene-1,3-Dimethaneamine (CAS 1477-55-0)	Can be absorbed through the skin.
DIETHYLENETRIAMINE (CAS 111-40-0)	Can be absorbed through the skin.

Canada - Ontario OELs: Ski	Canada - Ontario OELs: Skin designation		
Benzene-1,3-Dimethanea		Can be absorbed through the skin.	
DIETHYLENETRIAMINE (CAS 111-40-0)		Can be absorbed through the skin.	
Canada - Quebec OELs: Skin designation			
Benzene-1,3-Dimethanea DIETHYLENETRIAMINE		Can be absorbed through the skin. Can be absorbed through the skin.	
Canada - Saskatchewan OE	. ,	oan be absorbed through the skin.	
Benzene-1,3-Dimethanea DIETHYLENETRIAMINE US ACGIH Threshold Limit V	amine (CAS 1477-55-0) (CAS 111-40-0)	Can be absorbed through the skin. Can be absorbed through the skin.	
Benzene-1,3-Dimethanea DIETHYLENETRIAMINE	. ,	Can be absorbed through the skin. Can be absorbed through the skin.	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Eye wash facilities and emergency shower must be available when handling this product.		
Individual protection measures,	such as personal protective	equipment	
Eye/face protection	Wear safety glasses with side	e shields (or goggles) and a face shield.	
Skin protection			
Hand protection	Wear appropriate chemical re	esistant gloves.	
Other	Wear appropriate chemical re	esistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	Wear positive pressure self-c	ontained breathing apparatus (SCBA).	
Thermal hazards	Wear appropriate thermal pro	tective clothing, when necessary.	
General hygiene considerations	measures, such as washing a smoking. Routinely wash wo	ance requirements. Always observe good personal hygiene after handling the material and before eating, drinking, and/or rk clothing and protective equipment to remove contaminants. should not be allowed out of the workplace.	

9. Physical and chemical properties		
Appearance	Solid.	
Physical state	Solid.	
Form	Solid.	
Colour	Amber	
Odour	Ammoniacal. fishy	
Odour threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	100.0 °C (212.0 °F) estimated	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit – upper (%)	Not available.	
Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	Not available.	

. .

-

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.03 g/cm3 estimated
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Specific gravity	1.03 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information


Information on likely routes of e	exposure		
Inhalation		espiratory system. May cause allergy or asthma symptoms or ed. Prolonged inhalation may be harmful.	
Skin contact	Causes severe skin burns. I	Causes severe skin burns. May cause an allergic skin reaction.	
Eye contact	Causes serious eye damage	9.	
Ingestion	Causes digestive tract burns	5.	
Symptoms related to the physical, chemical and toxicological characteristics		rrosive skin damage. Causes serious eye damage. Symptoms may Iness, swelling, and blurred vision. Permanent eye damage including sulty in breathing.	
Information on toxicological eff	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Causes severe skin burns a	nd eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage	Э.	
Respiratory or skin sensitisatio	n		
ACGIH sensitisation			
PIPERAZINE AND SALT VAPOR, AS PIPERAZIN	「S, INHALABLE FRACTION AI IE (CAS 110-85-0)	ND Dermal sensitization	
	· · · ·	Respiratory sensitisation	
Canada - Alberta OELs: Irrit			
Benzene-1,3-Dimethane		Irritant	
DIETHYLENETRIAMINE Titanium dioxide (CAS 1	,	Irritant Irritant	
	OELs: Respiratory or skin se		
DIETHYLENETRIAMINE	• •	Capable of causing respiratory, dermal or conjunctival sensitization.	
PIPERAZINE (CAS 110-85-0)		Capable of causing respiratory, dermal or conjunctival sensitization.	
Canada - Manitoba OELs H	azard: Dermal sensitization		
PIPERAZINE (CAS 110-		Dermal sensitization	
	azard: Respiratory sensitizat		
PIPERAZINE (CAS 110-	85-0)	Respiratory sensitisation	

Respiratory sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Skin sensitisation	May cause an allergic skin re	action.
Germ cell mutagenicity	Due to partial or complete lac	k of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
ACGIH Carcinogens		
PIPERAZINE (CAS 110-85-0)A4 Not classifiable as a human carcinogen.Titanium dioxide (CAS 13463-67-7)A4 Not classifiable as a human carcinogen.Canada - Manitoba OELs: carcinogenicityA4 Not classifiable as a human carcinogen.		
PIPERAZINE (CAS 110-8 Titanium dioxide (CAS 13 IARC Monographs, Overall I		Not classifiable as a human carcinogen. Not classifiable as a human carcinogen.
Titanium dioxide (CAS 13	• •	2B Possibly carcinogenic to humans.
Reproductive toxicity	Suspected of damaging fertili	
Specific target organ toxicity - single exposure		ck of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lac	k of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Chronic effects	Prolonged inhalation may be	harmful.
12. Ecological information	ı	
Ecotoxicity		as environmentally hazardous. However, this does not exclude the ent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential		
Partition coefficient n-octan PIPERAZINE	ol / water (log Kow)	-1.17
Mobility in soil	No data available.	
Other adverse effects		ntal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.
13. Disposal consideratio	ns	
Disposal instructions		e in sealed containers at licensed waste disposal site. Dispose of ance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be as disposal company.	signed in discussion between the user, the producer and the waste
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging		y retain product residue, follow label warnings even after container is nould be taken to an approved waste handling site for recycling or
14. Transport information		
TDG		
UN number UN proper shipping name	UN3263 CORBOSIVE SOLID, BASIC	. ORGANIC. N.O.S. (Diethvlenetriamine. Paratertiarvbutvlphenol).

	UN number	UN3263
	UN proper shipping name	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Diethylenetriamine, Paratertiarybutylphenol), Limited Quantity
	Transport hazard class(es)	
	Class	8
	Subsidiary risk	-
	Packing group	
	Environmental hazards	Not available.
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤ	A	
	UN number	UN3263
	UN proper shipping name	Corrosive solid, basic, organic, n.o.s. (Diethylenetriamine, Paratertiarybutylphenol)

Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	No.
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3263
UN proper shipping name	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Diethylenetriamine, Paratertiarybutylphenol), Limited Quantity
Transport hazard class(es)	,
Class	8
Subsidiary risk	
Packing group	
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and the IBC Code	

ΙΑΤΑ



15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** ***		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	29-May-2019
Revision date	28-April-2020
Version No.	02
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Composition/information on ingredients: Component information Stability and reactivity: Conditions to avoid Toxicological information: Aspiration hazard Toxicological information: Carcinogenicity Toxicological information: Mutagenicity Toxicological information: Reproductivity Toxicological information: Respiratory sensitisation Toxicological information: Inhalation Toxicological information: Skin contact Toxicological information: Specific target organ toxicity - repeated exposure Toxicological information: Specific target organ toxicity - single exposure