

ITW Performance Polymers

SAFETY DATA SHEET EPOCAST 36-P HARDENER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name EPOCAST 36-P HARDENER
Product number 10055

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hardener.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier ITW Performance Polymers
Bay 150
Shannon Industrial Estate
Co. Clare
Ireland
V14 DF82
353(61)771500
353(61)471285
customerservice.shannon@itwpp.com

1.4. Emergency telephone number

Emergency telephone +44(0)1235 239 670 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Skin Corr. 1C - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317
Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

EPOCAST 36-P HARDENER

Precautionary statements	<p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p>
Contains	Fatty acids, C18 unsat., reaction products with triethylenetetramine, PENTAETHYLENEHEXAMINE
Supplementary precautionary statements	<p>P260 Do not breathe vapour/ spray.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P391 Collect spillage.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Crystalline Silica (Quartz)	60-100%
CAS number: 14808-60-7	EC number: 231-545-4
Classification	
Carc. 1A - H350	
Fatty acids, C18 unsat., reaction products with triethylenetetramine	30-60%
CAS number: 68919-79-9	EC number: 272-905-0
	REACH registration number: 01-2119490750-36-0000
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	
Skin Corr. 1C - H314	
Eye Dam. 1 - H318	
Skin Sens. 1A - H317	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

EPOCAST 36-P HARDENER

PENTAETHYLENEHEXAMINE		1-5%
CAS number: 4067-16-7	EC number: 223-775-9	REACH registration number: 01-2119485826-22-0000
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Remove contaminated clothing.
Inhalation	Get medical attention. Move affected person to fresh air at once.
Ingestion	Get medical attention immediately. Do not induce vomiting. Rinse nose, mouth and throat with water. Give plenty of water to drink.
Skin contact	It is important to remove the substance from the skin immediately. Wash skin thoroughly with soap and water. Get medical attention immediately.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. May cause allergy. May cause hypersensitivity.
Inhalation	No specific symptoms known.
Ingestion	May cause discomfort if swallowed.
Skin contact	Skin irritation. Allergic rash.
Eye contact	May cause blurred vision and serious eye damage. Corneal damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Vapours/gases/fumes of: Carbon monoxide (CO). Nitrous gases (NOx).
Hazardous combustion products	When heated, vapours/gases hazardous to health may be formed.

EPOCAST 36-P HARDENER

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Do not eat, drink or smoke when using the product. Contaminated clothing and shoes must be discarded. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Keep container dry. Keep container tightly closed. Avoid contact with oxidising agents. Keep away from food, drink and animal feeding stuffs. Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

DNEL

Industry - Inhalation; Short term : 8550 mg/m³
 Industry - Dermal; Long term : 0.91 mg/kg/day
 Industry - Inhalation; Long term : 1.59 mg/m³
 Industry - Dermal; Long term : 0.044
 Professional - Dermal; Short term : 13 mg/kg/day
 Professional - Dermal; Long term : 0.4 mg/kg/day
 Professional - Oral; Long term : 0.65 mg/kg/day
 Professional - Oral; Short term : 32 mg/kg/day

EPOCAST 36-P HARDENER

PNEC	- Fresh water; 0.0025 mg/l
	- marine water; 0.0025 mg/l
	- Sediment; 0.22 mg/kg
	- Soil; 0.18 mg/kg
	- STP; 1.64 mg/l

Fatty acids, C18 unsat., reaction products with triethylenetetramine (CAS: 68919-79-9)

DNEL	Workers - Inhalation; Long term systemic effects: 2.9 mg/m ³
	Workers - Dermal; Long term systemic effects: 0.42 mg/kg/day
	Consumer - Inhalation; Long term systemic effects: 0.87 mg/m ³
	Consumer - Dermal; Long term systemic effects: 0.25 mg/kg/day
	Consumer - Oral; Long term systemic effects: 0.25 mg/kg/day

8.2. Exposure controls

Protective equipment



Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	It is recommended that gloves are made of the following material: Butyl rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. (EN 374)
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Use engineering controls to reduce air contamination to permissible exposure level. When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Gas filter, type A2. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Thermal hazards	Not applicable.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Coloured liquid.
Colour	Brown.
Odour	Characteristic.
pH	Not determined. Not determined.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	°C Not determined.
Evaporation rate	Not applicable.

EPOCAST 36-P HARDENER

Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	<0.1 kPa @ °C
Vapour density	Not applicable.
Relative density	1 @ °C
Auto-ignition temperature	Not applicable.
Viscosity	Not applicable.
Oxidising properties	Not applicable.

9.2. Other information

Other information	None.
Volatile organic compound	This product contains a maximum VOC content of 0 g/litre.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	The following materials may react with the product: Acids. Not relevant.
---	--

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight. Avoid contact with strong oxidising agents.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Not determined.
---------------------------	-----------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Not known.
---	------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	No data recorded.
------------------------------	-------------------

Specific target organ toxicity - single exposure

STOT - single exposure	None , ,
-------------------------------	----------

Specific target organ toxicity - repeated exposure

STOT - repeated exposure	None , ,
---------------------------------	----------

Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.
Skin contact	Corrosive. Prolonged contact causes serious tissue damage.

EPOCAST 36-P HARDENER

Eye contact	Risk of serious damage to eyes.
Acute and chronic health hazards	The product contains an epoxy resin. May cause sensitisation or allergic reactions in sensitive individuals.

SECTION 12: Ecological information

Ecotoxicity This substance is not classified as PBT or vPvB according to current EU criteria.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 180 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 17.5 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 0.7 mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential -3,67

12.4. Mobility in soil

Mobility Not determined.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Waste liquid components should be suitable for incineration at an approved facility. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.
Waste class	08 04 09*

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	2735
UN No. (IMDG)	2735
UN No. (ICAO)	2735
UN No. (ADN)	2735

14.2. UN proper shipping name

EPOCAST 36-P HARDENER

Proper shipping name (ADR/RID)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyamidoimidazoline, Pentaethylenehexamine)
Proper shipping name (IMDG)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyamidoimidazoline, Pentaethylenehexamine)
Proper shipping name (ICAO)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyamidoimidazoline, Pentaethylenehexamine)
Proper shipping name (ADN)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Polyamidoimidazoline, Pentaethylenehexamine)

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C7
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
ADR transport category	3
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

EPOCAST 36-P HARDENER

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date 09/07/2019

Revision 7

Supersedes date 24/05/2018

Hazard statements in full H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H350 May cause cancer.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.