Performance Polymers

SAFETY DATA SHEET IRATHANE C-155HS CURING AGENT

| 1. Identification | |
|----------------------------------|---|
| Product identifier | |
| Product name | IRATHANE C-155HS CURING AGENT |
| Recommended use of the che | emical and restrictions on use |
| Application | Two-component, isocyanate-based sealant. |
| Details of the supplier of the s | afety data sheet |
| Supplier | ITW Performance Polymers Bay 150 Shannon Industrial Estate Co. Clare Ireland V14 DF82 353(61)771500 |
| | 353(61)/71285 customerservice.shannon@itwpp.com |
| Emergency telephone number | r - |
| Emergency telephone | +44(0)1235 239 670 (24h) |
| 2. Hazard(s) identification | |
| Classification of the substance | e or mixture |
| Physical hazards | Flam. Liq. 2 - H225 |
| Health hazards | STOT SE 3 - H336 STOT RE 2 - H373 |
| Environmental hazards | Aquatic Chronic 2 - H411 |
| Label elements | |
| Hazard symbols | |
| | |
| Signal word | Danger |

Hazard statements

H225 Highly flammable liquid and vapor.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

60-100%

10-30%

IRATHANE C-155HS CURING AGENT

| Precautionary statements | P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. |
|--------------------------|---|
| | P240 Ground/ bond container and receiving equipment. |
| | P241 Use explosion-proof electrical equipment. |
| | P242 Use only non-sparking tools. |
| | P243 Take precautionary measures against static discharge. |
| | P260 Do not breathe vapor/ spray. |
| | P261 Avoid breathing vapor/ spray. |
| | P271 Use only outdoors or in a well-ventilated area. |
| | P273 Avoid release to the environment. |
| | P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| | P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse |
| | skin with water/ shower. |
| | P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. |
| | P312 Call a poison center/ doctor if you feel unwell. |
| | P314 Get medical advice/ attention if you feel unwell. |
| | P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. |
| | P391 Collect spillage. |
| | P403+P233 Store in a well-ventilated place. Keep container tightly closed. |
| | P403+P235 Store in a well-ventilated place. Keep cool. |
| | P405 Store locked up. |
| | P501 Dispose of contents/ container in accordance with national regulations. |
| Contains | ΕΤΗΥΙ ΔΩΕΤΔΤΕ DIETHYI ΜΕΤΗΥΙ ΒΕΝΖΕΝΕΡΙΔΜΙΝΕ |

Contains

ETHYL ACETATE, DIETHYLMETHYLBENZENEDIAMINE

3. Composition/information on ingredients

Mixtures

ETHYL ACETATE

CAS number: 141-78-6

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

| DIFTHY | METHYI | BENZEN | EDIAMINE |
|--------|--------|---------------|----------|
| | | | |

CAS number: 68479-98-1

M factor (Acute) = 1

M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Eye Irrit. 2 - H319 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

| Inhalation | Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. |
|---|--|
| Ingestion | Get medical attention immediately. Do not induce vomiting. |
| Skin Contact | Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. |
| Eye contact | Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Continue to rinse for at least 15 minutes and get medical attention. |
| Most important symptoms and | effects, both acute and delayed |
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Indication of immediate medica | al attention and special treatment needed |
| Notes for the doctor | Treat symptomatically. |
| 5. Fire-fighting measures | |
| Extinguishing media | |
| Suitable extinguishing media | Extinguish with foam, carbon dioxide or dry powder. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Special hazards arising from the | he substance or mixture |
| Hazardous combustion products | Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. |
| Advice for firefighters | |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |
| 6. Accidental release measure | 8 |
| Personal precautions, protective | ve equipment and emergency procedures |
| Personal precautions | Ensure suitable respiratory protection is worn during removal of spillages in confined areas. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. |
| Environmental precautions | |
| Environmental precautions | Avoid or minimize the creation of any environmental contamination. Avoid discharge into drains or watercourses or onto the ground. |
| Methods and material for conta | ainment and cleaning up |
| Methods for cleaning up | Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Keep combustible materials away from spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labeled with correct contents and hazard symbol. |
| Reference to other sections | Wear protective clothing as described in Section 8 of this safety data sheet. |
| 7. Handling and storage | |
| Precautions for safe handling | |

Precautions for safe handling

| Usage precautions | Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapors, spray or mist. Contaminated rags and cloths must be put in fireproof containers for disposal. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid inhalation of vapors. Provide adequate ventilation. |
|----------------------------------|--|
| Conditions for safe storage, | including any incompatibilities |
| Storage precautions | Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Avoid contact with oxidizing agents. Store away from the following materials: Acids. Store away from incompatible materials (see Section 10). |
| Specific end uses(s) | |
| Specific end use(s) | The identified uses for this product are detailed in Section 1. |
| 8. Exposure controls/Persor | nal protection |
| Exposure controls | |
| Appropriate engineering controls | Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients. |
| Eye/face protection | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133. |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. The selected gloves should have a breakthrough time of at least 8 hours. |
| Other skin and body protection | Wear apron or protective clothing in case of contact. |
| Hygiene measures | Provide eyewash station and safety shower. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. |
| Respiratory protection | If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Organic vapor filter. Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. |

9. Physical and chemical properties

| Information on basic physical and chemical properties | | |
|---|-------------------------------|--|
| Appearance | Colored liquid. | |
| Color | Grey. | |
| Odor | Organic solvents. | |
| рН | pH (diluted solution): 7-8 5% | |
| Melting point | Not determined. | |
| Initial boiling point and range | 76.6°C @ | |

| Flash point | -4.4°C Tag closed cup. |
|--|---|
| Evaporation rate | >1 (diethyl ether = 1) |
| Upper/lower flammability or explosive limits | Upper flammable/explosive limit: 11.5 Lower flammable/explosive limit: 1.8 |
| Vapor pressure | Not determined. |
| Vapor density | >1 |
| Relative density | 1.00 @ °C |
| Volatile organic compound | This product contains a maximum VOC content of 653 g/litre. |
| 10. Stability and reactivity | |
| Reactivity | The following materials may react with the product: Acids. Organic peroxides/hydroperoxides. Strong oxidizing agents. |
| Stability | Stable at normal ambient temperatures and when used as recommended. |
| Possibility of hazardous reactions | No potentially hazardous reactions known. |
| Conditions to avoid | Avoid heat, flames and other sources of ignition. Avoid contact with strong oxidizing agents. |
| Materials to avoid | Strong oxidizing agents. Organic peroxides/hydroperoxides. Strong acids. Chemically-active metals. |
| | |
| Hazardous decomposition products | Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. |
| - | |
| products 11. Toxicological information Information on toxicological et | other toxic gases or vapours. |
| products 11. Toxicological information | other toxic gases or vapours. |
| products 11. Toxicological information Information on toxicological ef Acute toxicity - oral | other toxic gases or vapours. |
| products 11. Toxicological information Information on toxicological et Acute toxicity - oral ATE oral (mg/kg) Acute toxicity - dermal | other toxic gases or vapours. ffects 4,807.69 |
| products 11. Toxicological information Information on toxicological effective Acute toxicity - oral ATE oral (mg/kg) Acute toxicity - dermal ATE dermal (mg/kg) | other toxic gases or vapours. fects 4,807.69 10,576.92 Vapor from this product may be hazardous by inhalation. Vapors may irritate throat/respiratory system. A single exposure may cause the following adverse effects: Coughing. Difficulty in |
| products 11. Toxicological information Information on toxicological et Acute toxicity - oral ATE oral (mg/kg) Acute toxicity - dermal ATE dermal (mg/kg) Inhalation | other toxic gases or vapours. ffects 4,807.69 10,576.92 Vapor from this product may be hazardous by inhalation. Vapors may irritate throat/respiratory system. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. Vapours may cause drowsiness and dizziness. Swallowing concentrated chemical may cause severe internal injury. Gastrointestinal symptoms, including upset stomach. May cause chemical burns in mouth, esophagus and |
| products 11. Toxicological information Information on toxicological eff Acute toxicity - oral ATE oral (mg/kg) Acute toxicity - dermal ATE dermal (mg/kg) Inhalation Ingestion | other toxic gases or vapours. ffects 4,807.69 10,576.92 Vapor from this product may be hazardous by inhalation. Vapors may irritate throat/respiratory system. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. Vapours may cause drowsiness and dizziness. Swallowing concentrated chemical may cause severe internal injury. Gastrointestinal symptoms, including upset stomach. May cause chemical burns in mouth, esophagus and stomach. Irritating to skin. Prolonged contact may cause redness, irritation and dry skin. May cause |
| products 11. Toxicological information Information on toxicological eff Acute toxicity - oral ATE oral (mg/kg) Acute toxicity - dermal ATE dermal (mg/kg) Inhalation Ingestion Skin Contact | other toxic gases or vapours. fects 4,807.69 10,576.92 Vapor from this product may be hazardous by inhalation. Vapors may irritate throat/respiratory system. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. Vapours may cause drowsiness and dizziness. Swallowing concentrated chemical may cause severe internal injury. Gastrointestinal symptoms, including upset stomach. May cause chemical burns in mouth, esophagus and stomach. Irritating to skin. Prolonged contact may cause redness, irritation and dry skin. May cause sensitization or allergic reactions in sensitive individuals. Risk of serious damage to eyes. May cause chemical eye burns. Vapor or spray may cause |

12. Ecological information

| Ecclosicity The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. Persistence and degradability The rare no data on the degradability of this product. Bioencumulative potential No data available on bioaccumulation. Mobility in soil Mobility in soil Mobility in soil No data available on bioaccumulation. Yaste tradiment methods Not determined. Yaste tradiment methods Not determined. Vaste tradiment methods Usate is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handing waste, the safety precautions applying to handing of the product should be considered. Disposal methods Disposal dub with Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids. VIN No. (TGG) 1139 UN No. (TGG) 1139 UN No. (CAQ) 1139 VIN proper shipping name (IMD) CONTING SOLUTION Proper shipping name (IMD) CONTING SOLUTION Proper shipping name (IMD) 3 Disposal dub solution 3 Displael(s) | 12. Ecological Information | |
|---|-------------------------------|---|
| Persistence and degradability There are no data on the degradability of this product. Bio-Accumulative potential No data available on bioaccumulation. Mobility in soil Mobility Mobility The product is miscible with water and may spread in water systems. Other adverse effects Not determined. 13. Disposal considerations Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. 14. Transport information Uispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. 14. Transport information Uisposal Authority. Materials such as cleaning requirements of the local Waste Disposal Authority. 13. Nin. (ICGO) 1139 13. Nin. (ICGO) 1139 13. Nin. (ICGO) 1139 13. Nin. (ICGO) 1139 13. Nin. (ICGO) COATING SOLUTION | Ecotoxicity | |
| Bioaccumulative potential No data available on bloaccumulation. Mobility in soil The product is miscible with water and may spread in water systems. Other adverse effects Not determined. Other adverse effects Not determined. Mobility The product is miscible with water and may spread in water systems. Uter adverse effects Not determined. Motion Waste treatment methods General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids. UN Number UN No. (IMOG) 1139 UN No. (DOT) 1139 Out proper shipping name UN proper shipping name (TDG) COATING SOLUTION Proper shipping name (IMOG) COATING SOLUTION Proper shipping name (IMOG) COATING SOLUTION Proper shipping name (IMOG) | Persistence and degradability | |
| Bio-Accumulative Potential No data available on bioaccumulation. Mobility in sol The product is miscible with water and may spread in water systems. Other adverse effects Not determined. 13. Disposal considerations Totage streatment methods General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ginte after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids. 14. Transport Information UN No. (TDG) UN No. (CAO) 1139 UN No. (DOT) 1139 UN proper shipping name COATING SOLUTION Proper shipping name (TDG) COATING SOLUTION Proper shipping name (GAO) COATING SOLUTION Proper shipping name (GAO) COATING SOLUTION Proper shipping name (GAO) | Persistence and degradability | There are no data on the degradability of this product. |
| Bio-Accumulative Potential No data available on bioaccumulation. Mobility in soll The product is miscible with water and may spread in water systems. Other adverse effects Not determined. 73. Disposal considerations Yaste treatment methods General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ginte after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids. 14. Transport Information 1139 UN No. (IDG) 1139 UN No. (IDG) 1139 UN proper shipping name COATING SOLUTION Proper shipping name(IDG) COATING SOLUTION Proper shipping name(IDG) COATING SOLUTION Proper shipping name(IDG) COATING SOLUTION Proper shipping name (IDGG) | Bioaccumulative potential | |
| Mobility The product is miscible with water and may spread in water systems. Other adverse effects Not determined. 3. Disposal considerations Modelity Waste treatment methods General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. UN sposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids. 14. Transport information UN Number UN No. (TDG) 1139 UN No. (MDG) 1139 UN No. (COT) COATING SOLUTION Proper shipping name COATING SOLUTION Proper shipping name (IMDG) COATING SOLUTION Proper shipping name (ICAO) COATING SOLUTION Proper shipping name (ICAO) | Bio-Accumulative Potential | No data available on bioaccumulation. |
| Other adverse effects Not determined. 13. Disposal considerations | Mobility in soil | |
| Other adverse effects Not determined. 13. Disposal considerations | Mobility | The product is miscible with water and may spread in water systems. |
| 13. Disposal considerations Waste treatment methods General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids. 14. Transport information UN Number UN Number UN No. (TDG) UN No. (IGAO) 1139 UN No. (IGAO) 1139 UN No. (ICAO) 1139 UN Proper shipping name COATING SOLUTION Proper shipping name (ICAO) COATING SOLUTION Pransport hazard class(es) 3 <th>Other adverse effects</th> <th></th> | Other adverse effects | |
| Waste treatment methods General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with filammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids. 14. Transport information UN Number UN No. (TDG) 1139 UN No. (IMDG) 1139 UN No. (IMDG) 1139 UN No. (CAO) 1139 UN proper shipping name COATING SOLUTION Proper shipping name (IMDG) COATING SOLUTION Proper shipping name (ICAO) COATING SOLUTION Transport hazard class(es) 3 | Other adverse effects | Not determined. |
| General informationWaste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids.I.4. Transport information1139UN No. (TDG)1139UN No. (IMDG)1139UN No. (ICAO)1139UN no. (DOT)1139UN proper shipping nameCOATING SOLUTIONProper shipping name (IMDG)COATING SOLUTIONProper shipping name (IGAO)COATING SOLUTIONProper shipping name (IGAO)3TIDG class3IDG class3 | 13. Disposal considerations | |
| accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids.Image: transport informationImage: transport informationUN No. (TDG)1139UN No. (IMDG)1139UN No. (CAO)1139UN No. (DOT)1139UN proper shipping nameCOATING SOLUTIONProper shipping name(IMD)COATING SOLUTIONProper shipping name(IMD)COATING SOLUTIONProper shipping name(IMD)COATING SOLUTIONProper shipping name(IMD)3TDG class3Automatical Solution3Coating Solution3 | Waste treatment methods | |
| Iocal Waste Disposal Authority. Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids.I.4. Transport informationIUN No. (TDG)1139UN No. (IMDG)1139UN No. (ICAO)1139UN no. (DOT)1139UN proper shipping nameCOATING SOLUTIONProper shipping name (IMDG)COATING SOLUTIONProper shipping name (IMDG)COATING SOLUTIONProper shipping name (ICAO)COATING SOLUTIONTIDG class3Class3Class3Class3Class3Class3Class3Class3Class3Class3Class3Class3Class3Class3Class3Class3Class3 </th <th>General information</th> <th>accordance with the requirements of the local Waste Disposal Authority. When handling</th> | General information | accordance with the requirements of the local Waste Disposal Authority. When handling |
| UN NumberUN No. (TDG)1139UN No. (IMDG)1139UN No. (ICAO)1139UN No. (DOT)1139UN proper shipping nameCOATING SOLUTIONProper shipping name (IMDG)COATING SOLUTIONProper shipping name (IMDG)COATING SOLUTIONProper shipping name (ICAO)COATING SOLUTIONProper shipping name (ICAO)COATING SOLUTIONProper shipping name (ICAO)COATING SOLUTIONProper shipping name (ICAO)COATING SOLUTIONProper shipping name (ICAO)SOLUTIONTIG class3TDG class3IMDG Class3 | Disposal methods | contaminated with flammable liquids may self-ignite after use and should be stored in |
| UN No. (TDG)1139UN No. (IMDG)1139UN No. (ICAO)1139UN No. (DOT)1139UN proper shipping nameCOATING SOLUTIONProper shipping name (IMDG)COATING SOLUTIONProper shipping name (IMDG)COATING SOLUTIONProper shipping name (ICAO)COATING SOLUTIONProper shipping name (ICAO)SOATING SOLUTIONProper shipping name (ICAO)SOATING SOLUTIONProper shipping name (ICAO)SOATING SOLUTIONProper shipping name (ICAO)SOATING SOLUTIONTIG class3TDG class3IMDG Class3 | 14. Transport information | |
| UN No. (IMDG)1139UN No. (ICAO)1139UN No. (DOT)1139UN proper shipping nameCOATING SOLUTIONProper shipping name (IMD)COATING SOLUTIONProper shipping name (ICM)COATING SOLUTIONProper shipping name (ICM)COAT | UN Number | |
| UN No. (ICAO)1139UN No. (DOT)1139UN proper shipping name0Proper shipping name (IMD)0ATING SOLUTIONProper shipping name (IMD)0ATING SOLUTIONITG class3ITG class3IMDG Class3 | UN No. (TDG) | 1139 |
| UN No. (DOT)1139UN proper shipping nameOATING SOLUTIONProper shipping name (TDB)OATING SOLUTIONProper shipping name (ICA)COATING SOLUTIONProper shipping name (DD)OATING SOLUTIONTransport hazard class(e):CoATING SOLUTIONTDG class3IDG label(s)3MDG Class3 | UN No. (IMDG) | 1139 |
| UN proper shipping nameProper shipping name (TDG)COATING SOLUTIONProper shipping name (IACA)COATING SOLUTIONProper shipping name (ICAC)COATING SOLUTIONProper shipping name (ICAC)COATING SOLUTIONTransport hazard class(es)COATING SOLUTIONTDG class3IDG label(s)3IMDG Class3 | UN No. (ICAO) | 1139 |
| Proper shipping name (TDG)COATING SOLUTIONProper shipping name (IMDG)COATING SOLUTIONProper shipping name (ICAO)COATING SOLUTIONProper shipping name (DOT)COATING SOLUTIONTransport hazard class(es)COATING SOLUTIONTDG class3IDG label(s)3IMDG Class3 | UN No. (DOT) | 1139 |
| Proper shipping name (IMDG)COATING SOLUTIONProper shipping name (ICAO)COATING SOLUTIONProper shipping name (DO)COATING SOLUTIONTransport hazard class(es)SolutionTDG class3TDG label(s)3IMDG Class3 | UN proper shipping name | |
| Proper shipping name (ICAO)COATING SOLUTIONProper shipping name (DOT)COATING SOLUTIONTransport hazard class(es)3TDG class3IDG label(s)3IMDG Class3 | Proper shipping name (TDG) | COATING SOLUTION |
| Proper shipping name (DOT)COATING SOLUTIONTransport hazard class(es)3TDG class3TDG label(s)3IMDG Class3 | Proper shipping name (IMDG) | COATING SOLUTION |
| Transport hazard class(es)TDG class3TDG label(s)3IMDG Class3 | Proper shipping name (ICAO) | COATING SOLUTION |
| TDG class 3 TDG label(s) 3 IMDG Class 3 | Proper shipping name (DOT) | COATING SOLUTION |
| TDG label(s)3IMDG Class3 | Transport hazard class(es) | |
| IMDG Class 3 | TDG class | 3 |
| | TDG label(s) | 3 |
| ICAO class/division 3 | IMDG Class | 3 |
| | ICAO class/division | 3 |

Transport labels



Packing group

| TDG Packing Group | |
|--------------------|----|
| IMDG packing group | II |
| ICAO packing group | |
| DOT packing group | II |

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user

EmS

F-E, S-E

15. Regulatory information

| 16. Other information | |
|---------------------------|---|
| Revision date | 4/4/2018 |
| Revision | 6 |
| Supersedes date | 2/19/2021 |
| Hazard statements in full | H225 Highly flammable liquid and vapor. H302 Harmful if swallowed. H312 Harmful in contact with skin. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.