

ITW Performance Polymers

SAFETY DATA SHEET INSULCURE 11B PT B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name INSULCURE 11B PT B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Casting compound

1.3. Details of the supplier of the safety data sheet

Supplier ITW Performance Polymers
Bay 150
Shannon Industrial Estate
Co. Clare
Ireland
V14 DF82
353(61)771500
353(61)471285
customerservice.shannon@itwpp.com

1.4. Emergency telephone number

Emergency telephone +44(0)1235 239 670 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.
H311+H331 Toxic in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

INSULCURE 11B PT B

Precautionary statements	<p>P260 Do not breathe vapour/ spray.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P312 Call a POISON CENTRE/doctor if you feel unwell.</p>
Contains	<p>2,2'-DIMETHYL-4,4'-METHYLENEBIS(CYCLOHEXYLAMINE), 2-ETHYL-4-METHYLIMIDAZOLE, 4-Methylimidazole</p>
Supplementary precautionary statements	<p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P273 Avoid release to the environment.</p> <p>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P311 Call a POISON CENTER/ doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P361+P364 Take off immediately all contaminated clothing and wash it before reuse.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P391 Collect spillage.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

2,2'-DIMETHYL-4,4'-METHYLENEBIS(CYCLOHEXYLAMINE)	60-100%
CAS number: 6864-37-5	EC number: 229-962-1
Classification	
Acute Tox. 4 - H302	
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
Aquatic Chronic 2 - H411	

INSULCURE 11B PT B

2-ETHYL-4-METHYLIMIDAZOLE	1-5%
CAS number: 931-36-2	
Classification	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1B - H317	
4-Methylimidazole	<1%
CAS number: 822-36-6	
Classification	
Acute Tox. 4 - H302	
Acute Tox. 3 - H311	
Skin Corr. 1B - H314	
Carc. 2 - H351	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Immediate first aid is imperative. Remove contaminated clothing. First aid personnel should wear appropriate protective equipment during any rescue.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary.
Ingestion	Get medical attention immediately. Rinse mouth thoroughly with water. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
Skin contact	It is important to remove the substance from the skin immediately. Remove contaminated clothing and rinse skin thoroughly with water. Chemical burns must be treated by a physician. Get medical attention if irritation persists after washing.
Eye contact	Get medical attention immediately. Continue to rinse for at least 15 minutes and get medical attention. Remove any contact lenses and open eyelids wide apart.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Toxic by inhalation.
Ingestion	This product is corrosive. Harmful if swallowed. May cause chemical burns in mouth, oesophagus and stomach. May cause severe internal injury.
Skin contact	Toxic in contact with skin. Corrosive to skin and eyes. Causes burns. Allergic rash.
Eye contact	This product is corrosive. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

4.3. Indication of any immediate medical attention and special treatment needed

INSULCURE 11B PT B

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish. Water spray, fog or mist.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting In case of fire: Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Keep unnecessary and unprotected personnel away from the spillage. Avoid inhalation of vapours and contact with skin and eyes. Avoid contact with skin and eyes. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment. To prevent release, place container with damaged side up. Avoid the spillage or runoff entering drains, sewers or watercourses. Avoid discharge into drains or watercourses or onto the ground. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Move containers from spillage area. Provide adequate ventilation. Small Spillages: Wipe up with an absorbent cloth and dispose of waste safely. Large Spillages: Absorb spillage with non-combustible, absorbent material. Contain spillage with sand, earth or other suitable non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Restricted to professional users. Do not handle until all safety precautions have been read and understood. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Do not breathe vapour/spray. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Eye wash facilities and emergency shower must be available when handling this product.

INSULCURE 11B PT B

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Take off immediately all contaminated clothing and wash it before reuse. Wash after use and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store locked up. Store away from incompatible materials (see Section 10).

Storage class Toxic storage. Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description Provide adequate ventilation.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. Provide adequate general and local exhaust ventilation. Mechanical ventilation or local exhaust ventilation may be required. Avoid inhalation of vapours.

Personal protection

Do not breathe vapour/spray.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Wear tight-fitting, chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 8 hours. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

Hygiene measures

Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Promptly remove any clothing that becomes wet or contaminated.

Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

INSULCURE 11B PT B

Colour	Amber.
Odour	Amine.
Flash point	> 93.3°C
Relative density	0.95

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable at normal ambient temperatures and when used as recommended.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and open flame. Avoid contact with the following materials:
Strong oxidising agents.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 507.31

Acute toxicity - dermal

ATE dermal (mg/kg) 315.26

Acute toxicity - inhalation

ATE inhalation (gases ppm) 740.27

ATE inhalation (vapours mg/l) 3.17

ATE inhalation (dusts/mists mg/l) 0.53

Inhalation Toxic if inhaled.

Ingestion Harmful if swallowed. May cause chemical burns in mouth, oesophagus and stomach.

Skin contact Toxic in contact with skin. Causes severe burns.

Eye contact Causes serious eye damage.

SECTION 12: Ecological information

INSULCURE 11B PT B

Ecotoxicity Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility No data recorded.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment Not determined.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste via a licensed waste disposal contractor. Dispose of waste product or used containers in accordance with local regulations This material and its container must be disposed of as hazardous waste.

Disposal methods Dispose of this material and its container to hazardous or special waste collection point. Dispose of waste via a licensed waste disposal contractor. Dispose of waste product or used containers in accordance with local regulations

Waste class 08 04 99

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 2922

UN No. (IMDG) 2922

UN No. (ICAO) 2922

UN No. (ADN) 2922

14.2. UN proper shipping name

Proper shipping name (ADR/RID) CORROSIVE LIQUID, TOXIC, N.O.S. (Cycloaliphatic amines)

Proper shipping name (IMDG) CORROSIVE LIQUID, TOXIC, N.O.S. (Cycloaliphatic amines)

Proper shipping name (ICAO) CORROSIVE LIQUID, TOXIC, N.O.S. (Cycloaliphatic amines)

Proper shipping name (ADN) CORROSIVE LIQUID, TOXIC, N.O.S. (Cycloaliphatic amines)

14.3. Transport hazard class(es)


ADR/RID class 8

ADR/RID subsidiary risk 6.1

INSULCURE 11B PT B

ADR/RID classification code	CT1
ADR/RID label	8
IMDG class	8
IMDG subsidiary risk	6.1
ICAO class/division	8
ICAO subsidiary risk	6.1
ADN class	8
ADN subsidiary risk	6.1

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	86
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
----------------	--

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date	11/05/2021
---------------	------------

INSULCURE 11B PT B

Revision	4
Supersedes date	04/04/2018
SDS number	20691
Hazard statements in full	H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H331 Toxic if inhaled. H351 Suspected of causing cancer. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.