

# SAFETY DATA SHEET PHILLYCLAD 8 RESIN

## 1. Identification

**Product identifier** 

Product name PHILLYCLAD 8 RESIN

Product number Y0017

Recommended use of the chemical and restrictions on use

Application Resin.

Details of the supplier of the safety data sheet

Supplier

**ITW Performance Polymers** 

Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82 353(61)771500 353(61)471285 mail@itwpp.com

Emergency telephone number

**Emergency telephone** +44 (0) 1235 239670

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 2 - H411

Human health The product contains an epoxy resin. May cause sensitization or allergic reactions in sensitive

individuals.

Label elements

**Pictogram** 





Signal word Warning

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Revision date: 4/6/2018 Revision: 7 Supersedes date: 5/9/2016

## PHILLYCLAD 8 RESIN

**Precautionary statements** P261 Avoid breathing vapor/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with national regulations.

Contains EPOXY RESIN (Number average MW <= 700)

#### Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### 3. Composition/information on ingredients

#### **Mixtures**

# EPOXY RESIN (Number average MW <= 700)

60-100%

CAS number: 25068-38-6

## Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

## 4. First-aid measures

## Description of first aid measures

General information Avoid contact with skin and eyes. In case of accident or if you feel unwell, seek medical

advice immediately (show the label where possible).

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. When breathing is difficult, properly trained personnel may assist affected person

by administering oxygen. Get medical attention.

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink.

Never give anything by mouth to an unconscious person. Do not induce vomiting. Get medical

attention immediately.

Skin Contact Remove affected person from source of contamination. Wash skin thoroughly with soap and

water. Get medical attention if irritation persists after washing.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes and get medical attention. Get medical attention if irritation persists after washing.

# Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

#### Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

# 5. Fire-fighting measures

## **Extinguishing media**

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

# Special hazards arising from the substance or mixture

**Specific hazards** Irritating gases or vapors.

Advice for firefighters

Protective actions during

firefighting

Keep up-wind to avoid fumes. Avoid breathing fire gases or vapors.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

**Personal precautions** Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near

spillage. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8

of this safety data sheet.

## **Environmental precautions**

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled

discharges into watercourses must be reported immediately to the Environmental Agency or

other appropriate regulatory body.

## Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Containers with collected spillage must be properly

labeled with correct contents and hazard symbol.

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

# 7. Handling and storage

# Precautions for safe handling

Use only in well-ventilated areas. Eliminate all sources of ignition. Keep away from heat,

sparks and open flame. Handle and open container with care. Avoid contact with skin and eyes. Do not eat, drink or smoke when using the product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap

and water before leaving the work site.

# Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away

from incompatible materials (see Section 10).

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

# 8. Exposure Controls/personal protection

**Ingredient comments** No exposure limits known for ingredient(s).

## **Exposure controls**

## Protective equipment









Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with OSHA 1910.133.

Hand protection

Wear protective gloves made of the following material: Rubber or plastic. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. The selected gloves should have a breakthrough time of at least 8 hours.

Other skin and body

protection

Wear chemical protective suit.

Hygiene measures Provide eyewash station and safety shower. Keep away from food, drink and animal feeding

stuffs. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do

not eat, drink or smoke when using the product.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

## 9. Physical and Chemical Properties

## Information on basic physical and chemical properties

**Appearance** Viscous liquid.

ColorWhite.OdorSlight.Melting pointN/D°C

Initial boiling point and range >260°C @

Flash point > 204.4°C PMCC (Pensky-Martens closed cup).

**Evaporation rate** <<1 (BuAc=1)

Vapor pressure 0.03mmHg @ °C

Vapor density >1

Relative density 1.18 @ 20 °C °C

Solubility(ies) Slightly soluble in water.

Other information Not available.

## 10. Stability and reactivity

**Reactivity** Acids. Strong oxidizing agents. Amines.

Stability Stable at normal ambient temperatures and when used as recommended.

Revision date: 4/6/2018 Revision: 7 Supersedes date: 5/9/2016

## PHILLYCLAD 8 RESIN

Possibility of hazardous

reactions

Not available.

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid excessive heat for prolonged periods

of time. Avoid exposure to high temperatures or direct sunlight.

Materials to avoid Avoid contact with the following materials: Strong oxidizing agents. Strong acids. Amines.

Strong mineral acids. Alkalis - organic.

Hazardous decomposition

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Vapours/gases/fumes of: Acids - organic. Aldehydes.

11. Toxicological information

Information on toxicological effects

**Skin Contact** Irritating to skin. Prolonged or repeated exposure may cause severe irritation. May cause

sensitisation by skin contact. May cause sensitization or allergic reactions in sensitive

individuals.

Eye contact Irritating to eyes. A single exposure may cause the following adverse effects: Corneal

damage.

12. Ecological Information

**Ecotoxicity** Avoid release to the environment. Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

**Toxicity** Very toxic to aquatic organisms.

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Mobility in soil

**Mobility** Do not discharge into drains or watercourses or onto the ground.

Other adverse effects

Other adverse effects Not available.

13. Disposal considerations

Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Waste class 08 04 99

14. Transport information

**General** No other information known.

## **UN Number**

UN No. (TDG) 3082
UN No. (IMDG) 3082
UN No. (ICAO) 3082
UN No. (DOT) 3082

## UN proper shipping name

 $\textbf{Proper shipping name (TDG)} \quad \text{ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESINDER) } \\$ 

(Number average MW <= 700))

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN

(Number average MW <= 700))

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN

(Number average MW <= 700))

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN

(Number average MW <= 700))

# Transport hazard class(es)

TDG class 9

TDG label(s) 9

IMDG Class 9

ICAO class/division 9

#### Transport labels



## Packing group

TDG Packing Group

IMDG packing group III

ICAO packing group

DOT packing group III

# **Environmental hazards**

## **Environmentally Hazardous Substance**



## Special precautions for user

**EmS** F-A, S-F

## 15. Regulatory information

# 16. Other information

Revision date 4/6/2018

Revision 7

Supersedes date 5/9/2016

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.