# SAFETY DATA SHEET

1. Identification		
Product identifier	DEVCON® Aluminum Putty (F) Resin	
Other means of identification	0400	
SKU#	0102	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier		
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an aller	gic skin reaction. Causes serious eye irritation.
Precautionary statement		
Prevention	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.	
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Not available.	
Disposal	Dispose of contents/container in accorda	nce with local/regional/national/international regulations.
Supplemental information	None.	
Other hazards	None known.	
2 Composition/informati		

# 3. Composition/information on ingredients

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminum Flake		7429-90-5	40 - 70
Epoxy Resin: reaction product of bisphenol A and epichlorohydrin (refer to epichlorohydrin)		25068-38-6	15 - 40
Calcium carbonate		1317-65-3	10 - 30
Other components below reportable	levels		0.1 - 1

Other components below reportable levels

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.	
	Small Spills: Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	

upational exposure limits			
US. ACGIH Threshold Limit Values (TLV)			-
Components	Туре	Value	Form
Aluminum Flake (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupational Hea Components	llth & Safety Code, Sched Type	ule 1, Table 2), as amended Value	Form
Aluminum Flake (CAS 7429-90-5)	TWA	5 mg/m3	Pyrophoric powder.
		10 mg/m3	Dust.
Calcium carbonate (CAS 1317-65-3)	TWA	10 mg/m3	
Canada. British Columbia OELs. (Occupa	ational Exposure Limits fo	r Chemical Substances, Occ	upational Health and
Safety Regulation 296/97, as amended) Components	Туре	Value	Form
Aluminum Flake (CAS 7429-90-5)	TWA	1 mg/m3	Respirable.
Calcium carbonate (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 217/2006,	The Workplace Safety And	d Health Act). as amended	
Components	Туре	Value	Form
	<b>T</b> \A/A		
7429-90-5) Canada. New Brunswick OELs: Threshol		1 mg/m3 ed on the 1991 and 1997 AC	Respirable fraction.
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation §	d Limit Values (TLVs) Bas	·	
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS	d Limit Values (TLVs) Bas )1-191)	ed on the 1991 and 1997 AC	GIH TLVs and BEIs
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS	d Limit Values (TLVs) Bas 91-191) Type	ed on the 1991 and 1997 ACC Value	GIH TLVs and BEIs
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS	d Limit Values (TLVs) Bas 91-191) Type	ed on the 1991 and 1997 ACC Value 5 mg/m3	GIH TLVs and BEIs Form
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3)	d Limit Values (TLVs) Bas 91-191) Type TWA TWA	ed on the 1991 and 1997 ACC Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3	GIH TLVs and BEIs Form Dust.
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Ontario OELs. (Control of Expos	d Limit Values (TLVs) Bas 91-191) Type TWA TWA	ed on the 1991 and 1997 ACC Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3	GIH TLVs and BEIs Form Dust. Respirable.
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Ontario OELs. (Control of Expos Components Aluminum Flake (CAS	d Limit Values (TLVs) Bas 91-191) Type TWA TWA	ed on the 1991 and 1997 ACC Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 10 mg/m3	GIH TLVs and BEIs Form Dust. Respirable. Inhalable
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Ontario OELs. (Control of Expos Components Aluminum Flake (CAS 7429-90-5) Canada. Quebec OELs. (Ministry of Labo	d Limit Values (TLVs) Bas 91-191) Type TWA TWA sure to Biological or Chem Type TWA	ed on the 1991 and 1997 ACG Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 hical Agents), as amended Value 1 mg/m3	GIH TLVs and BEIs Form Dust. Respirable. Inhalable Form Respirable fraction.
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Ontario OELs. (Control of Expos Components Aluminum Flake (CAS 7429-90-5) Canada. Quebec OELs. (Ministry of Labo Components Aluminum Flake (CAS	d Limit Values (TLVs) Bas 91-191) Type TWA TWA TWA TWA TWA TWA TWA	ed on the 1991 and 1997 ACC Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 hical Agents), as amended Value 1 mg/m3	GIH TLVs and BEIs Form Dust. Respirable. Inhalable Form Respirable fraction.
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Ontario OELs. (Control of Expos Components Aluminum Flake (CAS 7429-90-5) Canada. Quebec OELs. (Ministry of Labo Components Aluminum Flake (CAS	d Limit Values (TLVs) Bas 91-191) Type TWA TWA TWA TWA TWA TWA TWA TWA	ed on the 1991 and 1997 ACC Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 hical Agents), as amended Value 1 mg/m3 occupational health and safe Value	GIH TLVs and BEIs Form Dust. Respirable. Inhalable Form Respirable fraction.
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Ontario OELs. (Control of Expos Components Aluminum Flake (CAS 7429-90-5) Canada. Quebec OELs. (Ministry of Labo Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS	d Limit Values (TLVs) Bas 91-191) Type TWA TWA TWA TWA TWA TWA TWA TWA	ed on the 1991 and 1997 ACG Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 hical Agents), as amended Value 1 mg/m3 occupational health and safe Value 5 mg/m3	GIH TLVs and BEIs Form Dust. Respirable. Inhalable Form Respirable fraction. ty), as amended Form
7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Ontario OELs. (Control of Expos Components Aluminum Flake (CAS 7429-90-5) Canada. Quebec OELs. (Ministry of Labo Components Aluminum Flake (CAS 7429-90-5) Canada. Quebec OELs. (Ministry of Labo Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Saskatchewan OELs (Occupatio	d Limit Values (TLVs) Bas 31-191) Type TWA TWA TWA TWA TWA TWA TWA TWA TWA	ed on the 1991 and 1997 ACG Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 hical Agents), as amended Value 1 mg/m3 coccupational health and safe Value 5 mg/m3 5 mg/m3 10 mg/m3	GIH TLVs and BEIs Form Dust. Respirable. Inhalable Form Respirable fraction. ty), as amended Form Welding fume. Total dust.
Aluminum Flake (CAS 7429-90-5) Canada. New Brunswick OELs: Threshol Publication (New Brunswick Regulation S Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Canada. Ontario OELs. (Control of Expos Components Aluminum Flake (CAS 7429-90-5) Canada. Quebec OELs. (Ministry of Labo Components Aluminum Flake (CAS 7429-90-5) Calcium carbonate (CAS 1317-65-3) Calcium carbonate (CAS 1317-65-3) Canada. Saskatchewan OELs (Occupatio Components Aluminum Flake (CAS	d Limit Values (TLVs) Bas 31-191) Type TWA TWA TWA TWA TWA r - Regulation respecting of Type TWA TWA TWA	ed on the 1991 and 1997 ACG Value 5 mg/m3 10 mg/m3 3 mg/m3 10 mg/m3 hical Agents), as amended Value 1 mg/m3 boccupational health and safe Value 5 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3	GIH TLVs and BEIs Form Dust. Respirable. Inhalable Form Respirable fraction. (ty), as amended Form Welding fume. Total dust. amended

Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	15 minute	20 mg/m3	
Biological limit values	No biological exposure limits noted for	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.		
ndividual protection measures	s, such as personal protective equipme	ent	
Eye/face protection	Wear safety glasses with side shields	(or goggles). Face shield is r	ecommended.
Skin protection			
Hand protection	Wear appropriate chemical resistant g	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygier and before eating, drinking, and/or sm equipment to remove contaminants. C workplace.	oking. Routinely wash work	clothing and protective

# 9. Physical and chemical properties

9. Physical and chemical	properties
Appearance	Paste.
Physical state	Solid.
Form	Paste.
Colour	Grey.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °C (608 °F) estimated
Flash point	>204.4 °C (>399.9 °F) 129.4 °C (265.0 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower ( %)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.93 g/cm3 estimated

Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.Specific gravity1.93 estimatedVOC0 g/l

10.	Stability	and	reactivity
10.	Otability	anu	reactivity

· · · · · · · · · · · · · · · · · · ·	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of e	xposure	
Inhalation	No adverse effects due to inha	lation are expected.
Skin contact	Causes skin irritation. May cau	ise an allergic skin reaction.
Eye contact	Causes serious eye irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.	
Information on toxicological effe	ects	
Acute toxicity	Not known.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitisatior	ı	
Canada - Alberta OELs: Irrita		
Aluminum Flake (CAS 74 Calcium carbonate (CAS		Irritant Irritant
<b>Respiratory sensitisation</b>	Not a respiratory sensitiser.	
Skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
ACGIH Carcinogens		
Aluminum Flake (CAS 74 Canada - Manitoba OELs: ca		A4 Not classifiable as a human carcinogen.
Aluminum Flake (CAS 74	,	Not classifiable as a human carcinogen.
Reproductive toxicity		cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
12. Ecological information	1	
Ecotoxicity	possibility that large or frequen	s environmentally hazardous. However, this does not exclude the t spills can have a harmful or damaging effect on the environment.
Persistence and degradability Bioaccumulative potential	No data is available on the deo No data available.	gradability of any ingredients in the mixture.

Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### TDG

Not regulated as dangerous goods.

## IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

# Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and

#### the IBC Code

15. Regulatory info	rmation
---------------------	---------

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

## Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3)

## Not listed.

Greenhouse Gases

## Not listed.

Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

Aluminum Flake (CAS 7429-90-5)

## **Precursor Control Regulations**

Not regulated.

#### International regulations

**Stockholm Convention** 

### Not applicable.

Rotterdam Convention

## Not applicable.

Kyoto Protocol

## Not applicable.

Montreal Protocol

### Not applicable.

**Basel Convention** 

## Not applicable.

International I	nventories
-----------------	------------

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region	Inventory name On	inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
* A UN / U ' U' +		· · · · · · · · · · · · · · · · · · ·

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other informati	on
Issue date	29-May-2019
Revision date	26-July-2023
Version No.	08
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.