SAFETY DATA SHEET

1.	Ide	ntification	

1. Identification		
Product identifier	DEVCON® Wear Resistant Putty (WR-2	2) Resin
Other means of identification		
SKU#	0106	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplie	r/Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an aller	rgic skin reaction. Causes serious eye irritation.
Precautionary statement		
Prevention	Avoid breathing dust/fume/gas/mist/vapo Contaminated work clothing should not b protection. Wear protective gloves.	urs/spray. Wash thoroughly after handling. e allowed out of the workplace. Wear eye protection/face
Response	minutes. Remove contact lenses, if prese	F IN EYES: Rinse cautiously with water for several ent and easy to do. Continue rinsing. If skin irritation or n. If eye irritation persists: Get medical advice/attention. n it before reuse.
Storage	Not available.	
Disposal	Dispose of contents/container in accorda	nce with local/regional/national/international regulations.
Supplemental information	None.	
Other hazards	None known.	
2 Composition/informati		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminium oxide		1344-28-1	40 - 70
Epoxy Resin: reaction product of bisphenol A and epichlorohydrin (refer to epichlorohydrin)		25068-38-6	15 - 40
Graphite		7782-42-5	1 - 5
Other components below reportable	levels		1 - < 3

Other components below reportable levels

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release mea	sures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear Personal precautions, appropriate protective equipment and clothing during clean-up. Do not touch damaged containers protective equipment and or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. emergency procedures Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area Methods and materials for with water. containment and cleaning up Small Spills: Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. **Environmental precautions** 7. Handling and storage Precautions for safe handling Avoid breathing dust/fume/gas/mist/vapours/spray, Avoid contact with eves, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the Conditions for safe storage, including any incompatibilities SDS).

cupational exposure limits			
US. ACGIH Threshold Limit Val Components	ues (TLV) Type	Value	Form
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupa Components	tional Health & Safety Code, Sci Type	hedule 1, Table 2), as amended Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable.
Canada. British Columbia OEL Safety Regulation 296/97, as an	s. (Occupational Exposure Limit nended)	s for Chemical Substances, Oco	cupational Health and
Components	Туре	Value	Form
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable.
Canada. Manitoba OELs (Reg. 2 Components	217/2006, The Workplace Safety Type	And Health Act), as amended Value	Form
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Canada. New Brunswick OELs: Publication (New Brunswick Re	Threshold Limit Values (TLVs) equiation 91-191)	Based on the 1991 and 1997 AC	GIH TLVs and BEIs
Components	Туре	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable.
Canada. Ontario OELs. (Contro Components	l of Exposure to Biological or C Type	hemical Agents), as amended Value	Form
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Canada. Quebec OELs. (Ministr Components	ry of Labor - Regulation respecti Type	ing occupational health and safe Value	ety), as amended Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	Total dust.
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable dust.
Canada. Saskatchewan OELs (Components	Occupational Health and Safety Type	Regulations, 1996, Table 21), as Value	amended Form
Aluminium oxide (CAS	15 minute	20 mg/m3	
1344-28-1)			
	15 minute	4 mg/m3	Respirable fraction.
1344-28-1) Graphite (CAS 7782-42-5)	15 minute o biological exposure limits noted	C C	Respirable fraction.
1344-28-1)Graphite (CAS 7782-42-5)logical limit valuesNpropriate engineeringGtrolsmengineeringengineering		for the ingredient(s). used. Ventilation rates should be r , local exhaust ventilation, or other mmended exposure limits. If expos	natched to conditions. If engineering controls to sure limits have not been
1344-28-1) Graphite (CAS 7782-42-5) logical limit values N propriate engineering G trols a m si vidual protection measures, su si	o biological exposure limits noted bood general ventilation should be pplicable, use process enclosures, naintain airborne levels below reconstablished, maintain airborne levels	for the ingredient(s). used. Ventilation rates should be r , local exhaust ventilation, or other mmended exposure limits. If expos s to an acceptable level. Provide e	natched to conditions. If engineering controls to sure limits have not been yewash station and safe
1344-28-1) Graphite (CAS 7782-42-5) logical limit values N propriate engineering G trols aj widual protection measures, success S Eye/face protection W Skin protection S	o biological exposure limits noted food general ventilation should be pplicable, use process enclosures, naintain airborne levels below reconstablished, maintain airborne levels hower. ch as personal protective equipr	for the ingredient(s). used. Ventilation rates should be n , local exhaust ventilation, or other mmended exposure limits. If expos s to an acceptable level. Provide e ment ds (or goggles). Face shield is reco	natched to conditions. If engineering controls to sure limits have not been yewash station and safe
1344-28-1)Graphite (CAS 7782-42-5)logical limit valuesNpropriate engineering trolsGwidual protection measures, successEye/face protectionWSkin protection Hand protectionW	o biological exposure limits noted iood general ventilation should be pplicable, use process enclosures, naintain airborne levels below reconstablished, maintain airborne levels hower. ch as personal protective equipr /ear safety glasses with side shield	for the ingredient(s). used. Ventilation rates should be n local exhaust ventilation, or other mmended exposure limits. If expose s to an acceptable level. Provide e ment ds (or goggles). Face shield is reco t gloves.	natched to conditions. If engineering controls to sure limits have not been eyewash station and safet
1344-28-1) Graphite (CAS 7782-42-5) logical limit values N propriate engineering G trols aj widual protection measures, succession S Eye/face protection W Skin protection W Other W	o biological exposure limits noted bood general ventilation should be pplicable, use process enclosures, naintain airborne levels below reconstablished, maintain airborne levels stablished, maintain airborne levels hower. ch as personal protective equipr /ear safety glasses with side shield /ear appropriate chemical resistan	for the ingredient(s). used. Ventilation rates should be n local exhaust ventilation, or other mmended exposure limits. If expos s to an acceptable level. Provide e ment ds (or goggles). Face shield is reco t gloves. t clothing. Use of an impervious ap	matched to conditions. If engineering controls to sure limits have not been eyewash station and safe ommended.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties	
Appearance	Paste.
Physical state	Solid.
Form	Solid. Paste.
Colour	Grey.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °C (608 °F) estimated
Flash point	129.4 °C (265.0 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.17 g/cm3 estimated
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Specific gravity	1.17 estimated
VOC	0 g/l

10. Stability and reactivity

ons of normal use.
nown.

11. Toxicological information

Information on likely routes of exposure		
Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction.	

Eye contact	Causes serious eye irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Components	Species	Test Results	
Aluminium oxide (CAS 1344-28-1)			
Acute			
Oral			
LD50	Rat	> 5000 mg/kg	
Graphite (CAS 7782-42-5)			
<u>Acute</u>			
Oral LD50	Rat	> 10000 mg/kg	
	Causes skin irritation.		
Skin corrosion/irritation Serious eye damage/eye	Causes skin initiation. Causes serious eye irritation.		
irritation	Causes schous eye initation.		
Respiratory or skin sensitisation	n		
Canada - Alberta OELs: Irrit	ant		
Aluminium oxide (CAS 13 Graphite (CAS 7782-42-5		Irritant Irritant	
Respiratory sensitisation	Not a respiratory sensitiser.		
Skin sensitisation	May cause an allergic skin rea	action.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity			
ACGIH Carcinogens			
Aluminium oxide (CAS 13 Canada - Manitoba OELs: ca	arcinogenicity	A4 Not classifiable as a human carcinogen.	
Aluminium oxide (CAS 13	,	Not classifiable as a human carcinogen.	
Reproductive toxicity		to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
12. Ecological information	n		
Ecotoxicity		as environmentally hazardous. However, this does not exclude the ent spills can have a harmful or damaging effect on the environmen	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects		ntal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.	
13. Disposal consideratio	ns		
Disposal instructions		e in sealed containers at licensed waste disposal site. Dispose of ince with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with a	Il applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Matarial name: DEV(CON® Wear Bas	,		

 Waste from residues / unused products
 Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

 Contaminated packaging
 Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3)

Not listed.

Canadian regulations

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable. Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Country(s) or region

United States & Puerto Rico

Inventory name

Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information	
Issue date	29-May-2019
Revision date	31-July-2023
Version No.	06
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Physical & Chemical Properties: Multiple Properties