SAFETY DATA SHEET

Version #: 07

Issue date: 05-29-2019 Revision date: 08-01-2023 Supersedes date: 07-13-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Brushable Ceramic Red Resin

Registration number

None. Synonyms SKU# 0117

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service Telephone Number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® Brushable Ceramic Red Resin 0117 Version #: 07 Revision date: 08-01-2023 Issue date: 05-29-2019

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

113

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Center** available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica

021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Austria: 7A50-70M4-J00E-UX7P Belgium: 7A50-70M4-J00E-UX7P Bulgaria: 7A50-70M4-J00E-UX7P Croatia: 7A50-70M4-J00E-UX7P Cyprus: 7A50-70M4-J00E-UX7P

Czech Republic: 7A50-70M4-J00E-UX7P Denmark: 7A50-70M4-J00E-UX7P Estonia: 7A50-70M4-J00E-UX7P EU: 7A50-70M4-J00E-UX7P Finland: 7A50-70M4-J00E-UX7P France: 7A50-70M4-J00E-UX7P Germany: 7A50-70M4-J00E-UX7P Greece: 7A50-70M4-J00E-UX7P Hungary: 7A50-70M4-J00E-UX7P Iceland: 7A50-70M4-J00E-UX7P Ireland: 7A50-70M4-J00E-UX7P Italy: 7A50-70M4-J00E-UX7P Latvia: 7A50-70M4-J00E-UX7P Lithuania: 7A50-70M4-J00E-UX7P Luxembourg: 7A50-70M4-J00E-UX7P Malta: 7A50-70M4-J00E-UX7P Netherlands: 7A50-70M4-J00E-UX7P Norway: 7A50-70M4-J00E-UX7P Poland: 7A50-70M4-J00E-UX7P

Portugal: 7A50-70M4-J00E-UX7P Romania: 7A50-70M4-J00E-UX7P Slovakia: 7A50-70M4-J00E-UX7P Slovenia: 7A50-70M4-J00E-UX7P Spain: 7A50-70M4-J00E-UX7P Sweden: 7A50-70M4-J00E-UX7P

Contains: Aluminium Oxide, Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to

epichlorohydrin)

Hazard pictograms



Warning Signal word

Hazard statements

Causes skin irritation.

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Precautionary statements

Prevention

Avoid breathing mist/vapors. P261 Wash thoroughly after handling. P264

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection.

P280 Wear protective gloves.

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Storage Not available.

Disposal

2.3. Other hazards

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

None.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

Material name: DEVCON® Brushable Ceramic Red Resin 0117 Version #: 07 Revision date: 08-01-2023 Issue date: 05-29-2019

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Aluminium Oxide	40 - < 50	1344-28-1 215-691-6	-	-	
Classification:	-				
Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin)	40 - < 50	25068-38-6 -	01-2119456619-26-0000	-	
Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		

Other components below reportable

3 - 7

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors.

Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List,	OEL Ordinance (GwV),	, BGBI. II, no. 184	4/2001, as amended
--------------------	----------------------	---------------------	--------------------

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	MAK	5 mg/m3	Respirable fraction.
		5 mg/m3	Respirable fume.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fume.
		10 mg/m3	Respirable fraction.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

ıminium Oxide (CAS	TWA	1 mg/m3	Respirable fraction.
44-28-1)	IWA	i ilig/ilio	respirable i

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	Inhalable fraction.
•		1.5 mg/m3	Respirable fraction.

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	Form	
Aluminium Oxide (CAS 1344-28-1)	MAC	4 mg/m3	Respirable dust.	
,		10 mg/m3	Total dust.	

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	0,1 mg/m3	Respirable dust.

Material name: DEVCON® Brushable Ceramic Red Resin

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TLV	5 mg/m3	Total
		2 mg/m3	Respirable.
Estonia. OELs. Occupational Ex Components	posure Limits of Hazardous Sul Type	bstances (Regulation No. 105 Value	/2001, Annex), as amended Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Fine dust, respiratory fraction
		10 mg/m3	Total dust.
France. Threshold Limit Values Components	(VLEP) for Occupational Exposu Type	ure to Chemicals in France, IN Value	IRS ED 984
Aluminium Oxide (CAS 1344-28-1)	VME	10 mg/m3	
Regulatory status: Indicat	ive limit (VL)		
Germany. DFG MAK List (advison in the Work Area (DFG), as upda	ory OELs). Commission for the l	nvestigation of Health Hazard	ls of Chemical Compounds
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Inhalable dust.
,		1,5 mg/m3	Respirable dust.
Germany. TRGS 900, Limit Value	es in the Ambient Air at the Wor	=	
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Greece. OELs, Presidential Deci Components	ree No. 307/1986, as amended Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	5 mg/m3	Respirable.
,		10 mg/m3	Inhalable
Hungary. OELs. Decree on prote Components	ection of workers exposed to ch Type	emical agents (5/2020. (II.6)), Value	Annex 1&2, as amended Form
Aluminium Oxide (CAS 1344-28-1)	TWA	5 mg/m3	
			Danimalda
		2 mg/m3	Respirable.
Iceland. OELs. Regulation 390/2 Components	009 on Pollution Limits and Mea Type		·
Components Aluminium Oxide (CAS		asures to Reduce Pollution at	·
Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2	Туре	asures to Reduce Pollution at Value 10 mg/m3	the Workplace, as amende
Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS	Type TWA 2, Code of Practice for Chemical	asures to Reduce Pollution at Value 10 mg/m3 Agents and Carcinogens Re	the Workplace, as amende
Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS	Type TWA 2, Code of Practice for Chemical Type	Agents and Carcinogens Rev Value	the Workplace, as amende gulations Form
Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1)	Type TWA 2, Code of Practice for Chemical Type	Agents and Carcinogens Revolue 4 mg/m3 10 mg/m3	gulations Form Respirable dust. Total inhalable dust.
Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1) Latvia. OELs. Occupational Exp 1), as amended	Type TWA 2, Code of Practice for Chemical Type TWA Osure Limits of Chemical Substa	Agents and Carcinogens Revolue 4 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 ances at Workplace (Reg. No.	gulations Form Respirable dust. Total inhalable dust. 325/ 2007, L.V. 80, Annex
Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1) Latvia. OELs. Occupational Exp 1), as amended Components	Type TWA 2, Code of Practice for Chemical Type TWA TWA osure Limits of Chemical Substa	Agents and Carcinogens Revolute 4 mg/m3 10 mg/m3 Value 4 mg/m3 10 mg/m3 ances at Workplace (Reg. No. Value	gulations Form Respirable dust. Total inhalable dust. 325/ 2007, L.V. 80, Annex Form
Components Aluminium Oxide (CAS 1344-28-1) Ireland. OELVs, Schedules 1 & 2 Components Aluminium Oxide (CAS 1344-28-1) Latvia. OELs. Occupational Exp 1), as amended	Type TWA 2, Code of Practice for Chemical Type TWA Osure Limits of Chemical Substa	Agents and Carcinogens Revolue 4 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 ances at Workplace (Reg. No.	gulations Form Respirable dust. Total inhalable dust. 325/ 2007, L.V. 80, Annex

Components	Туре	Value	
lluminium Oxide (CAS 344-28-1)	TLV	10 mg/m3	
Poland. Maximum permissible c 286/2018, Annex 1)	oncentrations and intensities of	f harmful factors in the work e	environment (Dz.U.Poz.
Components	Туре	Value	Form
Aluminium Oxide (CAS	TWA	2,5 mg/m3	Inhalable fraction.
1344-28-1)		4.0	Desminable fraction
		1,2 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occupa Components	ational exposure to chemical ag Type	ents (NP 1796-2014) Value	Form
<u> </u>			
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Romania. OELs. Limit Values of amended)	Chemical Agents at Workplace	(Regulation 1.218/2006, M.O 8	345, Annex 1, 3&4, as
Components	Туре	Value	Form
Aluminium Oxide (CAS	STEL	5 mg/m3	Aerosol.
1344-28-1)		·	
	TWA	2 mg/m3	Aerosol.
Slovakia. OELs. Maximum permi Annex 1, Table 1, as amended)	issible exposure limits for chem	nical factors in workplace air (Regulation No 355/2006,
Components	Туре	Value	Form
Aluminium Oxide (CAS	TWA	4 mg/m3	Inhalable fraction.
1344-28-1)		·	
		0,1 mg/m3	Respirable fraction.
	xposure Limits of Chemicals at	Workplace (Reg. on Protection	n of Workers from Risks
due to Exp. to Chemicals at Wor Components	rk, Annex I), as amended Type	Value	Form
<u> </u>			
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	Inhalable fraction.
,		1,25 mg/m3	Respirable fraction.
Spain. OELs. INSST, Límites de	Exposición Profesional Para Ag	jentes Químicos, Table 1-Valo	res Límites Ambientales
(VLAs)	_	•	
Components	Туре	Value	
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	
1344-28-1)		· ·	luos (AFS 2018:1) as
1344-28-1) Sweden. OELs (Annex 1). Work	TWA Environment Authority (AV), Oc	cupational Exposure Limit Va	
1344-28-1)		· ·	lues (AFS 2018:1), as Form
1344-28-1) Sweden. OELs (Annex 1). Work lamended Components Aluminium Oxide (CAS	Environment Authority (AV), Oc	cupational Exposure Limit Va	
1344-28-1) Sweden. OELs (Annex 1). Work lamended Components Aluminium Oxide (CAS	Environment Authority (AV), Oc Type	Cupational Exposure Limit Va Value 5 mg/m3	Form Total dust.
1344-28-1) Sweden. OELs (Annex 1). Work lamended Components Aluminium Oxide (CAS 1344-28-1)	Environment Authority (AV), Oc Type TWA	Value 5 mg/m3 2 mg/m3	Form
Sweden. OELs (Annex 1). Work I amended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte a	Environment Authority (AV), Oc Type TWA am Arbeitsplatz: Aktuelle MAK-V	Value 5 mg/m3 2 mg/m3 Verte	Form Total dust.
Sweden. OELs (Annex 1). Work lamended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte a	Environment Authority (AV), Oc Type TWA am Arbeitsplatz: Aktuelle MAK-V Type	Value 5 mg/m3 2 mg/m3 Verte Value	Form Total dust. Respirable dust. Form
1344-28-1) Sweden. OELs (Annex 1). Work I amended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte a Components Aluminium Oxide (CAS	Environment Authority (AV), Oc Type TWA am Arbeitsplatz: Aktuelle MAK-V	Value 5 mg/m3 2 mg/m3 Verte	Form Total dust. Respirable dust. Form
1344-28-1) Sweden. OELs (Annex 1). Work I amended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte a Components Aluminium Oxide (CAS	Environment Authority (AV), Oc Type TWA am Arbeitsplatz: Aktuelle MAK-V Type	Value 5 mg/m3 2 mg/m3 Verte Value	Form Total dust. Respirable dust. Form Respirable dust and/o
1344-28-1) Sweden. OELs (Annex 1). Work lamended Components Aluminium Oxide (CAS 1344-28-1)	Environment Authority (AV), Oc Type TWA am Arbeitsplatz: Aktuelle MAK-V Type STEL	Value 5 mg/m3 2 mg/m3 Verte Value 24 mg/m3	Form Total dust. Respirable dust. Form Respirable dust and/ofume. Respirable dust.
Sweden. OELs (Annex 1). Work I amended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte a Components Aluminium Oxide (CAS 1344-28-1)	Environment Authority (AV), Oc Type TWA am Arbeitsplatz: Aktuelle MAK-V Type STEL	Value 5 mg/m3 2 mg/m3 Verte Value 24 mg/m3 3 mg/m3 3 mg/m3	Form Total dust. Respirable dust. Form Respirable dust and/ofume. Respirable dust. Respirable dust and/ofume.
1344-28-1) Sweden. OELs (Annex 1). Work I amended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte a Components Aluminium Oxide (CAS 1344-28-1)	Type TWA TWA Type TWA TYPE TWA TYPE STEL TWA	Value 5 mg/m3 2 mg/m3 Verte Value 24 mg/m3 3 mg/m3 3 mg/m3	Form Total dust. Respirable dust. Form Respirable dust and/o fume. Respirable dust. Respirable dust and/o
Sweden. OELs (Annex 1). Work I amended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte a Components Aluminium Oxide (CAS 1344-28-1) JK. OELs. Workplace Exposure Components Aluminium Oxide (CAS 1344-28-1)	Type TWA TWA Type TWA TYPE TWA TYPE STEL TWA Limits (WELs) (EH40/2005 (Four	Value 5 mg/m3 2 mg/m3 Verte Value 24 mg/m3 3 mg/m3 3 mg/m3 rth Edition 2020)), Table 1	Form Total dust. Respirable dust. Form Respirable dust and/ofume. Respirable dust. Respirable dust and/ofume.
Sweden. OELs (Annex 1). Work I amended Components Aluminium Oxide (CAS 1344-28-1) Switzerland. SUVA Grenzwerte a Components Aluminium Oxide (CAS 1344-28-1)	Type TWA TWA Type TWA TYPE TWA Type STEL TWA Limits (WELs) (EH40/2005 (Four Type	Value 5 mg/m3 2 mg/m3 Verte Value 24 mg/m3 3 mg/m3 3 mg/m3 rth Edition 2020)), Table 1 Value	Form Total dust. Respirable dust. Form Respirable dust and/o fume. Respirable dust. Respirable dust and/o fume. Form

Biological limit values

Hungary. BELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 3&4, as amended

Components	Value	Determinant	Specimen	Sampling Time
Aluminium Oxide (CAS 1344-28-1)	0,25 µmol/mmol	Aluminum	Creatinine in urine	*
	0,06 mg/g	Aluminum	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Switzerland. SUVA Grenzwerte am Arbeits	platz: Aktuelle BAT-Werte
---	---------------------------

Components	Value	Determinant	Specimen	Sampling Time
Aluminium Oxide (CAS 1344-28-1)	50 μg/g	Aluminium	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower

Individual protection measures, such as personal protective equipment

General informationUse personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Viscous. Liquid.

ColorRed.OdorSlight.Melting point/freezing pointNot available.

Boiling point or initial boiling

point and boiling range

608 °F (320 °C) estimated

Flammability Not applicable.

Flash point 265,0 °F (129,4 °C) estimated

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH Not available.

Not available. Kinematic viscosity

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

Not available. Vapor pressure

Density and/or relative density

1,15 g/cm3 estimated Density

Vapor density Not available. Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity 1,15 estimated

VOC <50 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Causes skin irritation. May cause an allergic skin reaction. Skin contact

Causes serious eye irritation. Eye contact

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms**

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Components **Species Test Results**

Aluminium Oxide (CAS 1344-28-1)

Acute Oral

LD50 Rat > 5000 mg/kg

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

May cause an allergic skin reaction. Skin sensitization

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

single exposure

Material name: DEVCON® Brushable Ceramic Red Resin

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF) 12.4. Mobility in soil

Not available No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned.

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions

for user

Not assigned.

RID

14.1. UN number

Not regulated as dangerous goods. Not regulated as dangerous goods.

14.3. Transport hazard class(es)

14.2. UN proper shipping

Class Not assigned.

Material name: DEVCON® Brushable Ceramic Red Resin

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Aluminium Oxide (CAS 1344-28-1)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Material name: DEVCON® Brushable Ceramic Red Resin
0117 Version #: 07 Revision date: 08-01-2023 Issue date: 05-29-2019

UFI:

Austria: 7A50-70M4-J00E-UX7P Belgium: 7A50-70M4-J00E-UX7P Bulgaria: 7A50-70M4-J00E-UX7P Croatia: 7A50-70M4-J00E-UX7P Cyprus: 7A50-70M4-J00E-UX7P

Czech Republic: 7A50-70M4-J00E-UX7P Denmark: 7A50-70M4-J00E-UX7P Estonia: 7A50-70M4-J00E-UX7P EU: 7A50-70M4-J00E-UX7P Finland: 7A50-70M4-J00E-UX7P France: 7A50-70M4-J00E-UX7P Germany: 7A50-70M4-J00E-UX7P Greece: 7A50-70M4-J00E-UX7P Hungary: 7A50-70M4-J00E-UX7P Iceland: 7A50-70M4-J00E-UX7P Ireland: 7A50-70M4-J00E-UX7P Italy: 7A50-70M4-J00E-UX7P Latvia: 7A50-70M4-J00E-UX7P Lithuania: 7A50-70M4-J00E-UX7P Luxembourg: 7A50-70M4-J00E-UX7P Malta: 7A50-70M4-J00E-UX7P Netherlands: 7A50-70M4-J00E-UX7P Norway: 7A50-70M4-J00E-UX7P Poland: 7A50-70M4-J00E-UX7P Portugal: 7A50-70M4-J00E-UX7P Romania: 7A50-70M4-J00E-UX7P Slovakia: 7A50-70M4-J00E-UX7P

Slovenia: 7A50-70M4-J00E-UX7P Spain: 7A50-70M4-J00E-UX7P Sweden: 7A50-70M4-J00E-UX7P

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Aluminium Oxide (CAS 1344-28-1)

Faserstäube, anorganische (außer Asbest), Künstlich hergestellte anorganische einkristalline Fasern (Whisker) aus Aluminoxid

France regulations

France INRS Table of Occupational Diseases

Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin)

(CAS 25068-38-6)

Maladies professionnelles provoquées par les résines

époxydiques et leurs constituants 51

Product registration number

Austria UFI: 7A50-70M4-J00E-UX7P Belgium UFI: 7A50-70M4-J00E-UX7P **Czech Republic** UFI: 7A50-70M4-J00E-UX7P **Denmark** UFI: 7A50-70M4-J00E-UX7P **European Union** UFI: 7A50-70M4-J00E-UX7P **Finland** UFI: 7A50-70M4-J00E-UX7P **France** UFI: 7A50-70M4-J00E-UX7P UFI: 7A50-70M4-J00E-UX7P Germany UFI: 7A50-70M4-J00E-UX7P Greece UFI: 7A50-70M4-J00E-UX7P Hungary

UFI: 7A50-70M4-J00E-UX7P Italy **Netherlands** UFI: 7A50-70M4-J00E-UX7P UFI: 7A50-70M4-J00E-UX7P Norway UFI: 7A50-70M4-J00E-UX7P **Poland Portugal** UFI: 7A50-70M4-J00E-UX7P Slovakia UFI: 7A50-70M4-J00E-UX7P Slovenia UFI: 7A50-70M4-J00E-UX7P UFI: 7A50-70M4-J00E-UX7P Spain Sweden UFI: 7A50-70M4-J00E-UX7P UFI: 7A50-70M4-J00E-UX7P Switzerland

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H315 Causes skin irritation.

Not available.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Revision information

Physical & Chemical Properties: Multiple Properties

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® Brushable Ceramic Red Resin