# SAFETY DATA SHEET

# 1. Identification

1. Identification			
Product identifier	DEVCON® Wear Guard™	High Temp 450 R	Resin
Other means of identification			
SKU#	0138		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Manufacturer			
Company name	ITW Performance Polymers	S	
Address	30 Endicott Street		
	Danvers, MA 01923		
Telephone	United States Customer Service	978-777-1100	
Website	www.itwperformancepolym		
E-mail	Not available.		
Contact person	EHS Department		
Emergency phone number	Chemtrec	800-424-9300	
	International	703-527-3887	
2. Hazard(s) identification	1		
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation		Category 2
	Serious eye damage/eye ir	ritation	Category 2
	Sensitization, skin		Category 1
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
	$\land$		
	$\langle ! \rangle$		
	$\mathbf{\vee}$		
Signal word	Warning		
Hazard statement	Causes skin irritation. May	cause an allergic s	skin reaction. Causes serious eye irritation.
Precautionary statement			
Prevention	Avoid breathing mist/vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.		
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Not available.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		

# Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

ALUMINUM OXIDE Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin) ALUMINATE SILICATE Carbon Black Titanium Dioxide Other components below reportabl	TITANIUM DIOXIDE	1302-74-5 25068-38-6 1327-36-2 1333-86-4 13463-67-7	40 - 60 20 - 40 10 - 20 0.1 - 1 0.1 - 1
Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin) ALUMINATE SILICATE Carbon Black Titanium Dioxide	TITANIUM DIOXIDE le levels	1327-36-2 1333-86-4	10 - 20 0.1 - 1 0.1 - 1
Carbon Black Titanium Dioxide	le levels	1333-86-4	0.1 - 1 0.1 - 1
Titanium Dioxide	le levels		0.1 - 1
	le levels	13463-67-7	-
Other components below reportabl			
	Nove to fresh air. Call a physician if symptoms		1 - 5
4. First-aid measures	Nove to fresh air. Call a physician if symptom		
Inhalation M		s develop or persist.	
e	Remove contaminated clothing immediately a czema or other skin disorders: Seek medical ontaminated clothing before reuse.		
	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists		
Ingestion R	Rinse mouth. Get medical attention if symptor	ns occur.	
symptoms/effects, acute and	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatit Rash.		
	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		n under observation.
	nsure that medical personnel are aware of the rotect themselves. Wash contaminated cloth		ke precautions to
5. Fire-fighting measures			
	Vater fog. Foam. Dry chemical powder. Carbo		
Unsuitable extinguishing D media	o not use water jet as an extinguisher, as thi	s will spread the fire.	
Specific hazards arising from D the chemical	During fire, gases hazardous to health may be	e formed.	
and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
equipment/instructions	love containers from fire area if you can do s		
•	Ise standard firefighting procedures and cons	sider the hazards of other invo	lved materials.
General fire hazards N	lo unusual fire or explosion hazards noted.		
6. Accidental release measu	ires		
protective equipment and a emergency procedures n E	Keep unnecessary personnel away. Keep peo ppropriate protective equipment and clothing ot touch damaged containers or spilled mate Ensure adequate ventilation. Local authorities ontained. For personal protection, see sectio	during clean-up. Avoid breath rial unless wearing appropriat should be advised if significa	ning mist/vapors. Do e protective clothing.
containment and cleaning up p	arge Spills: Stop the flow of material, if this is ossible. Absorb in vermiculite, dry sand or ea ecovery, flush area with water.		
	Small Spills: Wipe up with absorbent material emove residual contamination.	(e.g. cloth, fleece). Clean surf	ace thoroughly to
	lever return spills to original containers for re- void discharge into drains, water courses or		section 13 of the SDS.
7. Handling and storage			
Precautions for safe handling A e	void breathing mist/vapors. Avoid contact wi xposure. Provide adequate ventilation. Wear ood industrial hygiene practices.		

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permiss Components	sible Exposure Limits (PEL) for Air Type	Contaminants (29 CFR 1910.1 Value	000) Form
Carbon Black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Titanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 Permise Components	sible Exposure Limits (PEL) for Min Type	eral Dusts (29 CFR 1910.1000 Value	) Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Carbon Black (CAS 1333-86-4)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Components	Values (TLV) Type	Value	Form
ALUMINATE SILICATE (CAS 1327-36-2)	TWA	1 mg/m3	Respirable fraction.
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	2.5 mg/m3	Respirable finescale particles
		0.2 mg/m3	Respirable nanoscale particles
NIOSH. Immediately Danger Components	ous to Life or Health (IDLH) Values Type	as amended Value	
Carbon Black (CAS 1333-86-4)	IDLH	1750 mg/m3	
Titanium Dioxide (CAS 13463-67-7)	IDLH	5000 mg/m3	
	Chemical Hazards Recommended Type	Exposure Limits (REL) Value	
Carbon Black (CAS 1333-86-4)	TWA	0.1 mg/m3	
ogical limit values	No biological exposure limits noted	for the ingredient(s).	
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not beer established, maintain airborne levels to an acceptable level. Provide eyewash station and safe		

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

Appearance	Viscous. Liquid.
Physical state	Liquid.
Form	Viscous. Liquid.
Color	Not available.
Odor	Slight.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	608 °F (320 °C) estimated
Flash point	265.0 °F (129.4 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	2.10 g/cm3 Mixed components
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	2.1 Mixed components
VOC	100 % Solids
10. Stability and reactivity	
•	

# ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous<br/>reactionsNo dangerous reaction known under conditions of normal use.

Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

11. Toxicological informat	tion		
Information on likely routes of e			
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Components	Species	Test Results	
Carbon Black (CAS 1333-86-4)			
Acute			
<b>Oral</b> LD50	Rat	> 8000 mg/kg	
Titanium Dioxide (CAS 13463-67-7		> 8000 mg/kg	
Acute	)		
Dermal			
LD50	Hamster	>= 10000 mg/kg	
Oral			
LD50	Rat	> 10000 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinog	enicity to humans.	
• •	Evaluation of Carcinogenicity		
Titanium Dioxide (CAS 13	on Black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. ium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans. pecifically Regulated Substances (29 CFR 1910.1001-1053)		
Not listed.	gram (NTP) Report on Carcin		
Carbon Black (CAS 1333	,	Known To Be Human Carcinogen.	
Reproductive toxicity		o cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be h	narmful.	

12. Ecological information		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential		
Mobility in soil	No data available.	
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.	
12 Dispession consideration		

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Toxic Substances Control A	Act (TSCA)
TSCA Section 12(b) Ex	port Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substa	ance List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency relea	se notification
Not regulated.	
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1053)
Not listed.	
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)
SARA 302 Extremely hazar	dous substance
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard	Skin corrosion or irritation
categories	Serious eye damage or eye irritation Respiratory or skin sensitization
SARA 313 (TRI reporting)	
Not regulated.	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act. (SDWA) **US state regulations** US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Carbon Black (CAS 1333-86-4) Titanium Dioxide (CAS 13463-67-7) **California Proposition 65** WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer, and Methyl Alcohol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. California Proposition 65 - CRT: Listed date/Carcinogenic substance Carbon Black (CAS 1333-86-4) Listed: February 21, 2003

Listed: September 2, 2011

California Proposition 65 - CRT: Listed date/Developmental toxin Methyl Alcohol (CAS 67-56-1) Listed: March 16, 2012

# International Inventories

Titanium Dioxide (CAS 13463-67-7)

Country(s) or region	Inventory name On inve	ntory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	and the state of the second	··· • • ··· · ( - )

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	05-29-2019
Revision date	08-01-2023
Version #	10
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 1 Instability: 0

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Physical & Chemical Properties: Multiple Properties

**Revision information**