# **SAFETY DATA SHEET**

Version #: 10

Issue date: 05-29-2019 Revision date: 08-01-2023 Supersedes date: 07-15-2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Wear Guard™ High Temp 450 Resin

Registration number

Synonyms None. SKU# 0138

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

**Emergency Phone Number** 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Croatia Poisons Information Center** 

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

**Czech Republic National Poisons Information** 

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** 

Control Center

+45 82 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

### 1.4. Emergency telephone number

**Greece Poison Information** Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Hungary National Emergency Phone Number**  +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Iceland Poison Center** 

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

Information Center Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Netherlands National Poisons Information** Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

**Norway Norwegian Poison Information Center** 

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Portugal Poison Center** 

113

800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

**Slovakia National Toxicological Information** Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Spain Toxicology Information Service**  + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison Information Center** 

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Switzerland Tox Info** 

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

### Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: U580-X0D7-N00S-N6FT Belgium: U580-X0D7-N00S-N6FT Bulgaria: U580-X0D7-N00S-N6FT Croatia: U580-X0D7-N00S-N6FT Cyprus: U580-X0D7-N00S-N6FT

Cyprus: U580-X0D7-N00S-N6F1
Czech Republic: U580-X0D7-N00S-N6FT
Denmark: U580-X0D7-N00S-N6FT
Estonia: U580-X0D7-N00S-N6FT
EU: U580-X0D7-N00S-N6FT
Finland: U580-X0D7-N00S-N6FT
France: U580-X0D7-N00S-N6FT
Germany: U580-X0D7-N00S-N6FT
Greece: U580-X0D7-N00S-N6FT
Hungary: U580-X0D7-N00S-N6FT
Iceland: U580-X0D7-N00S-N6FT
Ireland: U580-X0D7-N00S-N6FT
Italy: U580-X0D7-N00S-N6FT
Latvia: U580-X0D7-N00S-N6FT
Lithuania: U580-X0D7-N00S-N6FT

Lithuania: U580-X0D7-N00S-N6FT Luxembourg: U580-X0D7-N00S-N6FT Malta: U580-X0D7-N00S-N6FT Netherlands: U580-X0D7-N00S-N6FT Norway: U580-X0D7-N00S-N6FT Poland: U580-X0D7-N00S-N6FT Portugal: U580-X0D7-N00S-N6FT Romania: U580-X0D7-N00S-N6FT Slovakia: U580-X0D7-N00S-N6FT Slovenia: U580-X0D7-N00S-N6FT

Sweden: U580-X0D7-N00S-N6FT

ALUMINATE SILICATE, ALUMINUM OXIDE, Epoxy Resin:--reaction Product Of Bisphenol A And

Epichlorohydrin (refer To Epichlorohydrin)

Spain: U580-X0D7-N00S-N6FT

#### **Hazard pictograms**

Contains:



### Signal word Warning

### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

### **Precautionary statements**

### Prevention

P261 Avoid breathing mist/vapors.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection.

P280 Wear protective gloves.

#### Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Ğet medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Supplemental label information None.

# 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
ALUMINUM OXIDE	40 - < 50	1302-74-5	-	-	
Classification:	-	-			
Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)	30 - < 40	25068-38-6 -	01-2119456619-26-0000	-	
Classification:	Skin Irrit. 2	H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
ALUMINATE SILICATE	10 - < 20	1327-36-2 215-475-1	-	-	
Classification:	-				
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	< 1	13463-67-7 236-675-5	01-2119489379-17-0000	022-006-002	
Classification:	Carc. 2;H3	51			
Carbon Black	< 0,2	1333-86-4 215-609-9	-	-	
Classification:	Carc. 2;H3	51			
Other components below reportable	1 - 5				

Jiner components below reportable levels

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

#### SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe

good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Value

**Form** 

SDS).

**7.3. Specific end use(s)**Observe industrial sector guidance on best practices.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

Austria. MAK List, OEL Ordinance	(GwV), BGBI. II, no. 184/2001, as amended
Components	Туре

Components	туре	Value	1 01111
ALUMINUM OXIDE (CAS 1302-74-5)	MAK	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	MAK	5 mg/m3	Respirable dust.
	STEL	10 mg/m3	Respirable dust.

# Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	

# Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value Form	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10	TWA	10 mg/m3	
μm] (ČAS 13463-67-7)			

# Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	5 mg/m3	Inhalable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	Respirable dust.

# Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	MAC	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Carbon Black (CAS 1333-86-4)	MAC	3,5 mg/m3	
	STEL	7 mg/m3	
Poly(p-phenylenediamine-c o-terephthalolyl Chloride) (CAS 26125-61-1)	MAC	0,5 fibers/cm3	Fiber.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	MAC	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.

# Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended Components Type Value

· · · · · · · · · · · · · · · · · ·	- 7		
Carbon Black (CAS 1333-86-4)	TWA	3,5 mg/m3	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	

# Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form	
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	5 mg/m3	Dust.	
Carbon Black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.	

# Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	TLV	3,5 mg/m3	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TLV	6 mg/m3	

Estonia			
Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
		1 mg/m3	Dust.
Estonia. OELs. Occupational Expo Components	sure Limits of Hazardous Su Type	bstances (Regulation No. 105 Value	5/2001, Annex), as amended
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)	TWA	5 mg/m3	
Finland. HTP-arvot, App 3., Bindin Components	g Limit Values, Social Affairs Type	and Ministry of Health Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	10 mg/m3	Dust.
Carbon Black (CAS I333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	TWA	10 mg/m3	Dust.
France. Threshold Limit Values (V	LEP) for Occupational Expos	ure to Chemicals in France, I	
Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	VME	5 mg/m3	Respirable fraction.
Regulatory status: Regulato	ry binding (VRC)		
		10 ma/m3	Inhalable fraction

France. Threshold Limit \ Components	/alues (VLEP) for Occupational Exposi Type	ure to Chemicals in France, II Value	NRS ED 984 Form
ALUMINUM OXIDE (CAS 1302-74-5)	VME	5 mg/m3	Respirable fraction.
Regulatory status:	Regulatory binding (VRC)		
		10 mg/m3	Inhalable fraction.
Regulatory status:	Regulatory binding (VRC)		
Carbon Black (CAS 1333-86-4)	VME	3,5 mg/m3	
Regulatory status:	Indicative limit (VL)		
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)		10 mg/m3	

Regulatory status: Indicative limit (VL)

# Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

in the Work Area (DFG), as update Components	ed Type	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	4 mg/m3	Inhalable dust.
		0,3 mg/m3	Respirable fraction.
Carbon Black (CAS 1333-86-4)	TWA	4 mg/m3	Inhalable dust.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	0,3 mg/m3	Respirable fraction.
Germany. TRGS 900, Limit Values	in the Ambient Air at the Wo	rkplace	
Components	Type	Value	Form

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace			
Components	Type	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Carbon Black (CAS 1333-86-4)	AGW	10 mg/m3	Inhalable fraction.

Components	Туре	Value	Form
		1,25 mg/m3	Respirable fraction.
itanium dioxide [in powder orm containing 1 % or nore of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Greece. OELs, Presidential Decree Components	e No. 307/1986, as amended Type	Value	Form
ALUMINUM OXIDE (CAS	TWA	5 mg/m3	Respirable.
1302-74-5)		10 mg/m3	Inhalable
Carbon Black (CAS	STEL	7 mg/m3	maabic
1333-86-4)		·	
	TWA	3,5 mg/m3	Б
itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	TWA	5 mg/m3	Respirable.
- ,		10 mg/m3	Inhalable
Hungary. OELs. Decree on protec Components	tion of workers exposed to ch Type	emical agents (5/2020. (II.6)), Value	Annex 1&2, as amended Form
ALUMINUM OXIDE (CAS	TWA	6 mg/m3	Respirable dust.
1302-74-5)		10 mg/m3	Total inhalable dust.
Carbon Black (CAS	TWA	3 mg/m3	Inhalable dust.
1333-86-4)		J	
celand. OELs. Regulation 390/200 Components	9 on Pollution Limits and Mea Type	asures to Reduce Pollution at Value	the Workplace, as amer Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	5 mg/m3	Respirable dust.
1002-14-0)		10 mg/m3	Total dust.
Carbon Black (CAS	TWA	3,5 mg/m3	
1333-86-4)	TWA	0	
itanium dioxide [in powder	1 1/1/ / 1	6 mg/m3	
more of particles with aerodynamic diameter ≤ 10	IWA		
more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7) ireland. OELVs, Schedules 1 & 2,		Agents and Carcinogens Reg Value	gulations Form
more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7) ireland. OELVs, Schedules 1 & 2, € Components ALUMINUM OXIDE (CAS	Code of Practice for Chemical		
more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7) lreland. OELVs, Schedules 1 & 2, 0 Components ALUMINUM OXIDE (CAS	Code of Practice for Chemical Type	Value 4 mg/m3	Form
more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7) lreland. OELVs, Schedules 1 & 2, 4 Components ALUMINUM OXIDE (CAS 1302-74-5)	Code of Practice for Chemical Type	Value	Form Respirable dust.
more of particles with aerodynamic diameter ≤ 10  um] (CAS 13463-67-7)  reland. OELVs, Schedules 1 & 2, 6  Components  ALUMINUM OXIDE (CAS 1302-74-5)  Carbon Black (CAS 1333-86-4)	Code of Practice for Chemical Type TWA TWA	Value 4 mg/m3 10 mg/m3 3 mg/m3	Respirable dust.  Total inhalable dust. Inhalable fraction.
more of particles with aerodynamic diameter ≤ 10 cm] (CAS 13463-67-7) creland. OELVs, Schedules 1 & 2, 6 components  ALUMINUM OXIDE (CAS 1332-74-5)  Carbon Black (CAS 1333-86-4) citanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10	Code of Practice for Chemical Type TWA	<b>Value</b> 4 mg/m3 10 mg/m3	Form  Respirable dust.  Total inhalable dust.
form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)  Ireland. OELVs, Schedules 1 & 2, 4  Components  ALUMINUM OXIDE (CAS 1302-74-5)  Carbon Black (CAS 1333-86-4)  titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	Code of Practice for Chemical Type TWA TWA	Value 4 mg/m3 10 mg/m3 3 mg/m3	Respirable dust.  Total inhalable dust. Inhalable fraction.
more of particles with aerodynamic diameter ≤ 10 cm] (CAS 13463-67-7) reland. OELVs, Schedules 1 & 2, 6 components  ALUMINUM OXIDE (CAS 1302-74-5)  Carbon Black (CAS 1333-86-4) citanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 cm] (CAS 13463-67-7)	Type TWA TWA TWA TWA TWA TWA	Value 4 mg/m3 10 mg/m3 3 mg/m3 4 mg/m3	Form  Respirable dust.  Total inhalable dust. Inhalable fraction.  Respirable dust.  Total inhalable dust.
more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Ireland. OELVs, Schedules 1 & 2, Components  ALUMINUM OXIDE (CAS 1302-74-5)  Carbon Black (CAS 1333-86-4) titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10	Code of Practice for Chemical Type TWA TWA TWA	Value 4 mg/m3 10 mg/m3 3 mg/m3 4 mg/m3	Form  Respirable dust.  Total inhalable dust. Inhalable fraction.  Respirable dust.

Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended			
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	2,5 mg/m3	Respirable finescale particles
		0,2 mg/m3	Respirable nanoscale particles

# Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended

Components	Туре	Value	Form	
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	2 mg/m3		
		2 mg/m3	Dust.	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	TWA	10 mg/m3		

# Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
		1 mg/m3	Dust.
Carbon Black (CAS 1333-86-4)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 uml (CAS 13463-67-7)	TWA	5 mg/m3	

# Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Components	Type	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TLV	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Carbon Black (CAS 1333-86-4)	TLV	3,5 mg/m3	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TLV	5 mg/m3	

# Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	4 mg/m3	Inhalable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	STEL	30 mg/m3	
	TWA	10 mg/m3	Inhalable fraction.

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)			
Components	Туре	Value	Form
ALUMINATE SILICATE (CAS 1327-36-2)	TWA	1 mg/m3	Respirable fraction.
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Fume.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	

# Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as

Components	Туре	Value
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	STEL	15 mg/m3
	TWA	10 mg/m3

### Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	2 mg/m3	Respirable aerosol fraction
		2 mg/m3	Respirable aerosol fraction
		2 mg/m3	Respirable fraction.
		2 mg/m3	Respirable fraction.
		10 mg/m3	Total
		10 mg/m3	
		10 mg/m3	Dust.
		10 mg/m3	Aerosol.
Carbon Black (CAS 1333-86-4)	TWA	2 mg/m3	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	5 mg/m3	

### Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	Inhalable fraction.

1,25 mg/m3 Respirable fraction.

## Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Туре	Value	Form
ALUMINATE SILICATE (CAS 1327-36-2)	TWA	1 mg/m3	Respirable fraction.
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	10 mg/m3	Dust.
Carbon Black (CAS 1333-86-4)	TWA	3,5 mg/m3	

# Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Type	Value Form	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	

# Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	5 mg/m3	Inhalable dust.
		2,5 mg/m3	Respirable dust.
Carbon Black (CAS 1333-86-4)	TWA	5 mg/m3	Inhalable dusts and mists.
		1 mg/m3	Inhalable dust.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	5 mg/m3	Total dust.

### Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	3 mg/m3	Respirable fraction.
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	3 mg/m3	Respirable dust.

# UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Туре	Value	Form
ALUMINUM OXIDE (CAS 1302-74-5)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
Carbon Black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
		10 mg/m3	Inhalable

### **Biological limit values**

Hungary. BELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 3&4, as amended Components Value Determinant Specimen Sampling Time

ALUMINATE SILICATE (CAS 1327-36-2)	0,25 µmol/mmol	Aluminum	Creatinine in urine	*	
	0,06 mg/g	Aluminum	Creatinine in urine	*	

<sup>\* -</sup> For sampling details, please see the source document.

Recommended monitoring

Follow standard monitoring procedures.

procedures

Derived no effect levels Not available.

(DNELs)

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

**Skin protection** 

- Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Viscous. Liquid.
Color Not available.

Odor Slight.

Melting point/freezing point Not available.

**Boiling point or initial boiling** 

point and boiling range

608 °F (320 °C) estimated

Flammability Not applicable.

Flash point 265,0 °F (129,4 °C) estimated

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility

Solubility (water)

Not available.

Partition coefficient

Not available.

(n-octanol/water) (log value)

Vapor pressure Not available.

Density and/or relative density

**Density** 2,10 g/cm3 Mixed components

Vapor densityNot available.Particle characteristicsNot available.

9.2. Other information

**9.2.1. Information with regard** No relevant additional information available. **to physical hazard classes** 

9.2.2. Other safety characteristics

Specific gravity 2,1 Mixed components

VOC 100 % Solids

### **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

### **SECTION 11: Toxicological information**

Occupational exposure to the substance or mixture may cause adverse effects. General information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

**Eve contact** Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not known. **Acute toxicity** 

Components Species **Test Results** 

Carbon Black (CAS 1333-86-4)

**Acute** Oral

LD50 Rat

> 8000 mg/kg

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

**Acute Dermal** 

LD50 Hamster >= 10000 mg/kg

Oral

LD50 Rat > 10000 mg/kg

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon Black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. titanium dioxide [in powder form containing 1 % or more 2B Possibly carcinogenic to humans.

of particles with aerodynamic diameter ≤ 10 µm]

(CAS 13463-67-7)

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible. Mixture versus substance

ance No information available.

information

#### 11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

# **SECTION 12: Ecological information**

**12.1. Toxicity**Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Not available.

No data available.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF)

12.4. Mobility in soil
12.5. Results of PBT and vPvB

assessment

ent

12.6. Endocrine disrupting properties

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

**12.7. Other adverse effects**The product contains volatile organic compounds which have a photochemical ozone creation

potential.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

 $contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$ 

**Special precautions** Dispose in accordance with all applicable regulations.

### **SECTION 14: Transport information**

### ADR

14.1. UN number

14.2. UN proper shipping

name

Not regulated as dangerous goods. Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned.

14.4. Packing group -

14.5. Environmental hazards No.

14.6. Special precautions

Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions

Not assigned.

for user

**ADN** 

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number14.2. UN proper shippingNot regulated as dangerous goods.Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

**14.6. Special precautions** Not assigned.

for user

**IMDG** 

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards
Marine pollutant No.

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

ALUMINUM OXIDE (CAS 1302-74-5)

Carbon Black (CAS 1333-86-4)

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: U580-X0D7-N00S-N6FT Belgium: U580-X0D7-N00S-N6FT Bulgaria: U580-X0D7-N00S-N6FT Croatia: U580-X0D7-N00S-N6FT Cyprus: U580-X0D7-N00S-N6FT

Czech Republic: U580-X0D7-N00S-N6FT Denmark: U580-X0D7-N00S-N6FT Estonia: U580-X0D7-N00S-N6FT EU: U580-X0D7-N00S-N6FT Finland: U580-X0D7-N00S-N6FT France: U580-X0D7-N00S-N6FT Germany: U580-X0D7-N00S-N6FT Greece: U580-X0D7-N00S-N6FT Hungary: U580-X0D7-N00S-N6FT Iceland: U580-X0D7-N00S-N6FT Ireland: U580-X0D7-N00S-N6FT Italy: U580-X0D7-N00S-N6FT Latvia: U580-X0D7-N00S-N6FT Lithuania: U580-X0D7-N00S-N6FT Luxembourg: U580-X0D7-N00S-N6FT Malta: U580-X0D7-N00S-N6FT Netherlands: U580-X0D7-N00S-N6FT Norway: U580-X0D7-N00S-N6FT Poland: U580-X0D7-N00S-N6FT Portugal: U580-X0D7-N00S-N6FT Romania: U580-X0D7-N00S-N6FT Slovakia: U580-X0D7-N00S-N6FT

Slovenia: U580-X0D7-N00S-N6FT Spain: U580-X0D7-N00S-N6FT Sweden: U580-X0D7-N00S-N6FT

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

**National regulations** 

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

### Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

ALUMINUM OXIDE (CAS 1302-74-5)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

Carbon Black (CAS 1333-86-4)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

Maladies professionnelles provoquées par les résines

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

(CAS 13463-67-7)

### France regulations

### France INRS Table of Occupational Diseases

Epoxy Resin:--reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)

époxydiques et leurs constituants 51

(CAS 25068-38-6)

### **Product registration number**

UFI: U580-X0D7-N00S-N6FT Austria UFI: U580-X0D7-N00S-N6FT **Belgium** Czech Republic UFI: U580-X0D7-N00S-N6FT UFI: U580-X0D7-N00S-N6FT Denmark **European Union** UFI: U580-X0D7-N00S-N6FT Finland UFI: U580-X0D7-N00S-N6FT

UFI: U580-X0D7-N00S-N6FT **France** Germany UFI: U580-X0D7-N00S-N6FT UFI: U580-X0D7-N00S-N6FT Greece UFI: U580-X0D7-N00S-N6FT Hungary Italy UFI: U580-X0D7-N00S-N6FT **Netherlands** UFI: U580-X0D7-N00S-N6FT Norway UFI: U580-X0D7-N00S-N6FT UFI: U580-X0D7-N00S-N6FT **Poland** UFI: U580-X0D7-N00S-N6FT **Portugal** UFI: U580-X0D7-N00S-N6FT Slovakia Slovenia UFI: U580-X0D7-N00S-N6FT Spain UFI: U580-X0D7-N00S-N6FT Sweden UFI: U580-X0D7-N00S-N6FT UFI: U580-X0D7-N00S-N6FT **Switzerland** 

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full

under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

Revision information Training information Physical & Chemical Properties: Multiple Properties

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.