# SAFETY DATA SHEET

1. Identification		
Product identifier	DEVCON® Wear Guard™ Fine Load Resi	n
Other means of identification		
SKU#	0139	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
Precautionary statement		
Prevention	Avoid breathing mist/vapours. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.	
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Not available.	
Disposal	Dispose of contents/container in accordance	e with local/regional/national/international regulations.
Supplemental information	85.6 % of the mixture consists of component(s) of unknown acute inhalation toxicity.	
Other hazards	None known.	

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Silicon Carbide (sic)		409-21-2	60 - < 70
Propane, 2,2-bis[p-(2,3-epoxypropoxy)pheny -, polymers	]	25085-99-8	20 - < 30
Aluminium oxide		1344-28-1	10 - < 20
Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)	Epoxy resin	25068-38-6	< 0.3
FORMALDEHYDE POLYMER WITH (CHLOROMETHYL) OXIRANE AND 4,4'-(1-METHYLETHYLIDENE) BIS[PHENOL]		28906-96-9	< 0.2
Other components below reportable	e levels		3 - 7

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

ironmental precautions	Avoid discharge into drains, water courses or onto the ground.		
Handling and storage			
cautions for safe handling	Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		
ditions for safe storage, uding any incompatibilities			
Exposure controls/pers	sonal protection		
upational exposure limits			
US. ACGIH Threshold Limit Components	Values (TLV) Type	Value	Form
Silicon Carbide (sic) (CAS 409-21-2)	TWA	0.1 fibers/cm3	Fiber.
+03-21-2)		3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occ Components	upational Health & Safety C Type	code, Schedule 1, Table 2), as amended Value	d Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	
Silicon Carbide (sic) (CAS 409-21-2)	TWA	0.1 fibers/cm3	Fiber.
		2	Respirable particles.
		3 mg/m3	· · · · · · · · · · · · · · · · · · ·
		3 mg/m3 10 mg/m3 ure Limits for Chemical Substances, O	Total particulate.
Safety Regulation 296/97, as Components	s amended) Type	10 mg/m3 ure Limits for Chemical Substances, O Value	Total particulate. ccupational Health and Form
Safety Regulation 296/97, as	s amended)	10 mg/m3 ure Limits for Chemical Substances, O	Total particulate.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS	s amended) Type	10 mg/m3 ure Limits for Chemical Substances, O Value	Total particulate. ccupational Health and Form
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS	s amended) Type	10 mg/m3 ure Limits for Chemical Substances, O Value 0.1 fibers/cm3	Total particulate. ccupational Health and Form Fiber.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2)	s amended) Type TWA	10 mg/m3 are Limits for Chemical Substances, O Value 0.1 fibers/cm3 3 mg/m3	Total particulate. ccupational Health and Form Fiber. Respirable.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS	s amended) Type TWA eg. 217/2006, The Workplace	10 mg/m3 are Limits for Chemical Substances, O Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components	s amended) Type TWA eg. 217/2006, The Workplace Type	10 mg/m3 are Limits for Chemical Substances, Of Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS	s amended) Type TWA eg. 217/2006, The Workplace Type	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form Fiber.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS 409-21-2)	s amended) Type TWA eg. 217/2006, The Workplace Type TWA	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3 3 mg/m3	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form Fiber. Respirable fraction. Inhalable fraction.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS 409-21-2) Canada. New Brunswick OE	s amended) Type TWA eg. 217/2006, The Workplace Type TWA	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 10 mg/m3	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form Fiber. Respirable fraction. Inhalable fraction.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS 409-21-2) Canada. New Brunswick OE Publication (New Brunswick Components Aluminium oxide (CAS 1344-28-1)	s amended) Type TWA eg. 217/2006, The Workplace Type TWA ELs: Threshold Limit Values k Regulation 91-191)	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 5 (TLVs) Based on the 1991 and 1997 A Value 10 mg/m3	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form Fiber. Respirable fraction. Inhalable fraction.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS 409-21-2) Canada. New Brunswick OE Publication (New Brunswick Components Aluminium oxide (CAS	s amended) Type TWA eg. 217/2006, The Workplace Type TWA ELs: Threshold Limit Values k Regulation 91-191) Type	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 5 (TLVs) Based on the 1991 and 1997 A Value	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form Fiber. Respirable fraction. Inhalable fraction.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS 409-21-2) Canada. New Brunswick OE Publication (New Brunswick Components Aluminium oxide (CAS 1344-28-1) Silicon Carbide (sic) (CAS 409-21-2)	s amended) Type TWA eg. 217/2006, The Workplace Type TWA ELs: Threshold Limit Values k Regulation 91-191) Type TWA TWA TWA	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 5 (TLVs) Based on the 1991 and 1997 A Value 10 mg/m3	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form Fiber. Respirable fraction. Inhalable fraction.
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS 409-21-2) Canada. New Brunswick OE Publication (New Brunswick Components Aluminium oxide (CAS 1344-28-1) Silicon Carbide (sic) (CAS 409-21-2) Canada. Ontario OELs. (Con	s amended) Type TWA eg. 217/2006, The Workplace Type TWA ELs: Threshold Limit Values k Regulation 91-191) Type TWA TWA TWA TWA	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 5 (TLVs) Based on the 1991 and 1997 A Value 10 mg/m3 10 mg/m3 10 mg/m3	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form Fiber. Respirable fraction. Inhalable fraction. CGIH TLVs and BEIS
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS 409-21-2) Canada. New Brunswick OE Publication (New Brunswick Components Aluminium oxide (CAS 1344-28-1) Silicon Carbide (sic) (CAS 409-21-2) Canada. Ontario OELs. (Con Components Silicon Carbide (sic) (CAS	s amended) Type TWA ag. 217/2006, The Workplace Type TWA ELs: Threshold Limit Values k Regulation 91-191) Type TWA TWA TWA TWA TWA	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 5 (TLVs) Based on the 1991 and 1997 A Value 10 mg/m3 10 mg/m3 10 mg/m3	Total particulate. ccupational Health and Form Fiber. Respirable. Inhalable Form Fiber. Respirable fraction. Inhalable fraction. CGIH TLVs and BEIS
Safety Regulation 296/97, as Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Manitoba OELs (Re Components Silicon Carbide (sic) (CAS 409-21-2) Canada. New Brunswick OE Publication (New Brunswick Components Aluminium oxide (CAS 1344-28-1) Silicon Carbide (sic) (CAS 409-21-2) Canada. Ontario OELs. (Con Components Silicon Carbide (sic) (CAS	s amended) Type TWA ag. 217/2006, The Workplace Type TWA ELs: Threshold Limit Values k Regulation 91-191) Type TWA TWA TWA TWA TWA	10 mg/m3 are Limits for Chemical Substances, Or Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 e Safety And Health Act), as amended Value 0.1 fibers/cm3 3 mg/m3 10 mg/m3 5 (TLVs) Based on the 1991 and 1997 A Value 10 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3	Total particulate. CCUpational Health and Form Fiber. Respirable. Inhalable Form Fiber. Respirable fraction. Inhalable fraction. CCGIH TLVs and BEIs Form Respirable.

Components	nistry of Labor - Regulation respecting Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	Total dust.
Silicon Carbide (sic) (CAS 409-21-2)	TWA	3 mg/m3	Total dust.
		10 mg/m3	Inhalable dust.
	Ls (Occupational Health and Safety Re		
Components	Туре	Value	Form
Aluminium oxide (CAS 1344-28-1)	15 minute	20 mg/m3	
Silicon Carbide (sic) (CAS 409-21-2)	15 minute	6 mg/m3	Respirable fraction.
		20 mg/m3	Inhalable fraction.
ological limit values	No biological exposure limits noted for	the ingredient(s).	
propriate engineering ntrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safe shower.		
lividual protection measures	, such as personal protective equipme	nt	
Eye/face protection	Wear safety glasses with side shields (	or goggles). Face shield is re	ecommended.
Skin protection Hand protection	Wear appropriate chemical resistant gl	oves.	
Other	Wear appropriate chemical resistant cl	othing. Use of an impervious	apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear	suitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective clo	othing, when necessary.	
neral hygiene nsiderations	Always observe good personal hygiene and before eating, drinking, and/or smo equipment to remove contaminants. Co workplace.	oking. Routinely wash work	clothing and protective

## 9. Physical and chemical properties

5. Thysical and chemical	
Appearance	Viscous. Liquid.
Physical state	Liquid.
Form	Liquid. Viscous.
Colour	Not available.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °C (608 °F) estimated
Flash point	129.4 °C (265.0 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower ( %)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	2.20 g/cm3 Mixed material
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	2.2 Mixed material
VOC	100 % Solids

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction.	
Eye contact	Causes serious eye irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.	

#### Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
Aluminium oxide (CAS 1344-28-1	)	
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitisatio	n	
Canada - Alberta OELs: Irri	tant	
Aluminium oxide (CAS 1 Silicon Carbide (sic) (CA	,	Irritant Irritant
<b>Respiratory sensitisation</b>	Not a respiratory sensitiser.	
Skin sensitisation	May cause an allergic skin rea	action.
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	product or any components present at greater than 0.1% are

#### Carcinogenicity

oarchiogenicity		
ACGIH Carcinogens		
Aluminium oxide (CAS 1344-28-1)		A4 Not classifiable as a human carcinogen.
Silicon Carbide (sic) (CAS 409-21-2)		A2 Suspected human carcinogen.
Canada - Alberta OELs: Car		
Silicon Carbide (sic) (CAS	,	Suspected human carcinogen.
Canada - Manitoba OELs: ca		
Aluminium oxide (CAS 1344-28-1) Silicon Carbide (sic) (CAS 409-21-2)		Not classifiable as a human carcinogen. Suspected human carcinogen.
	Evaluation of Carcinogenicity	Suspected human carcinogen.
Silicon Carbide (sic) (CAS	• •	2A Probably carcinogenic to humans.
Reproductive toxicity	,	cause reproductive or developmental effects.
Specific target organ toxicity -	Not classified.	
single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
12. Ecological information	ı	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the de	gradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	The product contains volatile on potential.	organic compounds which have a photochemical ozone creation
13. Disposal consideratio	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be ass disposal company.	signed in discussion between the user, the producer and the waste
Waste from residues / unused products		local regulations. Empty containers or liners may retain some I and its container must be disposed of in a safe manner (see:
Contaminated packaging		retain product residue, follow label warnings even after container is ould be taken to an approved waste handling site for recycling or

#### 14. Transport information

#### TDG

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

## IMDG

Not regulated as dangerous goods.

## Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases		
Not listed.		
Precursor Control Regulation	ons	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

Issue date Revision date Version No.	29-May-2019 28-July-2023 10
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Physical & Chemical Properties: Multiple Properties