SAFETY DATA SHEET

Version # 06

Issue date: 09-01-2021 Revision date: 07-28-2023 Supersedes date: 07-14-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Ceramic Repair Compound/ Putty Resin

Registration number

Synonyms None. SKU# 0146

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center

+45 82 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

113

Poisons Information Center (NVIC)

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

2.2. Label elements

Material name: DEVCON® Ceramic Repair Compound/ Putty Resin
0146 Version #: 06 Revision date: 07-28-2023 Issue date: 09-01-2021

Label according to Regulation (EC) No. 1272/2008 as amended

Austria: 7270-C0E2-P00A-2RVY Belgium: 7270-C0E2-P00A-2RVY Bulgaria: 7270-C0E2-P00A-2RVY Croatia: 7270-C0E2-P00A-2RVY Cyprus: 7270-C0E2-P00A-2RVY

Czech Republic: 7270-C0E2-P00A-2RVY Denmark: 7270-C0E2-P00A-2RVY Estonia: 7270-C0E2-P00A-2RVY EU: 7270-C0E2-P00A-2RVY Finland: 7270-C0E2-P00A-2RVY France: 7270-C0E2-P00A-2RVY Germany: 7270-C0E2-P00A-2RVY Greece: 7270-C0E2-P00A-2RVY Hungary: 7270-C0E2-P00A-2RVY Iceland: 7270-C0E2-P00A-2RVY Ireland: 7270-C0E2-P00A-2RVY Italy: 7270-C0E2-P00A-2RVY Latvia: 7270-C0E2-P00A-2RVY Lithuania: 7270-C0E2-P00A-2RVY Luxembourg: 7270-C0E2-P00A-2RVY Malta: 7270-C0E2-P00A-2RVY

Netherlands: 7270-C0E2-P00A-2RVY Norway: 7270-C0E2-P00A-2RVY Poland: 7270-C0E2-P00A-2RVY Portugal: 7270-C0E2-P00A-2RVY Romania: 7270-C0E2-P00A-2RVY Slovakia: 7270-C0E2-P00A-2RVY Slovenia: 7270-C0E2-P00A-2RVY Spain: 7270-C0E2-P00A-2RVY Sweden: 7270-C0E2-P00A-2RVY

Contains: Epoxy Resin: Reaction product of bisphenol A and Epichlorohydrin (refer to epichlorohydrin)

Hazard pictograms



Signal word Warning

Hazard statements

Causes skin irritation. H315

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Precautionary statements

Prevention

Avoid breathing mist/vapors. P261 Wash thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Wear eye protection/face protection. P280

Wear protective gloves. P280

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Storage Not available.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Epoxy Resin: Reaction product bisphenol A and Epichlorohydrin (refer to epichlorohydrin)		25068-38-6 -	01-2119456619-26-0000	-	
Classific	ation: Skin Irrit. 2	;H315, Eye Irrit. 2;H	319, Skin Sens. 1;H317		
propylene carbonate	3 - < 5	108-32-7 203-572-1	-	607-194-00-1	
Classific	ation: Eye Irrit. 2;	;H319			

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

Other components below reportable

M: M-factor

levels

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

5 - 10

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazardsNo unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Wat

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Avoid breathing m appropriate protect

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

Material name: DEVCON® Ceramic Repair Compound/ Putty Resin
0146 Version #: 06 Revision date: 07-28-2023 Issue date: 09-01-2021

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors.

Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Avoid discharge into drains, water courses or onto the ground.

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended
_	_

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	MAK	5 mg/m3	Respirable fraction.
		5 mg/m3	Respirable fume.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fume.
		10 mg/m3	Respirable fraction.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	Inhalable fraction.
·		1,5 mg/m3	Respirable fraction.

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Type	Value	Form	
Aluminium Oxide (CAS 1344-28-1)	MAC	4 mg/m3	Respirable dust.	_
		10 mg/m3	Total dust.	

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	0,1 mg/m3	Respirable dust.

Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TLV	5 mg/m3	Total
		2 mg/m3	Respirable.
Estonia. OELs. Occupational Exp Components	osure Limits of Hazardous Su Type	bstances (Regulation No. 105/ Value	2001, Annex), as amended Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Fine dust, respiratory fraction
		10 mg/m3	Total dust.
France. Threshold Limit Values (\ Components	/LEP) for Occupational Expos Type	ure to Chemicals in France, IN Value	IRS ED 984
Aluminium Oxide (CAS 1344-28-1)	VME	10 mg/m3	
Regulatory status: Indicativ	e limit (VL)		
Germany. DFG MAK List (advisor		Investigation of Health Hazard	s of Chemical Compounds
in the Work Area (DFG), as updat Components	ea Type	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	4 mg/m3	Inhalable dust.
,		1,5 mg/m3	Respirable dust.
propylene carbonate (CAS	TWA	8,5 mg/m3	
108-32-7)		2 ppm	
Germany. TRGS 900, Limit Values Components	s in the Ambient Air at the Wor Type	rkplace Value	Form
Aluminium Oxide (CAS 1344-28-1)	AGW	10 mg/m3	Inhalable fraction.
,		1,25 mg/m3	Respirable fraction.
oropylene carbonate (CAS 108-32-7)	AGW	8,5 mg/m3	Vapor and aerosol.
		2 ppm	Vapor and aerosol.
Greece. OELs, Presidential Decre Components	e No. 307/1986, as amended Type	Value	Form
Aluminium Oxide (CAS	TWA	5 mg/m3	Respirable.
1344-28-1)	IVVA	5 mg/m5	тезрігаріе.
		10 mg/m3	Inhalable
Hungary. OELs. Decree on protec Components	tion of workers exposed to ch Type	nemical agents (5/2020. (II.6)), Value	Annex 1&2, as amended Form
Aluminium Oxide (CAS 1344-28-1)	TWA	5 mg/m3	
,		2 mg/m3	Respirable.
lceland. OELs. Regulation 390/20 Components	09 on Pollution Limits and Mea	asures to Reduce Pollution at Value	the Workplace, as amende
Aluminium Oxide (CAS 1344-28-1)	TWA	10 mg/m3	
reland. OELVs, Schedules 1 & 2, Components	Code of Practice for Chemical Type	l Agents and Carcinogens Re્ Value	gulations Form
Aluminium Oxide (CAS	TWA	4 mg/m3	Respirable dust.
1344-28-1)		3	

1), as amended Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	6 mg/m3	Decomposition aerosol
		4 mg/m3	
propylene carbonate (CAS 108-32-7)	TWA	2 mg/m3	
Lithuania. OELs. Occupational Ex V-824/A1-389), as amended	posure Limit Values for Chem	nical Substances (Hygiene No	rm HN 23:2011; Order No.
Components	Туре	Value	
propylene carbonate (CAS 108-32-7)	TWA	7 mg/m3	
Norway. Regulation No. 1358 on M nfection Groups for Biological Fa		Physical and Chemical Factor	ors in Work Environment a
Components	Туре	Value	
Aluminium Oxide (CAS 1344-28-1)	TLV	10 mg/m3	
Poland. Maximum permissible cor 1286/2018, Annex 1)	ncentrations and intensities of	f harmful factors in the work	environment (Dz.U.Poz.
Components	Туре	Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	2,5 mg/m3	Inhalable fraction.
		1,2 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occupati Components	onal exposure to chemical ag Type	gents (NP 1796-2014) Value	Form
Aluminium Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Romania. OELs. Limit Values of C	hemical Agents at Workplace	(Regulation 1.218/2006, M.O	845, Annex 1, 3&4, as
amended) Components	Туре	Value	Form
Aluminium Oxide (CAS	STEL	5 mg/m3	Aerosol.
1344-28-1)	TWA	2 ma/m3	Aerosol.
Slovakia OELa Mavimum narmia		3.	
Slovakia. OELs. Maximum permis: Annex 1, Table 1, as amended)	sible exposure littles for cheff	ilical factors ill workplace all	(Regulation No 355/2006,
Components	Туре	Value	Form
Aluminium Oxide (CAS	TWA	4 mg/m3	Inhalable fraction.
1 044- 20-1)		0,1 mg/m3	Respirable fraction.
Slovenia. OELs. Occupational Exp		-	·
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work,		-	·
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS	Annex I), as amended	Workplace (Reg. on Protection	on of Workers from Risks
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS	Annex I), as amended Type	Workplace (Reg. on Protection Value	on of Workers from Risks Form
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de Ex	Annex I), as amended Type TWA rposición Profesional Para Ag	Workplace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 gentes Químicos, Table 1-Valo	Form Inhalable fraction. Respirable fraction.
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de Ex VLAs)	Annex I), as amended Type TWA cposición Profesional Para Ag	Workplace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 gentes Químicos, Table 1-Valo	Form Inhalable fraction. Respirable fraction.
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de Ex (VLAs) Components Aluminium Oxide (CAS	Annex I), as amended Type TWA rposición Profesional Para Ag	Workplace (Reg. on Protection Value 10 mg/m3 1,25 mg/m3 gentes Químicos, Table 1-Valo	Form Inhalable fraction. Respirable fraction.
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de Ex (VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Er amended	Annex I), as amended Type TWA rposición Profesional Para Ag Type TWA TWA avironment Authority (AV), Oc	Value 10 mg/m3 1,25 mg/m3 gentes Químicos, Table 1-Value 10 mg/m3 ccupational Exposure Limit Value	Form Inhalable fraction. Respirable fraction. ores Límites Ambientales alues (AFS 2018:1), as
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de Ex VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Er	Annex I), as amended Type TWA Exposición Profesional Para Ag Type TWA TWA TVA Type Type Type Type Type	Value 10 mg/m3 1,25 mg/m3 gentes Químicos, Table 1-Value 10 mg/m3	Form Inhalable fraction. Respirable fraction. ores Límites Ambientales
Slovenia. OELs. Occupational Expedue to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de Exp. VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Examended Components Aluminium Oxide (CAS 1344-28-1)	Annex I), as amended Type TWA rposición Profesional Para Ag Type TWA TWA avironment Authority (AV), Oc	Value 10 mg/m3 1,25 mg/m3 gentes Químicos, Table 1-Value 10 mg/m3 ccupational Exposure Limit Value	Inhalable fraction. Respirable fraction. Pres Límites Ambientales alues (AFS 2018:1), as
Slovenia. OELs. Occupational Exp due to Exp. to Chemicals at Work, Components Aluminium Oxide (CAS 1344-28-1) Spain. OELs. INSST, Límites de Ex (VLAs) Components Aluminium Oxide (CAS 1344-28-1) Sweden. OELs (Annex 1). Work Er amended Components Aluminium Oxide (CAS 1344-28-1)	Annex I), as amended Type TWA Exposición Profesional Para Ag Type TWA TWA TVA Type Type Type Type Type	Value 10 mg/m3 1,25 mg/m3 gentes Químicos, Table 1-Value 10 mg/m3 ccupational Exposure Limit Value	Inhalable fraction. Respirable fraction. Dres Límites Ambientales alues (AFS 2018:1), as Form

Components	Туре		Va	lue	Form
Aluminium Oxide (CAS 1344-28-1)	STEL		24	mg/m3	Respirable dust and/o fume.
	TWA		3 r	ng/m3	Respirable dust.
			3 r	ng/m3	Respirable dust and/o fume.
propylene carbonate (CAS 108-32-7)	STEL		25	5 mg/m3	
			6 p	pm	
	TWA		25	,5 mg/m3	
			6 p	pm	
UK. OELs. Workplace Exp		EH40/2005 (Fourt			_
Components	Туре			lue	Form
Aluminium Oxide (CAS 1344-28-1)	TWA		4 r	ng/m3	Respirable dust.
			10	mg/m3	Inhalable dust.
logical limit values Hungary. BELs. Decree or	n protection of workers	exposed to che	mical agents (5/	2020. (II.6)).	Annex 3&4. as amended
Components	Value	Determinant	Specimen	Sampling	
Aluminium Oxide (CAS 1344-28-1)	0,25 µmol/mmol	Aluminum	Creatinine in urine	*	
	0,06 mg/g	Aluminum	Creatinine in urine	*	
* - For sampling details, plea	ase see the source docu	ment.			
Switzerland. SUVA Grenzy Components	werte am Arbeitsplatz: . Value	Aktuelle BAT-We Determinant	erte Specimen	Sampling	Time
Aluminium Oxide (CAS 1344-28-1)	50 μg/g	Aluminium	Creatinine in urine	*	
* - For sampling details, plea	ase see the source docu	ment.			
commended monitoring cedures	Follow standard mor	nitoring procedure	s.		
ived no effect levels ELs)	Not available.				
dicted no effect centrations (PNECs)	Not available.				
Exposure controls					
propriate engineering trols	applicable, use proc maintain airborne lev	ess enclosures, lo vels below recomi	cal exhaust vent nended exposure	lation, or oth limits. If exp	e matched to conditions. If er engineering controls to posure limits have not beer e eyewash station and safe
vidual protection measure	s, such as personal pro	otective equipme	ent		
General information					equipment should be choson of the personal protective
Eye/face protection	Wear safety glasses	with side shields	(or goggles). Fac	e shield is re	ecommended.
Skin protection	Wear appropriate ch	emical resistant o	loves		
- Hand protection - Other	Wear appropriate ch	_		n impervious	apron is recommended.
	In case of insufficien		-	•	•
Respiratory protection Thermal hazards	Wear appropriate the		· ·		п.
jiene measures					g after handling the materia clothing and protective

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Viscous. Liquid.

Color Amber. Slight. Odor

Melting point/freezing point Not available.

Boiling point or initial boiling

point and boiling range

608 °F (320 °C) estimated

Flammability Not applicable.

>250,0 °F (>121,1 °C) Flash point

Not available **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Kinematic viscosity Not available.

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure Not available.

Density and/or relative density

1,55 g/cm3 Mixed components Density

Not available Vapor density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

1,55 Mixed components Specific gravity

VOC 33 g/l

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

Strong oxidizing agents. 10.5. Incompatible materials

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis, Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitizationDue to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Not applicable.

Reproductive toxicity Not applicable.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Not applicable.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3082

14.2. UN proper shipping

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin:--reaction

Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin))

14.3. Transport hazard class(es) Class Subsidiary risk Label(s) 9 Hazard No. (ADR) 90 **Tunnel restriction code** F Ш 14.4. Packing group 14.5. Environmental hazards Yes 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user **RID** 14.1. UN number UN3082 14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin:--reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)) name 14.3. Transport hazard class(es) Class 9 Subsidiary risk 9 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards Yes Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user **ADN** 14.1. UN number UN3082 14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin:--reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)) name 14.3. Transport hazard class(es) 9 Subsidiary risk 9 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards Yes Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user **IATA** UN3082 14.1. UN number Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin:--reaction Product Of 14.2. UN proper shipping Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)) name 14.3. Transport hazard class(es) 9 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Yes **ERG Code** Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user Other information Passenger and cargo Allowed with restrictions. aircraft Allowed with restrictions. Cargo aircraft only **IMDG** 14.1. UN number LIN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin:--reaction 14.2. UN proper shipping Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)), MARINE POLLUTANT name 14.3. Transport hazard class(es) 9 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Marine pollutant Yes F-A, S-F **EmS**

Read safety instructions, SDS and emergency procedures before handling.

Material name: DEVCON® Ceramic Repair Compound/ Putty Resin

14.6. Special precautions


for user

Epoxy Resin:--reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)

14.7. Maritime transport in bulk according to IMO instruments

Not established.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: 7270-C0E2-P00A-2RVY Belgium: 7270-C0E2-P00A-2RVY Bulgaria: 7270-C0E2-P00A-2RVY Croatia: 7270-C0E2-P00A-2RVY Cyprus: 7270-C0E2-P00A-2RVY

Czech Republic: 7270-C0E2-P00A-2RVY Denmark: 7270-C0E2-P00A-2RVY Estonia: 7270-C0E2-P00A-2RVY EU: 7270-C0E2-P00A-2RVY Finland: 7270-C0E2-P00A-2RVY France: 7270-C0E2-P00A-2RVY Germany: 7270-C0E2-P00A-2RVY Greece: 7270-C0E2-P00A-2RVY Hungary: 7270-C0E2-P00A-2RVY Iceland: 7270-C0E2-P00A-2RVY Ireland: 7270-C0E2-P00A-2RVY Italy: 7270-C0E2-P00A-2RVY Latvia: 7270-C0E2-P00A-2RVY Lithuania: 7270-C0E2-P00A-2RVY Luxembourg: 7270-C0E2-P00A-2RVY Malta: 7270-C0E2-P00A-2RVY Netherlands: 7270-C0E2-P00A-2RVY Norway: 7270-C0E2-P00A-2RVY Poland: 7270-C0E2-P00A-2RVY Portugal: 7270-C0E2-P00A-2RVY Romania: 7270-C0E2-P00A-2RVY Slovakia: 7270-C0E2-P00A-2RVY

Slovenia: 7270-C0E2-P00A-2RVY Spain: 7270-C0E2-P00A-2RVY Sweden: 7270-C0E2-P00A-2RVY

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered 75

propylene carbonate (CAS 108-32-7)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

> Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Epoxy Resin: Reaction product of bisphenol A and Epichlorohydrin (refer to epichlorohydrin)

(CAS 25068-38-6)

Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51

Product registration number

UFI: 7270-C0E2-P00A-2RVY **Austria Belgium** UFI: 7270-C0E2-P00A-2RVY UFI: 7270-C0E2-P00A-2RVY **Czech Republic** Denmark UFI: 7270-C0E2-P00A-2RVY **European Union** UFI: 7270-C0E2-P00A-2RVY UFI: 7270-C0E2-P00A-2RVY **Finland France** UFI: 7270-C0E2-P00A-2RVY UFI: 7270-C0E2-P00A-2RVY Germany UFI: 7270-C0E2-P00A-2RVY Greece Hungary UFI: 7270-C0E2-P00A-2RVY UFI: 7270-C0E2-P00A-2RVY Italy UFI: 7270-C0E2-P00A-2RVY **Netherlands** UFI: 7270-C0E2-P00A-2RVY **Norway Poland** UFI: 7270-C0E2-P00A-2RVY UFI: 7270-C0E2-P00A-2RVY **Portugal**

 Slovakia
 UFI: 7270-C0E2-P00A-2RVY

 Slovenia
 UFI: 7270-C0E2-P00A-2RVY

 Spain
 UFI: 7270-C0E2-P00A-2RVY

 Sweden
 UFI: 7270-C0E2-P00A-2RVY

 Switzerland
 UFI: 7270-C0E2-P00A-2RVY

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

None.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full

under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Revision information

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® Ceramic Repair Compound/ Putty Resin
0146 Version #: 06 Revision date: 07-28-2023 Issue date: 09-01-2021