SAFETY DATA SHEET

1. Identification		
Product identifier	DEVCON® Epoxy Coat™ 7000 AR (Ac	id Resistant) Resin
Other means of identification		
SKU#	0150	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	r/Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an alle	rgic skin reaction. Causes serious eye irritation.
Precautionary statement		
Prevention		roughly after handling. Contaminated work clothing ce. Wear eye protection/face protection. Wear protective
Response	minutes. Remove contact lenses, if prese	IF IN EYES: Rinse cautiously with water for several ent and easy to do. Continue rinsing. If skin irritation or n. If eye irritation persists: Get medical advice/attention. n it before reuse.
Storage	Not available.	
Disposal	Dispose of contents/container in accorda	ance with local/regional/national/international regulations.
Supplemental information	None.	
Other hazards	None known.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Phenol Polymer With Formaldehyde, Glycidyl Ether		28064-14-4	90 - 100
Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin)		25068-38-6	3 - < 5
Titanium dioxide	Titanium dioxide	13463-67-7	3 - < 5
Silica, amorphous		7631-86-9	< 0.3
Other components below reporta	ble levels		1 - < 3

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

upational exposure limits			
US. ACGIH Threshold Limit Value	es (TLV)		
Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	2.5 mg/m3	Respirable finescale particles
		0.2 mg/m3	Respirable nanoscale particles
Canada. Alberta OELs (Occupatio Components	onal Health & Safety Code, Scl Type	nedule 1, Table 2), as amended Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. British Columbia OELs. Safety Regulation 296/97, as ame		s for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Titanium dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 21 Components	7/2006, The Workplace Safety Type	And Health Act), as amended Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	2.5 mg/m3	Respirable finescale particles
,		0.2 mg/m3	Respirable nanoscale particles
	brochold Limit Voluce (TLVa)	Basad on the 1991 and 1997 A	GIH TI Vs and BEIs
Canada. New Brunswick OELs: T Publication (New Brunswick Reg		Based on the 1991 and 1997 AC	
Canada. New Brunswick OELs: T Publication (New Brunswick Reg Components		Value	Form
Publication (New Brunswick Reg	ulation 91-191)		
Publication (New Brunswick Reg Components Silica, amorphous (CAS	ulation 91-191) Type	Value	Form
Publication (New Brunswick Reg Components Silica, amorphous (CAS	ulation 91-191) Type	Value 3 mg/m3	Form Respirable.
Publication (New Brunswick Reg Components Silica, amorphous (CAS 7631-86-9) Titanium dioxide (CAS	ulation 91-191) Type TWA TWA	Value 3 mg/m3 10 mg/m3 10 mg/m3	Form Respirable.
Publication (New Brunswick Reg Components Silica, amorphous (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7) Canada. Ontario OELs. (Control of	ulation 91-191) Type TWA TWA of Exposure to Biological or Cl	Value 3 mg/m3 10 mg/m3 10 mg/m3 hemical Agents), as amended	Form Respirable.
Publication (New Brunswick Reg Components Silica, amorphous (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7) Canada. Ontario OELs. (Control of Components Titanium dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Ministry	ulation 91-191) Type TWA TWA of Exposure to Biological or Cl Type TWA of Labor - Regulation respecti	Value 3 mg/m3 10 mg/m3 10 mg/m3 hemical Agents), as amended Value 10 mg/m3 ng occupational health and sat	Form Respirable. Inhalable
Publication (New Brunswick Reg Components Silica, amorphous (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7) Canada. Ontario OELs. (Control of Components Titanium dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Ministry Components	ulation 91-191) Type TWA TWA of Exposure to Biological or Cl Type TWA of Labor - Regulation respecti Type	Value 3 mg/m3 10 mg/m3 10 mg/m3 hemical Agents), as amended Value 10 mg/m3 ng occupational health and sat Value	Form Respirable. Inhalable
Publication (New Brunswick Reg Components Silica, amorphous (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7) Canada. Ontario OELs. (Control of Components Titanium dioxide (CAS 13463-67-7) Canada. Quebec OELs. (Ministry	ulation 91-191) Type TWA TWA of Exposure to Biological or Cl Type TWA of Labor - Regulation respecti	Value 3 mg/m3 10 mg/m3 10 mg/m3 hemical Agents), as amended Value 10 mg/m3 ng occupational health and sat	Form Respirable. Inhalable

Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	15 minute	6 mg/m3	Respirable fraction.
		20 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	15 minute	20 mg/m3	
ological limit values	No biological exposure limits noted for	the ingredient(s).	
opropriate engineering ontrols	Good general ventilation should be use applicable, use process enclosures, low maintain airborne levels below recomm established, maintain airborne levels to shower.	cal exhaust ventilation, or oth nended exposure limits. If ex	ner engineering controls to posure limits have not been
dividual protection measure	s, such as personal protective equipme	nt	
Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is re	ecommended.
Skin protection			
Hand protection	Wear appropriate chemical resistant gl	oves.	
Other	Wear appropriate chemical resistant cl	othing. Use of an impervious	apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear	suitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective cl	othing, when necessary.	
eneral hygiene onsiderations	Always observe good personal hygiend and before eating, drinking, and/or smo equipment to remove contaminants. Co workplace.	oking. Routinely wash work	clothing and protective

9. Physical and chemical properties

o. i nyoloar ana ononnoar	
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Grey
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	245 °C (473 °F) estimated
Flash point	93.4 °C (200.1 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information	
Density	1.24 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.24 estimated
VOC	0 g/l

10. Stability and reactivity		
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	

reactions	
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of	exposure
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
1.6	

Information on toxicological effects

Acute toxicity	Not known.			
Components	Species	Test Results		
Silica, amorphous (CAS 7631-8	36-9)			
<u>Acute</u>				
Oral				
LD50	Rat	> 22500 mg/kg		
Titanium dioxide (CAS 13463-6	7-7)			
<u>Acute</u>				
Dermal				
LD50	Hamster	>= 10000 mg/kg		
Oral				
LD50	Rat	> 10000 mg/kg		
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/eye irritation	Causes serious eye irrit	ation.		
Respiratory or skin sensitisa	tion			
Canada - Alberta OELs: I	rritant			
Silica, amorphous (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)		Irritant Irritant		
Respiratory sensitisatior	Not a respiratory sensiti	ser.		
Skin sensitisation	May cause an allergic s	May cause an allergic skin reaction.		
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity				

Carcinogenicity

ACGIH Carcinogens			
Titanium dioxide (CAS 13463-67-7)		A3 Confirmed animal carcinogen with unknown relevance to humans.	
Canada - Manitoba OELs: ca	rcinogenicity		
Titanium dioxide (CAS 13 IARC Monographs. Overall E	463-67-7) Evaluation of Carcinogenicity	Confirmed animal carcinogen with unknown relevance to humans.	
Silica, amorphous (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)		3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
12. Ecological information	1		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential			
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ns		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all	l applicable regulations.	
Hazardous waste code	The waste code should be ass disposal company.	signed in discussion between the user, the producer and the waste	
Waste from residues / unused products		local regulations. Empty containers or liners may retain some I and its container must be disposed of in a safe manner (see:	
Contaminated packaging		retain product residue, follow label warnings even after container is ould be taken to an approved waste handling site for recycling or	

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot established.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed.

Not regulated.		
ternational regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
ternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Ν
Canada	Domestic Substances List (DSL)	Ν
Canada	Non-Domestic Substances List (NDSL)	Ye
China	Inventory of Existing Chemical Substances in China (IECSC)	Ν
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Ν
Europe	European List of Notified Chemical Substances (ELINCS)	Ν
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Ν
Korea	Existing Chemicals List (ECL)	Ye
New Zealand	New Zealand Inventory	Ye
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Ν
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Ye
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Ye

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Issue date	28-May-2019
Revision date	31-July-2023
Version No.	06
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.