SAFETY DATA SHEET

Version #: 06

Issue date: 05-28-2019 Revision date: 07-31-2023 Supersedes date: 07-14-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Epoxy Coat™ 7000 AR (Acid Resistant) Resin

Registration number

Synonyms None.
SKU# 0150

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.) Information Center

113

Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: 5U70-W0MN-E00S-0U4J Belgium: 5U70-W0MN-E00S-0U4J Bulgaria: 5U70-W0MN-E00S-0U4J Croatia: 5U70-W0MN-E00S-0U4J Cyprus: 5U70-W0MN-E00S-0U4J

Czech Republic: 5U70-W0MN-E00S-0U4J Denmark: 5U70-W0MN-E00S-0U4J Estonia: 5U70-W0MN-E00S-0U4J EU: 5U70-W0MN-E00S-0U4J Finland: 5U70-W0MN-E00S-0U4J France: 5U70-W0MN-E00S-0U4J Germany: 5U70-W0MN-E00S-0U4J Greece: 5U70-W0MN-E00S-0U4J Hungary: 5U70-W0MN-E00S-0U4J Iceland: 5U70-W0MN-E00S-0U4J Ireland: 5U70-W0MN-E00S-0U4J Italy: 5U70-W0MN-E00S-0U4J Latvia: 5U70-W0MN-E00S-0U4J Lithuania: 5U70-W0MN-E00S-0U4J Luxembourg: 5U70-W0MN-E00S-0U4J Malta: 5U70-W0MN-E00S-0U4J Netherlands: 5U70-W0MN-E00S-0U4J Norway: 5U70-W0MN-E00S-0U4J Poland: 5U70-W0MN-E00S-0U4J

Netherlands: 5U70-W0MN-E00S-0US-0UNorway: 5U70-W0MN-E00S-0U4J Poland: 5U70-W0MN-E00S-0U4J Portugal: 5U70-W0MN-E00S-0U4J Romania: 5U70-W0MN-E00S-0U4J Slovakia: 5U70-W0MN-E00S-0U4J Slovenia: 5U70-W0MN-E00S-0U4J Spain: 5U70-W0MN-E00S-0U4J Sweden: 5U70-W0MN-E00S-0U4J

Contains: Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin),

Phenol Polymer With Formaldehyde, Glycidyl Ether

Hazard pictograms



Signal word Warning

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary statements

Prevention

P261 Avoid breathing mist/vapors.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Ğet medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Phenol Polymer With Formaldehyde, Glycidyl Ether	90 - 100	28064-14-4 -	-	-	
Classification:	-				
Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin)	3 - < 5	25068-38-6 -	01-2119456619-26-0000	-	
Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	3 - < 5	13463-67-7 236-675-5	01-2119489379-17-0000	022-006-002	
Classification:	Carc. 2;H3	51			
Other components below reportable	1 - < 3				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delaved

4.3. Indication of any immediate medical attention

Symptoms may be delayed. and special treatment needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Material name: DEVCON® Epoxy Coat™ 7000 AR (Acid Resistant) Resin 0150 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS

protection recommended in Section 8 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Туре	Value	Form	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	MAK	5 mg/m3	Respirable dust.	
	STFI	10 mg/m3	Respirable dust	

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

 Components
 Type
 Value

 titanium dioxide [in powder form containing 1 % or
 TWA
 10 mg/m3

form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form	
titanium dioxide [in powder form containing 1 % or more of particles with	TWA	10 mg/m3	Respirable dust.	

aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

 Components
 Type
 Value
 Form

 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)
 MAC
 4 mg/m3
 Respirable dust.

Components	•	`	Туре	Value	Form	
•				10 mg/m3	Total dust.	

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended Components Type Value

10 mg/m3

6 mg/m3

5 mg/m3

10 mg/m3

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2 Components Type Value

TLV

TWA

TWA

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Type Value

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

 Components
 Type
 Value
 Form

 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)
 TWA
 10 mg/m3
 Dust.

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Type Value

VME

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

Regulatory status: Indicative limit (VL)

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

 Components
 Type
 Value
 Form

 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)
 TWA
 0,3 mg/m3
 Respirable fraction.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.

Greece. OELs, Presidential Decree Components	No. 307/1986, as amended Type	Value	Form
itanium dioxide [in powder	TWA	5 mg/m3	Respirable.
orm containing 1 % or nore of particles with aerodynamic diameter ≤ 10	TWA	3 mg/m3	тлезрігавіе.
m] (CAS 13463-67-7)		10 mg/m3	Inhalable
celand. OELs. Regulation 390/200 Components	9 on Pollution Limits and Mea Type	asures to Reduce Pollution at Value	the Workplace, as amend
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	6 mg/m3	
reland. OELVs, Schedules 1 & 2, 0 components	Code of Practice for Chemical Type	Agents and Carcinogens Re Value	gulations Form
tanium dioxide [in powder orm containing 1 % or nore of particles with lerodynamic diameter ≤ 10 lm] (CAS 13463-67-7)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
taly. OELs (Legislative Decree n.8 Components	1, 9 April 2008), as amended Type	Value	Form
itanium dioxide [in powder orm containing 1 % or nore of particles with nerodynamic diameter ≤ 10 nm] (CAS 13463-67-7)	TWA	2,5 mg/m3	Respirable finescale particles
		0,2 mg/m3	Respirable nanoscale particles
atvia. OELs. Occupational Expos), as amended	ure Limits of Chemical Subst	ances at Workplace (Reg. No	. 325/ 2007, L.V. 80, Anne
components	Туре	Value	
itanium dioxide [in powder orm containing 1 % or nore of particles with nerodynamic diameter ≤ 10 nm] (CAS 13463-67-7)	TWA	10 mg/m3	IIN 22-2044. Order No
ithuania. OELs. Occupational Exp /-824/A1-389), as amended			rm HN 23:2011; Order No.
Components	Туре	Value	
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	5 mg/m3	
Norway. Regulation No. 1358 on M nfection Groups for Biological Fac Components		Physical and Chemical Factor Value	ors in Work Environment a
itanium dioxide [in powder	TLV	5 mg/m3	
idanum dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	ILV	5 mg/ms	

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	STEL	30 mg/m3	
	TWA	10 mg/m3	Inhalable fraction.
Portugal VI Es Norm on occupati	ional exposure to chemical a	nonte (NP 1796-2014)	

10 mg/m3

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)
Components Type Value

TWA

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

Components	Туре	Value
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	STEL	15 mg/m3
	TWA	10 mg/m3

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

Components	Туре	Value	
titanium dioxide [in powder	TWA	5 mg/m3	
form containing 1 % or			
more of particles with			
aerodynamic diameter ≤ 10			
μm] (ČAS 13463-67-7)			

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	туре	value	Form	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	Inhalable fraction.	
		1,25 mg/m3	Respirable fraction.	

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Type	Value
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	5 mg/m3	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components Value Type **TWA** 3 mg/m3 Respirable dust.

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Value

Form Components Type TWA titanium dioxide [in powder 4 mg/m3 Respirable.

form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

> 10 mg/m3 Inhalable

Form

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles). Face shield is recommended. Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

> and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Color Grey Odor Slight.

Not available. Melting point/freezing point

Boiling point or initial boiling point and boiling range

473 °F (245 °C) estimated

Flammability Not applicable.

200,1 °F (93,4 °C) estimated Flash point

Auto-ignition temperature Not available.

Not available. **Decomposition temperature** Not available. Not available Kinematic viscosity

Solubility

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure Not available.

Density and/or relative density

1,24 g/cm3 estimated Density

Vapor density Not available. Not available. **Particle characteristics**

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

1.24 estimated Specific gravity

VOC 0 g/I

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Components **Species Test Results**

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

Acute Dermal

Hamster >= 10000 mg/kgLD50

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization

May cause an allergic skin reaction. Skin sensitization

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Material name: DEVCON® Epoxy Coat™ 7000 AR (Acid Resistant) Resin 0150 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019 Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

titanium dioxide [in powder form containing 1 % or more 2B Possibly carcinogenic to humans.

of particles with aerodynamic diameter ≤ 10 µm]

(CAS 13463-67-7)

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF)

12.4. Mobility in soil 12.5. Results of PBT and vPvB

assessment

No data available.

Not available.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number

14.2. UN proper shipping

Not regulated as dangerous goods. Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk

Not assigned. Hazard No. (ADR)


Tunnel restriction code Not assigned. 14.4. Packing group 14.5. Environmental hazards No. Not assigned. 14.6. Special precautions for user RID 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user **ADN** 14.1. UN number UN3082 14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol Polymer With Formaldehyde, Glycidyl Ether) 14.3. Transport hazard class(es) 9 Class Subsidiary risk 9 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards Yes Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user **IATA** 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user **IMDG** Not regulated as dangerous goods. 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant No. Not assigned. **EmS** 14.6. Special precautions Not assigned. for user

Not established.

14.7. Maritime transport in bulk

according to IMO instruments

ADN



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

 $Regulation \ (EC) \ No. \ 166/2006 \ Annex \ II \ Pollutant \ Release \ and \ Transfer \ Registry, \ as \ amended$

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μ m] (CAS 13463-67-7)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: 5U70-W0MN-E00S-0U4J Belgium: 5U70-W0MN-E00S-0U4J Bulgaria: 5U70-W0MN-E00S-0U4J Croatia: 5U70-W0MN-E00S-0U4J Cyprus: 5U70-W0MN-E00S-0U4J

Czech Republic: 5U70-W0MN-E00S-0U4J Denmark: 5U70-W0MN-E00S-0U4J Estonia: 5U70-W0MN-E00S-0U4J EU: 5U70-W0MN-E00S-0U4J Finland: 5U70-W0MN-E00S-0U4J France: 5U70-W0MN-E00S-0U4J Germany: 5U70-W0MN-E00S-0U4J Greece: 5U70-W0MN-E00S-0U4J Hungary: 5U70-W0MN-E00S-0U4J Iceland: 5U70-W0MN-E00S-0U4J Ireland: 5U70-W0MN-E00S-0U4J Italy: 5U70-W0MN-E00S-0U4J Latvia: 5U70-W0MN-E00S-0U4J Lithuania: 5U70-W0MN-E00S-0U4J Luxembourg: 5U70-W0MN-E00S-0U4J Malta: 5U70-W0MN-E00S-0U4J Netherlands: 5U70-W0MN-E00S-0U4J Norway: 5U70-W0MN-E00S-0U4J Poland: 5U70-W0MN-E00S-0U4J Portugal: 5U70-W0MN-E00S-0U4J Romania: 5U70-W0MN-E00S-0U4J

Slovakia: 5U70-W0MN-E00S-0U4J Slovenia: 5U70-W0MN-E00S-0U4J Spain: 5U70-W0MN-E00S-0U4J Sweden: 5U70-W0MN-E00S-0U4J

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]

(CAS 13463-67-7)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

France regulations

France INRS Table of Occupational Diseases

Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin)

(CAS 25068-38-6)

Phenol Polymer With Formaldehyde, Glycidyl Ether

(CAS 28064-14-4)

Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51

Maladies professionnelles provoquées par les résines

époxydiques et leurs constituants 51

Product registration number

UFI: 5U70-W0MN-E00S-0U4J Austria **Belgium** UFI: 5U70-W0MN-E00S-0U4J UFI: 5U70-W0MN-E00S-0U4J Czech Republic UFI: 5U70-W0MN-E00S-0U4J **Denmark European Union** UFI: 5U70-W0MN-E00S-0U4J **Finland** UFI: 5U70-W0MN-E00S-0U4J UFI: 5U70-W0MN-E00S-0U4J France UFI: 5U70-W0MN-E00S-0U4J Germany

UFI: 5U70-W0MN-E00S-0U4J Greece Hungary UFI: 5U70-W0MN-E00S-0U4J UFI: 5U70-W0MN-E00S-0U4J Italy **Netherlands** UFI: 5U70-W0MN-E00S-0U4J UFI: 5U70-W0MN-E00S-0U4J Norway **Poland** UFI: 5U70-W0MN-E00S-0U4J **Portugal** UFI: 5U70-W0MN-E00S-0U4J UFI: 5U70-W0MN-E00S-0U4J Slovakia UFI: 5U70-W0MN-E00S-0U4J Slovenia UFI: 5U70-W0MN-E00S-0U4J Spain UFI: 5U70-W0MN-E00S-0U4J Sweden Switzerland UFI: 5U70-W0MN-E00S-0U4J

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

Revision information None.

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.