SAFETY DATA SHEET

Version #: 07 Issue date: 05-28-2019 Revision date: 04-29-2024 Supersedes date: 07-31-2023

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier Trade name or designation of the mixture	DEVCON® Floor Patch™ Resin
Registration number	-
Synonyms	None.
SKU#	0182
1.2. Relevant identified uses of t Identified uses	he substance or mixture and uses advised against Not available.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company Name	ITW Performance Polymers
Address	Bay 150
	Shannon Industrial Estate Co. Clare
	Ireland
	V14 DF82
Contact Person	Customer Service
Telephone Number	353(61)771500
	353(61)471285
Email	customerservice.shannon@itwpp.com
Emergency Phone Number	44(0) 1235 239 670 (24 hours)
1.4. Emergency telephone numb	
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Center	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Center	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone numb	er
Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.
Reproductive toxicity	Category 1B	H360 - May damage fertility or the unborn child.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended UFI:

Austria: 2S50-S024-200W-4N50 Belgium: 2S50-S024-200W-4N50 Bulgaria: 2S50-S024-200W-4N50 Croatia: 2S50-S024-200W-4N50 Cyprus: 2S50-S024-200W-4N50 Czech Republic: 2S50-S024-200W-4N50 Denmark: 2S50-S024-200W-4N50 Estonia: 2S50-S024-200W-4N50 EU: 2S50-S024-200W-4N50 Finland: 2S50-S024-200W-4N50 France: 2S50-S024-200W-4N50 Germany: 2S50-S024-200W-4N50 Greece: 2S50-S024-200W-4N50 Hungary: 2S50-S024-200W-4N50 Iceland: 2S50-S024-200W-4N50 Ireland: 2S50-S024-200W-4N50 Italy: 2S50-S024-200W-4N50 Latvia: 2S50-S024-200W-4N50 Lithuania: 2S50-S024-200W-4N50 Luxembourg: 2S50-S024-200W-4N50 Malta: 2S50-S024-200W-4N50 Netherlands: 2S50-S024-200W-4N50 Northern Ireland: 2S50-S024-200W-4N50 Norway: 2S50-S024-200W-4N50 Poland: 2S50-S024-200W-4N50 Portugal: 2S50-S024-200W-4N50 Romania: 2S50-S024-200W-4N50 Slovakia: 2S50-S024-200W-4N50 Slovenia: 2S50-S024-200W-4N50 Spain: 2S50-S024-200W-4N50 Sweden: 2S50-S024-200W-4N50

Contains:

Hazard pictograms

Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin), oxirane, mono[(C12-14-alkyloxy)methyl] derivs., reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight \leq 700)



Hazard statements

Signal word

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.

Danger

Precautionary statements

Ρ

Prevention	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing mist/vapors.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

	/inform	ation on	ingredients			
3.2. Mixtures						
General information						
Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Epoxy Resin: reaction product Bisphenol A and epichlorohyd (refer to epichlorohydrin)		70 - < 80	25068-38-6 -	01-2119456619-26-0000	-	
Classif	ication:	Skin Irrit. 2;	H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
oxirane, mono[(C12-14-alkyloxy)methy derivs.	(]	10 - < 20	68609-97-2 271-846-8	-	603-103-00-4	
Classif	ication:	Skin Irrit. 2;	H315, Skin Sens. 1;	H317		
titanium dioxide [in powder for containing 1 % or more of part with aerodynamic diameter ≤ ∕	ticles	3 - < 5	13463-67-7 236-675-5	-	022-006-002	
Classif	ication:	Carc. 2;H35	51			
reaction product: bisphenol-A-(epichlorhydrin); ∉ resin (number average molect weight ≤ 700)		< 1	25068-38-6 500-033-5	-	603-074-00-8	
Classif		Skin Irrit. 2; Chronic 2;H		19, Skin Sens. 1;H317, Aqu	uatic	
Specific Concentration	Limits:	Skin Irrit. 2;	H315: C ≥ 5 %, Eye	Irrit. 2;H319: C ≥ 5 %		
Other components below repo levels	ortable	5 - < 10				
ATE: Acute toxicity estimate. M: M-factor vPvB: very persistent and very PBT: persistent, bioaccumulat #: This substance has been as All concentrations are in perce	ive and t ssigned l	oxic substar Jnion workp	nce. lace exposure limit(ercent by volume.	
Composition comments	The ful	I text for all	H-statements is disp	layed in section 16.		
SECTION 4: First aid meas	sures					
General information	(show involve	the label wh d, and take	ere possible). Ensur	advice/attention. If you feel e that medical personnel ar ct themselves. Show this sa ng before reuse.	e aware of the mate	erial(s)
4.1. Description of first aid meas Inhalation		o fresh air. (Call a physician if sy	mptoms develop or persist.		
	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.					
Skin contact		a or other sk	kin disorders: Seek r			
Skin contact Eye contact	contan Immed	a or other sk hinated cloth iately flush e	tin disorders: Seek r ing before reuse. eyes with plenty of w		long these instruction. Remove contact le	ons. Wash onses, if
	contarr Immed presen	a or other sk hinated cloth iately flush e t and easy t	tin disorders: Seek r ing before reuse. eyes with plenty of w	nedical attention and take a vater for at least 15 minutes. ng. Get medical attention if i	long these instruction. Remove contact le	ons. Wash onses, if
Eye contact	contam Immed presen Rinse i Severe	a or other sk ninated cloth iately flush e t and easy t mouth. Get r e eye irritatio	tin disorders: Seek r ing before reuse. eyes with plenty of w o do. Continue rinsi nedical attention if s n. Symptoms may ir	nedical attention and take a vater for at least 15 minutes. ng. Get medical attention if i	long these instruction Remove contact le rritation develops an ness, swelling, and	ons. Wash inses, if nd persists. blurred

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protection	ctive equipment and emergency procedures
For non-emergency personnel	Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1 Procentions for seto	Obtain special instructions before use. Do not handle until all safety precautions have been read

7.1. Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)	МАК	5 mg/m3	Respirable dust.
	STEL	10 mg/m3	Respirable dust.
		C C	·
Belgium. OEL. Exposure Limit Val Chemical agents, as amended Components	ues to Chemical Substances Type	at Work, Code of Well-being Value	at work, Book VI, Title 1 ·

Material name: DEVCON® Floor Patch™ Resin0182Version #: 07Revision date: 04-29-2024Issue date: 05-28-2019

Bulgaria. OELs. Ordinance No 13 c amended	n protection of workers agai	nst risks of exposure to chem	nical agents at work, as
Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)	TWA	10 mg/m3	Respirable dust.
Croatia. OELs (GVI). Regulation on Biological Limit Values, Annex I (N		est Exposure to Dangerous Cl	nemicals at Work, OELs and
Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	MAC	4 mg/m3 10 mg/m3	Respirable dust. Total dust.
		-	
Cyprus. OELs. Control of factory a Components	tmosphere and dangerous s Type	ubstances in factories regulat Value	tion, PI 311/73, as amended
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	
Denmark. Work Environment Auth Components	ority. Exposure Limits for Su Type	bstances & Materials, Annex Value	2
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)	STEL	12 mg/m3	
· · · · · · · · · · · · · · · · · · ·	TLV	6 mg/m3	
Estonia. OELs. Occupational Expo Components	sure Limits of Hazardous Su Type	bstances (Regulation No. 105 Value	/2001, Annex), as amended
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	5 mg/m3	
Finland. HTP-arvot, App 3., Binding Components	g Limit Values, Social Affairs Type	and Ministry of Health Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)	TWA	10 mg/m3	Dust.
France. Threshold Limit Values (VI Components	EP) for Occupational Expos. Type	ure to Chemicals in France, IN Value	NRS ED 984
itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	VME	10 mg/m3	
Regulatory status: Indicative	limit (VL)		
Germany. DFG MAK List (advisory in the Work Area (DFG), as update	d	-	
Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	0,3 mg/m3	Respirable fraction.

Components	in the Ambient Air at the Workp Type	Value	Form
tanium dioxide [in powder orm containing 1 % or nore of particles with ierodynamic diameter ≤ 10 im] (CAS 13463-67-7)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Greece. OELs, Presidential Decree Components	No. 307/1986, as amended Type	Value	Form
itanium dioxide [in powder orm containing 1 % or nore of particles with terodynamic diameter ≤ 10 im] (CAS 13463-67-7)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Inhalable
celand. OELs. Regulation 390/200 Components	9 on Pollution Limits and Meas Type	ures to Reduce Pollution at Value	the Workplace, as amende
itanium dioxide [in powder orm containing 1 % or nore of particles with terodynamic diameter ≤ 10 Im] (CAS 13463-67-7)	TWA	6 mg/m3	
reland. OELVs, Schedules 1 & 2, 0 Components	Code of Practice for Chemical A Type	gents and Carcinogens Reg Value	gulations Form
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
taly. OELs (Legislative Decree n.8 Components	1, 9 April 2008), as amended Type	Value	Form
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	2,5 mg/m3	Respirable finescale particles
		0,2 mg/m3	Respirable nanoscale particles
atvia. OELs. Occupational Expos), as amended	ure Limits of Chemical Substan	ces at Workplace (Reg. No.	325/ 2007, L.V. 80, Annex
omponents	Туре	Value	
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 im] (CAS 13463-67-7)	TWA	10 mg/m3	
ithuania. OELs. Occupational Exp /-824/A1-389), as amended			rm HN 23:2011; Order No.
Components	Туре	Value	
itanium dioxide [in powder orm containing 1 % or nore of particles with aerodynamic diameter ≤ 10 ım] (CAS 13463-67-7)	TWA	5 mg/m3	

Interview Type Value form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 In Portugal. VLES. Norm on occupational exposure to chemical agents (NP 1796-2014) Type Value Components Type Value Itianium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 10 mg/m3 Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, A amended) Amended) Components Type Value Ittanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 15 mg/m3 Stovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Type Value Components Type Value titanium dioxide [in powder TWA 5 mg/m3 Stovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) 5 mg/m3 Components Type Value titanium dioxide [in powder TWA 5 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 5 mg/m3 Stovakia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annx 1	
Type Value F Components Type Value F Components STEL 30 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 In Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Type Value Components Type Value Value Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Type Value Components Type Value Value Value Itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, A amended) STEL 15 mg/m3 Components Type Value Value Value Itanium dioxide [in powder STEL 15 mg/m3 Stovaka. OELs, Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Type Value Components Type Value F Value F Itanium dioxide [in powder TWA 5 mg/m3 Stovaka 54-7-7 UI (CAS 13463-67-7) TWA 5 mg/m3 Stovaka 54-7-7 Slovakia. OELs	
Interview Fype Value form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 In Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Type Value Components Type Value Itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 10 mg/m3 Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, A amended) Components Components Type Value Itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 15 mg/m3 Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, A amended) 10 mg/m3 Components Type Value Itanium dioxide [in powder STEL 15 mg/m3 Form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 Components Type Value Value Itanium dioxide [in powder TWA 5 mg/m3 In more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annu 1, 100/2001), as amended Components Type	ronment (Dz.U.Poz.
form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 Ir Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, A amended) Components Type Value titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Components Type Value titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Components Type Value titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. 1 100/2001), as amended Components Type Value F titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Anne. I), as amended Components Type Value F titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 2,5 mg/m3 F Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Anne. I), as amended Components Type Value F	Form
Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value ittanium dioxide [in powder TWA 10 mg/m3 form containing 1 % or normore of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7) Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, A amended) Components Type Value titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7) STEL 15 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Type Value Components Type Value Type Value Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Smg/m3 Smg/m3 Components Type Value Etitanium dioxide [in powder TWA 5 mg/m3 form containing 1 % or Type Value Etitanium dioxide [in powder form containing 1 % or Type Value form containing 1 % or Type Value F Etitanium dioxide [in powder form containing 1 % or Type Value <	
Components Type Value ittanium dioxide [in powder TWA 10 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, A amended) Components Type Value ittanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) STEL 15 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Type Value Components Type Value form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 5 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Type Value Components Type Value F ittanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Anne. 1 100/2001), as amended F Components Type Value F Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended Components 2,5 mg/m3 F	Inhalable fraction.
torm containing 1 % or more of particles with aerodynamic diameter ≤ 10 Jm] (CAS 13463-67-7) Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, A amended) Components Type Value itanium dioxide [in powder STEL 15 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10 Jm] (CAS 13463-67-7) TWA 10 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Components Type Value itanium dioxide [in powder TWA 5 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10 Jm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended Components Type Value F itanium dioxide [in powder KTV 20 mg/m3 Ir form containing 1 % or more of particles with aerodynamic diameter ≤ 10 Jm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended Components Type Value F itanium dioxide [in powder KTV 20 mg/m3 Ir form containing 1 % or more of particles with aerodynamic diameter ≤ 10 Jm] (CAS 13463-67-7) Z,5 mg/m3 F Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F itanium dioxide [in powder 10 Jm] (CAS 13463-67-7) Z,5 mg/m3 Ir form containing 1 % or more of particles with aerodynamic diameter ≤ 10 Jm] (CAS 13463-67-7) Z,5 mg/m3 Ir form containing 1 % or more of particles with	
amended) Type Value Components Type Value ittanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Type Value Components Type Value TWA 5 mg/m3 Itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 5 mg/m3 Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended F Components Type Value F Components Type Value F Itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 2,5 mg/m3 F Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended 2,5 mg/m3 F Components Type Value F Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended T	
tanium dioxide [in powder STEL STEL 15 mg/m3 for more of particles with aerodynamic diameter ≤ 10 Jm] (CAS 13463-67-7) TWA 10 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regure Annex 1, Table 1, as amended) Type Value Components Type Value titanium dioxide [in powder TWA 5 mg/m3 for containing 1 % or more of particles with aerodynamic diameter ≤ 10 Jm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Ann. I 100/2001), as amended Components Type Value F itanium dioxide [in powder STVP Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Ann. I 100/2001), as amended Components Type Value F itanium dioxide [in powder STVP Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F itanium dioxide [in powder STVP Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F itanium dioxide [in powder STVP Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F itanium dioxide [in powder STVP Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F itanium dioxide [in powder STVP Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F itanium dioxide [in powder STVP Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work Annex I), as amended Store	Annex 1, 3&4, as
form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 10 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Components Type Value titanium dioxide [in powder TWA 5 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended Components Type Value F titanium dioxide [in powder KTV 20 mg/m3 Ir form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended Components Type Value F titanium dioxide [in powder KTV 20 mg/m3 Ir form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 2,5 mg/m3 F Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F titanium dioxide [in powder TWA 10 mg/m3 Ir form containing 1 % or more of particles with	
Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regu Annex 1, Table 1, as amended) Components Type Value titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) TWA 5 mg/m3 Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended Value F Components Type Value F titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) KTV 20 mg/m3 In Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) KTV 20 mg/m3 In Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended 2,5 mg/m3 R Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended Type Value F Components Type Value F Titanium dioxide [in powder form containing 1 % or more of particles with Type Value F	
Annex 1, Table 1, as amended) Type Value Components TWA 5 mg/m3 titanium dioxide [in powder TWA 5 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended Value F Components Type Value F titanium dioxide [in powder KTV 20 mg/m3 Ir form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 2,5 mg/m3 R Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 2,5 mg/m3 R Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended 2,5 mg/m3 R Components Type Value F titanium dioxide [in powder Type Value F form containing 1 % or Type Value F form containing 1 % or Type Value F form c	
ComponentsTypeValueitanium dioxide [in powder orm containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)TWA5 mg/m3Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended ComponentsValueFItanium dioxide [in powder orm containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)KTV20 mg/m3IrSlovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)KTV20 mg/m3IrSlovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)2,5 mg/m3FSlovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V abue to Exp. to Chemicals at Work, Annex I), as amendedValueFComponentsTypeValueFItanium dioxide [in powder to more of particles withTWA10 mg/m3Irorm containing 1 % or more of particles withTWA10 mg/m3Ir	ulation No 355/2006,
itianium dioxide [in powder TWA 5 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7) Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Ann. I 100/2001), as amended F Components Type Value F itianium dioxide [in powder KTV 20 mg/m3 Ir form containing 1 % or more of particles with aerodynamic diameter ≤ 10 Ir um] (CAS 13463-67-7) 2,5 mg/m3 F Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Annex I), as amended F Components Type Value F Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Annex I), as amended F Components Type Value F titanium dioxide [in powder TWA 10 mg/m3 Ir form containing 1 % or TWA 10 mg/m3 Ir more of particles with 10 mg/m3 Ir	
titanium dioxide [in powder KTV 20 mg/m3 Ir form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7) 2,5 mg/m3 R Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F titanium dioxide [in powder TWA 10 mg/m3 Ir form containing 1 % or more of particles with	
ComponentsTypeValueFtitanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)KTV20 mg/m3Ir2,5 mg/m3RSlovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended ComponentsTypeValueFtitanium dioxide [in powder form containing 1 % or more of particles withTWA10 mg/m3Ir	Workers from Risks
form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) 2,5 mg/m3 R Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of V due to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F titanium dioxide [in powder TWA 10 mg/m3 Ir form containing 1 % or more of particles with	Form
Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Value to Exp. to Chemicals at Work, Annex I), as amended Components Type Value F titanium dioxide [in powder TWA 10 mg/m3 Ir form containing 1 % or more of particles with 10 mg/m3 Ir	Inhalable fraction.
due to Exp. to Chemicals at Work, Annex I), as amended Yalue F Components Type Value F titanium dioxide [in powder TWA 10 mg/m3 Ir form containing 1 % or more of particles with If If	Respirable fraction.
ComponentsTypeValueFLitanium dioxide [in powderTWA10 mg/m3Irform containing 1 % or more of particles withIrIr	Workers from Risks
titanium dioxide [in powder TWA 10 mg/m3 Ir form containing 1 % or more of particles with	Form
aerodynamic diameter ≤ 10	Inhalable fraction.
μm] (CAS 13463-67-7) 1,25 mg/m3	Respirable fraction.

(VLAs) Components	Туре	Value	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)	TWA	10 mg/m3	
Sweden. OELs (Annex 1). W amended Components	Vork Environment Authority (AV), Occupationa	l Exposure Limit Va	alues (AFS 2018:1), as Form
-	Туре		-
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)	TWA	5 mg/m3	Total dust.
Switzerland. SUVA Grenzwo Components	erte am Arbeitsplatz: Aktuelle MAK-Werte Type	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)	TWA	3 mg/m3	Respirable dust.
UK. OELs. Workplace Expo Components	sure Limits (WELs) (EH40/2005 (Fourth Editior Type	n 2020)), Table 1 Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)	TWA	4 mg/m3 10 mg/m3	Respirable.
	No biological averaging limits pateral for the increa	C C	
logical limit values commended monitoring	No biological exposure limits noted for the ingree Follow standard monitoring procedures.	edient(s).	
cedures	Tollow standard monitoring procedures.		
ived no effect levels IELs)	Not available.		
dicted no effect ncentrations (PNECs)	Not available.		
Exposure controls			
propriate engineering htrols	Good general ventilation should be used. Venti applicable, use process enclosures, local exhat maintain airborne levels below recommended e established, maintain airborne levels to an acce shower.	ust ventilation, or oth exposure limits. If exp	er engineering controls to posure limits have not been
ividual protection measures,	, such as personal protective equipment		
General information	Use personal protective equipment as required according to the CEN standards and in discuss equipment.		
Eye/face protection	Chemical respirator with organic vapor cartridg	e and full facepiece.	
Skin protection			
- Hand protection	Wear appropriate chemical resistant gloves.	les of an increase	
- Other	Wear appropriate chemical resistant clothing. L	-	apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridg		
Thermal hazards	Wear appropriate thermal protective clothing, w	-	
giene measures	Observe any medical surveillance requirements measures, such as washing after handling the smoking. Routinely wash work clothing and pro Contaminated work clothing should not be allow	material and before e otective equipment to	eating, drinking, and/or o remove contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

SECTION 9. Flysical and	chemical properties
9.1. Information on basic physic	al and chemical properties
Physical state	Liquid.
Form	Viscous. Liquid.
Color	Not available.
Odor	Slight.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	608 °F (320 °C) estimated
Flammability	Not applicable.
Jpper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Flash point	265,0 °F (129,4 °C) estimated
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
pH	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapor pressure	0,001 hPa estimated
Density and/or relative density	
Density	1,29 g/cm3 estimated
Vapor density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristic	:S
Specific gravity	1,29 estimated
VOC	0 g/l
SECTION 10: Stability and	I reactivity
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.
SECTION 11: Toxicologica	al information
General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of e Inhalation	xposure No adverse effects due to inhalation are expected.
-	
	No adverse effects due to inhalation are expected.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Not known.	
Components	Species	Test Results
titanium dioxide [in powder form co	ontaining 1 % or more of particle	es with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)
<u>Acute</u>		
Dermal		<i></i>
LD50	Hamster	>= 10000 mg/kg
Oral	Det	5. 40000 mm m/lim
LD50	Rat	> 10000 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitization	Due to partial or complete lac	k of data the classification is not possible.
Skin sensitization	May cause an allergic skin rea	action.
Germ cell mutagenicity	Due to partial or complete lac	k of data the classification is not possible.
Carcinogenicity	Due to partial or complete lac	k of data the classification is not possible.
IARC Monographs. Overall E	Evaluation of Carcinogenicity	
titanium dioxide [in powde of particles with aerodyna (CAS 13463-67-7)	er form containing 1 % or more mic diameter ≤ 10 µm]	2B Possibly carcinogenic to humans.
Reproductive toxicity	May damage fertility or the un	born child.
Specific target organ toxicity - single exposure	Due to partial or complete lac	k of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lac	k of data the classification is not possible.
Aspiration hazard	Due to partial or complete lac	k of data the classification is not possible.
Mixture versus substance information	No information available.	
11.2. Information on other hazar	ds	
Endocrine disrupting properties	to human health as assessed	any substances having endocrine disrupting properties with respect in accordance with the criteria set out in Regulations (EC) No 00 and (EU) 2018/605, at a concentration equal to or greater than
Other information	Not available.	
SECTION 12: Ecological in	nformation	
12.1. Toxicity		classification criteria are not met for hazardous to the aquatic
12.2. Persistence and degradability		gradability of any ingredients in the mixture.
12.3. Bioaccumulative potential		
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
12.5. Results of PBT and vPvB assessment	This mixture does not contain (EC) No 1907/2006, Annex X	substances assessed to be vPvB / PBT according to Regulation
12.6. Endocrine disrupting properties	to the environment as assess	any substances having endocrine disrupting properties with respect ed in accordance with the criteria set out in Regulations (EC) No 00 and (EU) 2018/605, at a concentration equal to or greater than
12.7. Other adverse effects	No other adverse environmen	tal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.
SECTION 13: Disposal co	nsiderations	

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

AD	ĸ		
	14.1. UN number	Not regulated as dangerous goods.	
	14.2. UN proper shipping	Not regulated as dangerous goods.	
	name		
	14.3. Transport hazard class(es)		
	Class	Not assigned.	
	Subsidiary hazard	-	
	Hazard No. (ADR)	Not assigned.	
	Tunnel restriction code	Not assigned.	
	14.4. Packing group	-	
	14.5. Environmental	No.	
	hazards		
	14.6. Special precautions	Not assigned.	
	for user	Not absigned.	
RIC			
	, 14.1. UN number	Not regulated as dangerous goods.	
	14.2. UN proper shipping	Not regulated as dangerous goods.	
	name	Not regulated as daligerous goods.	
	14.3. Transport hazard class		
	-		
	Class	Not assigned.	
	Subsidiary hazard	-	
	14.4. Packing group	-	
	14.5. Environmental	No.	
	hazards	Neteriored	
	14.6. Special precautions	Not assigned.	
	for user		
AD			
	14.1. UN number	UN3082	
	14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxirane,	
	name	mono[(C12-14-alkyloxy)methyl] derivs.)	
	14.3. Transport hazard class		
	Class	9	
	Subsidiary hazard	-	
	Label(s)	9	
	14.4. Packing group		
	14.5. Environmental	Yes	
	hazards		
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	for user		
IAT			
	14.1. UN number	Not regulated as dangerous goods.	
	14.2. UN proper shipping	Not regulated as dangerous goods.	
	name		
	14.3. Transport hazard class	(es)	
	Class	Not assigned.	
	Subsidiary hazard	-	
	14.4. Packing group	-	
	14.5. Environmental	No.	
	hazards		
	14.6. Special precautions	Not assigned.	
	for user		

IMDG

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary hazard	-
14.4. Packing group	-
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions	Not assigned.
for user	
14.7. Maritime transport in bulk	Not established.
according to IMO instruments	
ADN	

Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Austria: 2S50-S024-200W-4N50 Belgium: 2S50-S024-200W-4N50 Bulgaria: 2S50-S024-200W-4N50 Croatia: 2S50-S024-200W-4N50 Cyprus: 2S50-S024-200W-4N50 Czech Republic: 2S50-S024-200W-4N50 Denmark: 2S50-S024-200W-4N50 Estonia: 2S50-S024-200W-4N50 EU: 2S50-S024-200W-4N50 Finland: 2S50-S024-200W-4N50 France: 2S50-S024-200W-4N50 Germany: 2S50-S024-200W-4N50 Greece: 2S50-S024-200W-4N50 Hungary: 2S50-S024-200W-4N50 Iceland: 2S50-S024-200W-4N50 Ireland: 2S50-S024-200W-4N50 Italy: 2S50-S024-200W-4N50 Latvia: 2S50-S024-200W-4N50 Lithuania: 2S50-S024-200W-4N50 Luxembourg: 2S50-S024-200W-4N50 Malta: 2S50-S024-200W-4N50 Netherlands: 2S50-S024-200W-4N50 Northern Ireland: 2S50-S024-200W-4N50 Norway: 2S50-S024-200W-4N50 Poland: 2S50-S024-200W-4N50 Portugal: 2S50-S024-200W-4N50 Romania: 2S50-S024-200W-4N50 Slovakia: 2S50-S024-200W-4N50 Slovenia: 2S50-S024-200W-4N50 Spain: 2S50-S024-200W-4N50 Sweden: 2S50-S024-200W-4N50

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	According to Directive 92/85/EEC as amended, pregnant women should not work with the product, if there is the least risk of exposure.
	Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)

France regulations

France INRS Table of Occupational Diseases

Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin) (CAS 25068-38-6) Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) (CAS 25068-38-6)

Product registration number

-	
Austria	UFI: 2S50-S024-200W-4N50
Belgium	UFI: 2S50-S024-200W-4N50
Czech Republic	UFI: 2S50-S024-200W-4N50
Denmark	UFI: 2S50-S024-200W-4N50
European Union	UFI: 2S50-S024-200W-4N50
Finland	UFI: 2S50-S024-200W-4N50
France	UFI: 2S50-S024-200W-4N50
Germany	UFI: 2S50-S024-200W-4N50
Greece	UFI: 2S50-S024-200W-4N50
Hungary	UFI: 2S50-S024-200W-4N50
Italy	UFI: 2S50-S024-200W-4N50
Netherlands	UFI: 2S50-S024-200W-4N50
Norway	UFI: 2S50-S024-200W-4N50
Poland	UFI: 2S50-S024-200W-4N50
Portugal	UFI: 2S50-S024-200W-4N50
Slovakia	UFI: 2S50-S024-200W-4N50
Slovenia	UFI: 2S50-S024-200W-4N50
Spain	UFI: 2S50-S024-200W-4N50
Sweden	UFI: 2S50-S024-200W-4N50
Switzerland	UFI: 2S50-S024-200W-4N50
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
	AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
	CAS: Chemical Abstract Service.
	CEN: European Committee for Standardization.
	IATA: International Air Transport Association.
	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
	IMDG: International Maritime Dangerous Goods.
	MAC: Maximum Allowed Concentration.
	MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic.
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value.
	TWA: Time Weighted Average.
	VLE: Exposure Limit Value.
	VME: Exposure Average Value.
	vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full	
under sections 2 to 15	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H351 Suspected of causing cancer.
	H411 Toxic to aquatic life with long lasting effects.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.
Training information	Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.