### SAFETY DATA SHEET

Version #: 06

Issue date: 05-28-2019 Revision date: 07-31-2023 Supersedes date: 07-14-2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Floor Patch™ Resin

Registration number

Synonyms None. SKU# 0182

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

**Emergency Phone Number** 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

**Information Center** 

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Croatia Poisons Information Center** 

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

**Cyprus Poison Center** 

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

**Control Center** 

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

#### 1.4. Emergency telephone number

**Greece Poison Information** Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Hungary National Emergency Phone Number**  +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Iceland Poison Center** 

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**  2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

**Netherlands National Poisons Information** Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

**Norway Norwegian Poison Information Center** 

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Portugal Poison Center** 

800 250 250 (Available 24 hours a day. SDS/Product information may not be

113

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

**Slovakia National Toxicological Information** Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Spain Toxicology Information Service** 

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison Information Center** 

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

**Switzerland Tox Info** Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

#### Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

#### 2.2. Label elements

0182 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019

Material name: DEVCON® Floor Patch™ Resin

SDS FII

#### Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: 2S50-S024-200W-4N50 Belgium: 2S50-S024-200W-4N50 Bulgaria: 2S50-S024-200W-4N50 Croatia: 2S50-S024-200W-4N50 Cyprus: 2S50-S024-200W-4N50

Czech Republic: 2S50-S024-200W-4N50
Denmark: 2S50-S024-200W-4N50
Estonia: 2S50-S024-200W-4N50
EU: 2S50-S024-200W-4N50
Finland: 2S50-S024-200W-4N50
France: 2S50-S024-200W-4N50
Germany: 2S50-S024-200W-4N50
Greece: 2S50-S024-200W-4N50
Hungary: 2S50-S024-200W-4N50
Iceland: 2S50-S024-200W-4N50
Ireland: 2S50-S024-200W-4N50
Italy: 2S50-S024-200W-4N50
Latvia: 2S50-S024-200W-4N50
Lithuania: 2S50-S024-200W-4N50

Latvia: 2S50-S024-200W-4N50 Lithuania: 2S50-S024-200W-4N50 Luxembourg: 2S50-S024-200W-4N50 Malta: 2S50-S024-200W-4N50 Netherlands: 2S50-S024-200W-4N50 Norway: 2S50-S024-200W-4N50 Poland: 2S50-S024-200W-4N50 Portugal: 2S50-S024-200W-4N50 Romania: 2S50-S024-200W-4N50 Slovakia: 2S50-S024-200W-4N50

Slovenia: 2S50-S024-200W-4N50 Spain: 2S50-S024-200W-4N50 Sweden: 2S50-S024-200W-4N50

Contains: Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin),

oxirane, mono[(C12-14-alkyloxy)methyl] derivs., reaction product: bisphenol-A-(epichlorhydrin);

epoxy resin (number average molecular weight ≤ 700)

#### **Hazard pictograms**



#### Signal word Warning

#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

#### **Precautionary statements**

#### Prevention

P261 Avoid breathing mist/vapors.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection.

P280 Wear protective gloves.

#### Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Ğet medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

#### Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Supplemental label information No.

### 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SDS FIL

Material name: DEVCON® Floor Patch™ Resin

0182 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019 3 / 15

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin)	70 - < 80	25068-38-6 -	01-2119456619-26-0000	-	
Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	10 - < 20	68609-97-2 271-846-8	-	603-103-00-4	
Classification:	Skin Irrit. 2	;H315, Skin Sens. 1;	H317		
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	3 - < 5	13463-67-7 236-675-5	-	022-006-002	
Classification:	Carc. 2;H3	51			
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	< 1	25068-38-6 500-033-5	-	603-074-00-8	
	Skin Irrit. 2 Chronic 2;I		319, Skin Sens. 1;H317, Aqu	uatic	

Specific Concentration Limits: Skin Irrit. 2;H315: C ≥ 5 %, Eye Irrit. 2;H319: C ≥ 5 %

Other components below reportable

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

#### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

#### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

During fire, gases hazardous to health may be formed.

5.2. Special hazards arising from the substance or mixture

Material name: DEVCON® Floor Patch™ Resin

0182 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amende	Austria. MAK List.	. OEL Ordinance	(GwV), BGBI, II,	no. 184/2001	. as amended
---	--------------------	-----------------	------------------	--------------	--------------

Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	MAK	5 mg/m3	Respirable dust.
	STEL	10 mg/m3	Respirable dust.

#### Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -Chemical agents, as amended

Components Value **Type** titanium dioxide [in powder **TWA** 10 mg/m3 form containing 1 % or

more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

#### Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	Respirable dust.	

0182 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019

#### Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	Form	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	MAC	4 mg/m3	Respirable dust.	_
		10 mg/m3	Total dust.	

#### Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended Components **Type** Value

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

#### Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2 Components Value **Type**

TLV

**TWA** 

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

6 mg/m3

**Form** 

Dust.

10 mg/m3

#### Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Value **Type**

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

**TWA** 5 mg/m3

### Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

Components Value titanium dioxide [in powder **TWA** 10 mg/m3 form containing 1 % or more of particles with aerodynamic diameter ≤ 10

**VME** 

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components **Type** Value

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

µm] (CAS 13463-67-7)

µm] (CAS 13463-67-7)

10 mg/m3

Regulatory status: Indicative limit (VL)

#### Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Components	Туре	Value	Form
titanium dioxide [in powder	TWA	0,3 mg/m3	Respirable fraction.
form containing 1 % or			
more of particles with			
aerodvnamic diameter ≤ 10			

Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.

Greece. OELs, Presidential Decree Components	Туре	Value	Form
itanium dioxide [in powder orm containing 1 % or nore of particles with nerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	TWA	5 mg/m3	Respirable.
, ,		10 mg/m3	Inhalable
celand. OELs. Regulation 390/2009 Components	on Pollution Limits and Meas Type	ures to Reduce Pollution at Value	the Workplace, as amend
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 lm] (CAS 13463-67-7)	TWA	6 mg/m3	
reland. OELVs, Schedules 1 & 2, C Components	ode of Practice for Chemical A	Agents and Carcinogens Re Value	gulations Form
itanium dioxide [in powder orm containing 1 % or nore of particles with nerodynamic diameter ≤ 10 nm] (CAS 13463-67-7)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
taly. OELs (Legislative Decree n.8 Components	1, 9 April 2008), as amended Type	Value	Form
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 im] (CAS 13463-67-7)	TWA	2,5 mg/m3	Respirable finescale particles
,		0,2 mg/m3	Respirable nanoscale particles
atvia. OELs. Occupational Exposi ), as amended	ure Limits of Chemical Substan	nces at Workplace (Reg. No	. 325/ 2007, L.V. 80, Annex
components	Туре	Value	
itanium dioxide [in powder orm containing 1 % or nore of particles with nerodynamic diameter ≤ 10 nm] (CAS 13463-67-7)	TWA	10 mg/m3	rm UN 22:2011: Order No.
ithuania. OELs. Occupational Exp /-824/A1-389), as amended			illi AN 23.2011, Older No.
Components	Type	Value	
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	5 mg/m3	
lorway. Regulation No. 1358 on M nfection Groups for Biological Fac Components		hysical and Chemical Facto	ors in Work Environment a
<u> </u>	TLV		
itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	ILV	5 mg/m3	

# Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

Components	Type	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	STEL	30 mg/m3	
	TWA	10 mg/m3	Inhalable fraction.
Portugal VI Es Norm on occupat	ional avnacura to chemical a	gente (ND 1706 2014)	

10 mg/m3

# Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value

**TWA** 

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

## Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

Components	Туре	Value
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	STEL	15 mg/m3
	TWA	10 mg/m3

# Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

Components	Туре	Value	
titanium dioxide [in powder	TWA	5 mg/m3	
form containing 1 % or			
more of particles with			
aerodynamic diameter ≤ 10			
μm] (CAS 13463-67-7)			

# Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Туре	Value	Form	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	Inhalable fraction.	_
		1,25 mg/m3	Respirable fraction.	

# Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Type	Value
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3

## Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	5 mg/m3	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components **Type** Value **TWA** 3 mg/m3 Respirable dust.

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Value

Components Type TWA titanium dioxide [in powder 4 mg/m3 Respirable.

form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

10 mg/m3 Inhalable

**Form** 

**Form** 

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety

shower.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information** 

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles). Face shield is recommended. Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

> and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid.

Viscous. Liquid. **Form** Not available. Color Odor Slight.

Melting point/freezing point

Not available.

**Boiling point or initial boiling** point and boiling range

608 °F (320 °C) estimated

**Flammability** Not applicable.

265,0 °F (129,4 °C) estimated Flash point

**Auto-ignition temperature** Not available.

Material name: DEVCON® Floor Patch™ Resin 0182 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019

Not available. **Decomposition temperature** Not available. Not available Kinematic viscosity

Solubility

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water) (log value)

Vapor pressure 0.001 hPa estimated

Density and/or relative density

Density 1,23 g/cm3 estimated

Vapor density Not available. Not available. **Particle characteristics** 

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

1.23 estimated Specific gravity

VOC 0 g/I

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

#### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Not known.

Components **Species Test Results** 

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

**Acute** Dermal

Hamster >= 10000 mg/kgLD50

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization

May cause an allergic skin reaction. Skin sensitization

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Material name: DEVCON® Floor Patch™ Resin

0182 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019

#### Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

#### IARC Monographs. Overall Evaluation of Carcinogenicity

titanium dioxide [in powder form containing 1 % or more 2B Possibly carcinogenic to humans.

of particles with aerodynamic diameter ≤ 10 µm]

(CAS 13463-67-7)

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard** 

Mixture versus substance

information

No information available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

### **SECTION 12: Ecological information**

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

No data is available on the degradability of any ingredients in the mixture.

environment.

12.2. Persistence and

degradability

12.3. Bioaccumulative potential

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

#### **SECTION 14: Transport information**

#### ADR

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk

Not assigned. Hazard No. (ADR)

Tunnel restriction code Not assigned.

14.4. Packing group

14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

RID

Not regulated as dangerous goods. 14.1 UN number Not regulated as dangerous goods.

14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**ADN** 

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**IATA** 

Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**IMDG** 

Not regulated as dangerous goods. 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant

Not assigned. **FmS** 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Material name: DEVCON® Floor Patch™ Resin

SDS FU

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: 2S50-S024-200W-4N50 Belgium: 2S50-S024-200W-4N50 Bulgaria: 2S50-S024-200W-4N50 Croatia: 2S50-S024-200W-4N50 Cyprus: 2S50-S024-200W-4N50

Czech Republic: 2S50-S024-200W-4N50 Denmark: 2S50-S024-200W-4N50 Estonia: 2S50-S024-200W-4N50 EU: 2S50-S024-200W-4N50 Finland: 2S50-S024-200W-4N50 France: 2S50-S024-200W-4N50 Germany: 2S50-S024-200W-4N50 Greece: 2S50-S024-200W-4N50 Hungary: 2S50-S024-200W-4N50 Iceland: 2S50-S024-200W-4N50 Ireland: 2S50-S024-200W-4N50 Italy: 2S50-S024-200W-4N50 Latvia: 2S50-S024-200W-4N50 Lithuania: 2S50-S024-200W-4N50 Luxembourg: 2S50-S024-200W-4N50 Malta: 2S50-S024-200W-4N50 Netherlands: 2S50-S024-200W-4N50

Norway: 2S50-S024-200W-4N50 Poland: 2S50-S024-200W-4N50 Portugal: 2S50-S024-200W-4N50 Romania: 2S50-S024-200W-4N50 Slovakia: 2S50-S024-200W-4N50 Slovenia: 2S50-S024-200W-4N50

Spain: 2S50-S024-200W-4N50 Sweden: 2S50-S024-200W-4N50

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

**National regulations** Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

(CAS 13463-67-7)

France regulations

**France INRS Table of Occupational Diseases** 

Epoxy Resin: reaction product of Bisphenol A and epichlorohydrin (refer to epichlorohydrin) (CAS 25068-38-6)

Maladies professionnelles provoquées par les résines

époxydiques et leurs constituants 51

SDS FU

Material name: DEVCON® Floor Patch™ Resin

0182 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019 13 / 15 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) (CAS 25068-38-6)

Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51

#### **Product registration number**

**Austria** UFI: 2S50-S024-200W-4N50 **Belgium** UFI: 2S50-S024-200W-4N50 Czech Republic UFI: 2S50-S024-200W-4N50 **Denmark** UFI: 2S50-S024-200W-4N50 **European Union** UFI: 2S50-S024-200W-4N50 UFI: 2S50-S024-200W-4N50 Finland UFI: 2S50-S024-200W-4N50 France Germany UFI: 2S50-S024-200W-4N50 Greece UFI: 2S50-S024-200W-4N50 Hungary UFI: 2S50-S024-200W-4N50 Italy UFI: 2S50-S024-200W-4N50 **Netherlands** UFI: 2S50-S024-200W-4N50 Norway UFI: 2S50-S024-200W-4N50 **Poland** UFI: 2S50-S024-200W-4N50 UFI: 2S50-S024-200W-4N50 **Portugal** UFI: 2S50-S024-200W-4N50 Slovakia UFI: 2S50-S024-200W-4N50 Slovenia UFI: 2S50-S024-200W-4N50 Spain UFI: 2S50-S024-200W-4N50 Sweden **Switzerland** UFI: 2S50-S024-200W-4N50

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

**Revision information** Physical & Chemical Properties: Multiple Properties Follow training instructions when handling this material. **Training information** 

Material name: DEVCON® Floor Patch™ Resin

0182 Version #: 06 Revision date: 07-31-2023 Issue date: 05-28-2019

#### Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.