SAFETY DATA SHEET

Version #: 08

Issue date: 05-29-2019 Revision date: 07-26-2023 Supersedes date: 06-24-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® 1 Minute™ Epoxy Gel Hardener

Registration number

None

Synonyms SKU#

0218

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Uses advised against Not available. None known.

1.3. Details of the supplier of the safety data sheet

Company Name

ITW Performance Polymers

Address

Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Telephone Number Customer Service 353(61)771500

353(61)471285

Email

customerservice.shannon@itwpp.com

Emergency Phone Number

44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU

112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® 1 Minute™ Epoxy Gel Hardener 0218 Version #: 08 Revision date: 07-26-2023 Issue date: 05-29-2019

1.4. Emergency telephone number

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Greece Poison Information

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National

Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Latvia Emergency medical

Latvia Poison and Drug Information Center

+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

Information Center

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison 22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center 800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

H312 - Harmful in contact with skin. Acute toxicity, dermal Category 4

H332 - Harmful if inhaled. Acute toxicity, inhalation Category 4

Skin corrosion/irritation H314 - Causes severe skin burns Category 1

and eye damage.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: XY60-U0QP-C00U-DE9W Belgium: XY60-U0QP-C00U-DE9W Bulgaria: XY60-U0QP-C00U-DE9W Croatia: XY60-U0QP-C00U-DE9W Cyprus: XY60-U0QP-C00U-DE9W

Cyprus: XY60-U0QP-C00U-DE9W
Czech Republic: XY60-U0QP-C00U-DE9W
Denmark: XY60-U0QP-C00U-DE9W
Estonia: XY60-U0QP-C00U-DE9W
EU: XY60-U0QP-C00U-DE9W
Finland: XY60-U0QP-C00U-DE9W
Germany: XY60-U0QP-C00U-DE9W
Gerece: XY60-U0QP-C00U-DE9W
Hungary: XY60-U0QP-C00U-DE9W
Iceland: XY60-U0QP-C00U-DE9W
Ireland: XY60-U0QP-C00U-DE9W
Italy: XY60-U0QP-C00U-DE9W
Italy: XY60-U0QP-C00U-DE9W

Italy: XY60-U0QP-C00U-DE9W
Latvia: XY60-U0QP-C00U-DE9W
Lithuania: XY60-U0QP-C00U-DE9W
Luxembourg: XY60-U0QP-C00U-DE9W
Malta: XY60-U0QP-C00U-DE9W
Netherlands: XY60-U0QP-C00U-DE9W
Norway: XY60-U0QP-C00U-DE9W
Poland: XY60-U0QP-C00U-DE9W
Portugal: XY60-U0QP-C00U-DE9W
Portugal: XY60-U0QP-C00U-DE9W

Romania: XY60-U0QP-C00U-DE9W Slovakia: XY60-U0QP-C00U-DE9W Slovenia: XY60-U0QP-C00U-DE9W Spain: XY60-U0QP-C00U-DE9W Sweden: XY60-U0QP-C00U-DE9W

Contains: 1,8-diazabicyclo(5,4,0)undec-7-en, 2,2'-Oxybis(N,N-Dimethyl ethanamine),

Poly[oxy(methyl-1,2-ethanediyl)], α -hydro- ω -hydroxy-, ether with

2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether

Hazard pictograms



Signal word Danger

Hazard statements

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

Precautionary statements

Prevention

P260 Do not breathe mist/vapors.
P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Poly[oxy(methyl-1,2-ethanediyl)], α -hydro- ω -hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanedi ol (4:1), 2-hydroxy-3-mercaptopropyl ether	80 - < 90	72244-98-5 -	-	-	
Classification	-				
1,8-diazabicyclo(5.4.0)undec-7-en	3 - < 5	6674-22-2 229-713-7	-	-	
Classification	Skin Corr.	1;H314, Eye Dam. 1;	H318		
2,2'-Oxybis(N,N-Dimethyl ethanamine)	3 - < 5	3033-62-3 221-220-5	-	-	
Classification	Acute Tox. mg/kg bw)	4;H302;(ATE: 909 m	ng/kg bw), Acute Tox. 3;H311	;(ATE: 314	

Other components below reportable

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

1 - < 3

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a poison center or doctor/physician if you feel unwell.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

During fire, gases hazardous to health may be formed.

5.2. Special hazards arising from the substance or mixture

Material name: DEVCON® 1 Minute™ Epoxy Gel Hardener 0218 Version #: 08 Revision date: 07-26-2023 Issue date: 05-29-2019 5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid inhalation of vapors and spray mists. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

Avoid discharge into drains, water courses or onto the ground. 6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from

0.05 ppm

incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -Chemical agents, as amended

Components	Туре	Value
2,2'-Oxybis(N,N-Dimethyl ethanamine) (CAS 3033-62-3)	STEL	1 mg/m3
		0,15 ppm
	TWA	0,33 mg/m3
		0,05 ppm

TWA

Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations Components Type Value

2,2'-Oxybis(N,N-Dimethyl ethanamine) (CAS 3033-62-3)	STEL	0,15 ppm	
	TWA	0,05 ppm	
Italy. OELs (Legislative Decree n.	81, 9 April 2008), as amended		
Italy. OELs (Legislative Decree n. Components	81, 9 April 2008), as amended Type	Value	

0218 Version #: 08 Revision date: 07-26-2023 Issue date: 05-29-2019

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)

Components Type Value

2,2'-Oxybis(N,N-Dimethyl ethanamine) (CAS

STEL 0,15 ppm

TWA 0,05 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

3033-62-3)

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available

Exposure guidelines

Belgium OELs: Skin designation

2,2'-Oxybis(N,N-Dimethyl ethanamine) (CAS 3033-62-3) Can be absorbed through the skin.

Italy OELs: Skin designation

2,2'-Oxybis(N,N-Dimethyl ethanamine) (CAS 3033-62-3) Danger of cutaneous absorption

Portugal VLEs Norm on Occupatioinal Exposure: Skin designation

2,2'-Oxybis(N,N-Dimethyl ethanamine) (CAS 3033-62-3) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.
 - Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Viscous. Liquid.

ColorAmberOdorMercaptanMelting point/freezing pointNot available.Boiling point or initial boilingNot available.

point and boiling range

Flammability

Not applicable.

Flash point 200,1 °F (93,4 °C) estimated

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pHNot available.

Material name: DEVCON® 1 Minute™ Epoxy Gel Hardener

Kinematic viscosity Not available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure Not available.

Density and/or relative density

Density 1,12 g/cm3 estimated

Vapor densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity 1,12 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact Causes severe skin burns. Harmful in contact with skin.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if inhaled. Harmful in contact with skin.

Components Species Test Results

2,2'-Oxybis(N,N-Dimethyl ethanamine) (CAS 3033-62-3)

Acute Dermal

LD50 Rabbit 314 mg/kg

Oral

LD50 Rat 909 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Material name: DEVCON® 1 Minute™ Epoxy Gel Hardener

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

Mixture versus substance

properties

as

This mixture does not contain any substances having endocrine disrupting properties with respect

to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3267

14.2. UN proper shipping CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (1,8-diazabicyclo(5.4.0)undec-7-en,

name 2,2'-Oxybis(N,N-Dimethyl ethanamine))

14.3. Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Hazard No. (ADR) 80
Tunnel restriction code E
14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN3267

Material name: DEVCON® 1 Minute™ Epoxy Gel Hardener
0218 Version #: 08 Revision date: 07-26-2023 Issue date: 05-29-2019

14.2. UN proper shipping CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (1,8-diazabicyclo(5.4.0)undec-7-en,

name 2,2'-Oxybis(N,N-Dimethyl ethanamine)), Limited Quantity

14.3. Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
14.4. Packing group III
14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3267

14.2. UN proper shipping CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

name

14.3. Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3267

14.2. UN proper shipping Corrosive liquid, basic, organic, n.o.s. (1,8-diazabicyclo(5.4.0)undec-7-en,

name 2,2'-Oxybis(N,N-Dimethyl ethanamine)), Limited Quantity

14.3. Transport hazard class(es)

Class 8
Subsidiary risk
14.4. Packing group III

14.5. Environmental hazards No.
ERG Code 8L

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN3267

14.2. UN proper shipping CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (1,8-diazabicyclo(5.4.0)undec-7-en,

name 2,2'-Oxybis(N,N-Dimethyl ethanamine)), Limited Quantity

14.3. Transport hazard class(es)

Class 8
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards
Marine pollutant No.

EmS F-A, S-E

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.


14.7. Maritime transport in bulk Not established.

according to IMO instruments

ADN; ADR



IATA



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: XY60-U0QP-C00U-DE9W Belgium: XY60-U0QP-C00U-DE9W Bulgaria: XY60-U0QP-C00U-DE9W Croatia: XY60-U0QP-C00U-DE9W Cyprus: XY60-U0QP-C00U-DE9W

Czech Republic: XY60-U0QP-C00U-DE9W Denmark: XY60-U0QP-C00U-DE9W Estonia: XY60-U0QP-C00U-DE9W EU: XY60-U0QP-C00U-DE9W Finland: XY60-U0QP-C00U-DE9W France: XY60-U0QP-C00U-DE9W Germany: XY60-U0QP-C00U-DE9W Greece: XY60-U0QP-C00U-DE9W Hungary: XY60-U0QP-C00U-DE9W Iceland: XY60-U0QP-C00U-DE9W Ireland: XY60-U0QP-C00U-DE9W Italy: XY60-U0QP-C00U-DE9W Latvia: XY60-U0QP-C00U-DE9W Lithuania: XY60-U0QP-C00U-DE9W Luxembourg: XY60-U0QP-C00U-DE9W Malta: XY60-U0QP-C00U-DE9W Netherlands: XY60-U0QP-C00U-DE9W Norway: XY60-U0QP-C00U-DE9W Poland: XY60-U0QP-C00U-DE9W Portugal: XY60-U0QP-C00U-DE9W Romania: XY60-U0QP-C00U-DE9W Slovakia: XY60-U0QP-C00U-DE9W Slovenia: XY60-U0QP-C00U-DE9W Spain: XY60-U0QP-C00U-DE9W

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Sweden: XY60-U0QP-C00U-DE9W

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

UFI: XY60-U0QP-C00U-DE9W **Austria Belgium** UFI: XY60-U0QP-C00U-DE9W **Czech Republic** UFI: XY60-U0QP-C00U-DE9W UFI: XY60-U0QP-C00U-DE9W Denmark **European Union** UFI: XY60-U0QP-C00U-DE9W Finland UFI: XY60-U0QP-C00U-DE9W **France** UFI: XY60-U0QP-C00U-DE9W Germany UFI: XY60-U0QP-C00U-DE9W UFI: XY60-U0QP-C00U-DE9W Greece UFI: XY60-U0QP-C00U-DE9W Hungary Italy UFI: XY60-U0QP-C00U-DE9W Netherlands UFI: XY60-U0QP-C00U-DE9W Norway UFI: XY60-U0QP-C00U-DE9W **Poland** UFI: XY60-U0QP-C00U-DE9W **Portugal** UFI: XY60-U0QP-C00U-DE9W Slovakia UFI: XY60-U0QP-C00U-DE9W Slovenia UFI: XY60-U0QP-C00U-DE9W
 Spain
 UFI: XY60-U0QP-C00U-DE9W

 Sweden
 UFI: XY60-U0QP-C00U-DE9W

 Switzerland
 UFI: XY60-U0QP-C00U-DE9W

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

The classification for health and environmental hazards is derived by a combination of calculation

Chemicals in Bulk.

Not available.

None.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

methods and test data, if available.

Revision information

Training information

Disclaimer

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® 1 Minute™ Epoxy Gel Hardener

0218 Version #: 08 Revision date: 07-26-2023 Issue date: 05-29-2019 12 / 12