SAFETY DATA SHEET

Version # 06 Issue date: 05-21-2019 Revision date: 07-30-2023

Supersedes date: 06-25-2023 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name or designation **DEVCON®** Flexane 94 Liquid Resin of the mixture **Registration number** None. Synonyms SKU# 0321 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Not available. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet **ITW Performance Polymers Company Name** Bay 150 Address Shannon Industrial Estate Co. Clare Ireland V14 DF82 **Contact Person Customer Service Telephone Number** 353(61)771500 353(61)471285 customerservice.shannon@itwpp.com Fmail **Emergency Phone Number** 44(0) 1235 239 670 (24 hours) 1.4. Emergency telephone number General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Austria National Poisons** +431 406 4343 (Available 24 hours a day. SDS/Product information may not be Information Center available for the Emergency Service.) **Belgium National Poisons** 070 245 245 (Available 24 hours a day. SDS/Product information may not be **Control Center** available for the Emergency Service.) +359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be **Bulgaria National** available for the Emergency Service.) **Toxicological Information** Center **Croatia Poisons** +385 1 2348 342 (Hours of operation not provided. SDS/Product information may **Information Center** not be available for the Emergency Service.) **Cyprus Poison Center** 1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Czech Republic National** +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.) **Poisons Information** Center **Denmark National Poisons** +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be **Control Center** available for the Emergency Service.) **Estonia National Poisons** 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be Information Center available for the Emergency Service.) **Finland National Poison** (09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. **Information Center** SDS/Product information may not be available for the Emergency Service.) **France National Poisons** ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. **Control Center** SDS/Product information may not be available for the Emergency Service.) Material name: DEVCON® Flexane 94 Liquid Resin 0321 Version #: 06 Revision date: 07-30-2023 Issue date: 05-21-2019

1.4. Emergency telephone numb	
Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Acute toxicity, inhalation	Category 2	H330 - Fatal if inhaled.
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Respiratory sensitization	Category 1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.
Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation	H335 - May cause respiratory irritation.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended UFI:

Austria: CN40-602Y-300G-J6K5 Belgium: CN40-602Y-300G-J6K5 Bulgaria: CN40-602Y-300G-J6K5 Croatia: CN40-602Y-300G-J6K5 Cyprus: CN40-602Y-300G-J6K5 Czech Republic: CN40-602Y-300G-J6K5 Denmark: CN40-602Y-300G-J6K5 Estonia: CN40-602Y-300G-J6K5 EU: CN40-602Y-300G-J6K5 Finland: CN40-602Y-300G-J6K5 France: CN40-602Y-300G-J6K5 Germany: CN40-602Y-300G-J6K5 Greece: CN40-602Y-300G-J6K5 Hungary: CN40-602Y-300G-J6K5 Iceland: CN40-602Y-300G-J6K5 Ireland: CN40-602Y-300G-J6K5 Italy: CN40-602Y-300G-J6K5 Latvia: CN40-602Y-300G-J6K5 Lithuania: CN40-602Y-300G-J6K5 Luxembourg: CN40-602Y-300G-J6K5 Malta: CN40-602Y-300G-J6K5 Netherlands: CN40-602Y-300G-J6K5 Norway: CN40-602Y-300G-J6K5 Poland: CN40-602Y-300G-J6K5 Portugal: CN40-602Y-300G-J6K5 Romania: CN40-602Y-300G-J6K5 Slovakia: CN40-602Y-300G-J6K5 Slovenia: CN40-602Y-300G-J6K5 Spain: CN40-602Y-300G-J6K5 Sweden: CN40-602Y-300G-J6K5

Contains:

Hazard pictograms

4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate, Polyol



Signal word

Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Precautionary statements

, , , , , , , , , , , , , , , , , , ,	
Prevention	
P260	Do not breathe vapor.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear eye protection/face protection.
P280	Wear protective gloves.
P284	Wear respiratory protection.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P320	Specific treatment is urgent (see this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Storage	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/	· · ·	ingredients	, , , , , , , , , , , , , , , , , , ,		
3.2. Mixtures					
General information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Polyol	60 - < 70	N/A	-	-	
Classif	ication: -				
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-is e	30 - < 40 ocyanat	5124-30-1 225-863-2	-	615-009-00-0	
	mg/I), Skin Sens. 1;H3	Irrit. 2;H315, Eye Irri 317, STOT SE 3;H33	mg/kg bw), Acute Tox. 3;H33 t. 2;H319, Resp. Sens. 1;H3 5 , Skin Sens. 1;H317: C ≥ 0.5	34, Skin	
Other components below repo levels	rtable 1 - < 3				
ATE: Acute toxicity estimate. M: M-factor vPvB: very persistent and very PBT: persistent, bioaccumulat #: This substance has been as All concentrations are in perce	ive and toxic substa ssigned Union work	ince. place exposure limit(rcent by volume.	
Composition comments		H-statements is disp			
SECTION 4: First aid meas	SUIRAS				
General information	lf you feel unwell, personnel are awa	are of the material(s)	(show the label where possi involved, and take precautio ttendance. Wash contamina	ns to protect then	nselves. Sho
.1. Description of first aid meas	-			Ū.	
Inhalation	Remove victim to artificial respiration Induce artificial res	n if needed. Do not u spiration with the aid	rest in a position comfortabl se mouth-to-mouth method i of a pocket mask equipped a physician or poison contro	f victim inhaled th with a one-way va	e substance. alve or other
Skin contact	eczema or other s		ately and wash skin with soa nedical attention and take al		
Eye contact	present and easy	to do. Continue rinsir	vater for at least 15 minutes. ng. Get medical attention if ir		
Ingestion		medical attention if s	5 1		
I.2. Most important symptoms and effects, both acute and lelayed	vision. May cause	respiratory irritation.	nclude stinging, tearing, redn Coughing. Difficulty in breat ic skin reaction. Dermatitis. I	hing. Skin irritatio	
I.3. Indication of any mmediate medical attention and special treatment needed		upportive measures a . Symptoms may be	and treat symptomatically. Ke delayed.	eep victim warm.	Keep victim
SECTION 5: Firefighting n	neasures				
General fire hazards	No unusual fire or	explosion hazards n	oted.		
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam.	Dry chemical powde	r. Carbon dioxide (CO2).		

5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
SECTION 6: Accidental re	lease measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Do not breathe vapors or spray mist. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

7.1. Precautions for safe handling	Do not breathe vapors or spray mist. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Туре	Value	
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	Ceiling	0,054 mg/m3	
		0,005 ppm	
	MAK	0,054 mg/m3	
		0,005 ppm	

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	TWA	0,055 mg/m3	
		0,005 ppm	

isocyanate): isocyanate (CAS 5124-30-1) 0,005 ppm Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Type Value 4.4'-methylenedi(cyclohexyl isocyanate): dicyclohexylmethane-4,4'-di -socyanate (CAS 5124-30-1) TWA 0,005 ppm Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health Components Type Value 4.4'-methylenedi(cyclohexyl isocyanate): dicyclohexylmethane-4,4'-di -socyanate (CAS 5124-30-1) STEL 0,035 mg/m3 isocyanate): dicyclohexylmethane-4,4'-di -socyanate (CAS 5124-30-1) Greece. OELs, Presidential Decree No. 307/1986, as amended Components Type Value 4.4'-methylenedi(cyclohexyl isocyanate): dicyclohexylmethane-4,4'-di -socyanate (CAS 5124-30-1) Greece. OELs, Presidential Decree No. 307/1986, as amended Components Type Value 4.4'-methylenedi(cyclohexyl isocyanate): dicyclohexylmethane-4,4'-di -socyanate (CAS 5124-30-1) TWA 0,11 mg/m3 0,01 ppm TWA 0,11 mg/m3	Denmark. Work Environment Auth Components	ority. Exposure Limits for Su Type	bstances & Materials, Annex 2 Value
Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Type Value 4,4-methylenedi(cyclohexyl iscoyanate); dicyclohexyl iscoyanate]; dicyclohexyl iscoyanate]	4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	TLV	0,054 mg/m3
Components Type Value 4.4-methylenedi(cyclohexyl iscoyanate): dicyclohexylmethane-4,4-di seoyanate (CAS 5124-30-1) STEL 0,01 ppm Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health Components Type Value 4.4-methylenedi(cyclohexyl iscoyanate): dicyclohexylmethane-4,4-di -socyanate (CAS 5124-30-1) STEL 0,035 mg/m3 Gorgonomeths Type Value 4.4-methylenedi(cyclohexyl iscoyanate): dicyclohexylmethane-4,4-di -socyanate (CAS 5124-30-1) O,01 ppm Genece. OELs, Presidential Decree No. 307/1986, as amended Components 0,11 mg/m3 0,01 ppm Genece. OELs, Presidential Decree No. 307/1986, as amended Components 0,01 ppm File 0,11 mg/m3 0,01 ppm Gicyclohexyl methane-4,4-di -socyanate (CAS 5124-30-1) 0,01 ppm TWA 0,11 mg/m3 0,01 ppm Leeland. OELs, Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended Components Type 4,4-methylenedi(cyclohexyl idcyclohexylmethane-4,4-di -socyanate (CAS 5124-30-1) 0,005 ppm Littauria, OELs, Clagislative Decree n.81, 9 April 2008), as amended Components Type Value Components Type Value Value			0,005 ppm
isocyanate): dicyclonexylmethane-4,4-di isocyanate): dicyclonexylmeth			
Initiand. HTP-arvot, App 3, Binding Limit Values, Social Affairs and Ministry of Health Components Value 44-methylened((cyclohexyl socyanate); dicyclohexylmethane-4,4-di socyanate); dicyclohexylmethane-4,4-di socyanate); dicyclohexylmethane-4,4-di socyanate); STEL 0.035 mg/m3 6 0,01 ppm Value 4.4-methylened((cyclohexyl socyanate); dicyclohexylmethane-4,4-di socyanate); STEL 0,11 mg/m3 6 0,01 ppm 0,01 ppm 7 7 0,01 ppm 7 7 0,01 ppm 6 7 7 8 7 0,01 ppm 1 1 0,01 ppm 1 7 0,01 ppm 1 0,01 ppm 0,01 ppm 4.4-methylened(cyclohexyl socyanate); 1 0,054 mg/m3 1 1 0,055 ppm 1 1 1 7 0,005 ppm 1 1 7 0,005 ppm 1 1 0,005 ppm 1 1 1 7 0,005 ppm 1 1 1 0,005 ppm 1 1 1 0,	isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS	STEL	0,01 ppm
Components Type Value 4.4-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4-di -socyanate (CAS 5124-30-1) STEL 0.035 mg/m3 Greece, OELs, Presidential Decree No. 307/1986, as amended Components Type Value 4.4-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4-di -socyanate); dicyclohexylmethane-4,4-di -socyanate); dicyclohexylmethane-4,4-di -socyanate); 0,01 ppm TWA 0,11 mg/m3 0,01 ppm Components Type Value 4.4-methylenedi(cyclohexyl isocyanate); 0,01 ppm Components Type Value 4.4-methylenedi(cyclohexyl isocyanate); 0,01 ppm Celand. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended Components Type Value 4.4-methylenedi(cyclohexyl isocyanate); TWA 0,054 mg/m3 dicyclohexylmethane-4,4-di -isocyanate); 0,005 ppm ttaly. OELs (Legislative Decree n.81, 9 April 2008), as amended Components Type 4.4-methylenedi(cyclohexyl isocyanate); TWA 0,005 ppm ttaly. OELs, Occupational Exposure Limit Values for Chemical Substances (Hyglene Norm HN 23:2011; Order No. V424/A1-309), as amended Components Type Value 4.4-methylenedi(cyclohexyl isocyanate); Ceiling 0,01 ppm		TWA	0,005 ppm
isocyanafe); the second		-	-
ComponentsTypeValue4.4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -socyanate (CAS 5124-30-1)STEL0,11 mg/m3 0,01 ppmTWA0,01 ppmTWA0,11 mg/m3 0,01 ppmComponentsTypeValue4.4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -socyanate); dicyclohexylmethane-4,4'-di -socyanate); dicyclohexylmethane-4,4'-di -socyanate; isocyanate); dicyclohexylmethane-4,4'-di -socyanate; isocyanate); dicyclohexylmethane-4,4'-di -socyanate; isocyanate); dicyclohexylmethane-4,4'-di -socyanate; isocyanate; isocyanate; isocyanate; dicyclohexylmethane-4,4'-di -socyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; dicyclohexylmethane-4,4'-di -socyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; isocyanate; idicyclohexylmethane-4,4'-di -socyanate; isocyanate; isocyanate; isocyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -socyanate; idicyclohexylmethane-4,4'-di -soc	isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS	STEL	0,035 mg/m3
isocyanate): dicyclohexylmethane-4,4'-di isocyanate (CAS 5124-30-1) TWA 0,11 mg/m3 0,01 ppm Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,054 mg/m3 isocyanate): dicyclohexylmethane-4,4'-di isocyanate (CAS 5124-30-1) 0,005 ppm Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,005 ppm Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,005 ppm isocyanate): dicyclohexylmethane-4,4'-di -isocyanate			Value
TWA 0,11 mg/m3 0,01 ppm Interpretent of the term of term	socyanate); dicyclohexylmethane-4,4'-di isocyanate (CAS	STEL	0,11 mg/m3
0,01 ppm Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,054 mg/m3 isocyanate); dicyclohexylmethane-4,4'-di isocyanate (CAS 5124-30-1) 0,005 ppm Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,005 ppm Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,005 ppm Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended 0,005 ppm Isocyanate (CAS Type Value 4,4'-methylenedi(cyclohexyl TWA 0,005 ppm Isocyanate (CAS Type Value V=24/A1-389), as amended Components Value Components Type Value 4,4'-methylenedi(cyclohexyl Ceiling 0,01 ppm Isocyanate); 0,01 ppm igocyanate); C(CAS igocyonate); Ceiling igocyanate (CAS 5124-30-1)			0,01 ppm
Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,054 mg/m3 socyanate); dicyclohexylmethane-4,4'-di 0,005 ppm discyclohexylmethane-4,4'-di 0,005 ppm 0,005 ppm Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended Value Value Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,005 ppm Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended Value Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,005 ppm victual (At -methylenedi(cyclohexyl) TWA 0,005 ppm socyanate); dicyclohexylmethane-4,4'-di isocyanate); dicyclohexylmethane-4,4'-di		TWA	0,11 mg/m3
ComponentsTypeValue4.4-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di i-socyanate (CAS 5124-30-1)TWA0,054 mg/m3taly. OELs (Legislative Decree n.81, 9 April 2008), as amended Components0,005 ppmtaly. OELs (Legislative Decree n.81, 9 April 2008), as amended ComponentsValue4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)0,005 ppmLithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended ComponentsValue4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)Ceiling0,01 ppm4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)Ceiling0,01 ppm			0,01 ppm
isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1) 0,005 ppm Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended Components Type Value 4,4'-methylenedi(cyclohexyl TWA 0,005 ppm isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1) Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended Components Type Value 4,4'-methylenedi(cyclohexyl Ceiling 0,01 ppm isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	-		-
0,005 ppmItaly. OELs (Legislative Decree n.81, 9 April 2008), as amended ComponentsValue(4,4'-methylenedi(cyclohexyl socyanate); dicyclohexylmethane-4,4'-di- i-socyanate (CAS 5124-30-1)TWA0,005 ppmLithuania. OELs. Occupational Exposure Limit Values for Chemical Substances(Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended ComponentsValueComponentsTypeValue4,4'-methylenedi(cyclohexyl socyanate); dicyclohexylmethane-4,4'-di- i-socyanate); dicyclohexylmethane-4,4'-di- i-socyanate); dicyclohexylmethane-4,4'-di- i-socyanate (CAS 5124-30-1)O,01 ppm	socyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS	TWA	0,054 mg/m3
ComponentsTypeValue4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)TWA0,005 ppmLithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended ComponentsTypeValue4,4'-methylenedi(cyclohexyl dicyclohexylmethane-4,4'-di -isocyanate); dicyclohexylmethane-4,4'-di -isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)Ceiling0,01 ppm	,		0,005 ppm
isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1) Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended Components Type Value 4,4'-methylenedi(cyclohexyl Ceiling 0,01 ppm isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)			Value
V-824/A1-389), as amended Type Value Components Type Value 4,4'-methylenedi(cyclohexyl Ceiling 0,01 ppm isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1) Ceiling 0,01 ppm	isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS	TWA	0,005 ppm
4,4'-methylenedi(cyclohexyl Ceiling 0,01 ppm isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	V-824/A1-389), as amended		
isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	•		
,	isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS	Ceiling	U,U1 ppm
	/	TWA	0,005 ppm

Components	Туре		Val	ue
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	STEL		0,0	1 ppm
	TLV		0,0	5 mg/m3
			0,0	05 ppm
Portugal. VLEs. Norm on occupation Components	nal exposure Type	to chemical agen	ts (NP 1796-201 Val	-
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	TWA		0,0	05 ppm
Spain. OELs. INSST, Límites de Exp	osición Profe	esional Para Ager	ites Químicos, ⁻	Table 1-Valores Límites Ambientales
(VLAs) Components	Туре		Val	ue
4,4'-methylenedi(cyclohexyl isocyanate);	TWA		0,0	55 mg/m3
dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)				
			0,0	05 ppm
Sweden. OELs (Annex 1). Work Env	ironment Aut	hority (AV), Occu	pational Expos	ure Limit Values (AFS 2018:1), as
amended Components	Туре		Val	ue
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	Ceilin	9	0,0	05 ppm
	TWA		0,0	02 ppm
Switzerland. SUVA Grenzwerte am A Components	Arbeitsplatz: / Type	Aktuelle MAK-We	rte Val	ue
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	STEL		0,0:	2 mg/m3
	TWA		0,02	2 mg/m3
UK. OELs. Workplace Exposure Lim	its (WELs) (E	H40/2005 (Fourth	Edition 2020)).	Table 1
Components	Туре		Val	
4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di -isocyanate (CAS 5124-30-1)	STEL		0,0	7 mg/m3
	TWA		0,0	2 mg/m3
ogical limit values				
UK. BELs. Biological Monitoring Gu Components Value	idance Value	s (BMGVs) (EH40 Determinant	/2005 (Fourth E Specimen	dition 2020)), Table 2 Sampling Time
4,4'-methylenedi(cyclohexyl 1 umol/mo isocyanate); dicyclohexylmethane-4,4'-di	bl	Isocyanate-deri ved diamine	Creatinine in urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures	Follow standard monitoring procedures.
Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
8.2. Exposure controls	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower.
Individual protection measures,	such as personal protective equipment
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.
Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves.
- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

OF OTHER 2. I Hysical and	
9.1. Information on basic physic	al and chemical properties
Physical state	Liquid.
Form	Liquid.
Color	Clear.
Odor	Musty.
Melting point/freezing point	77 °F (25 °C) estimated
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not applicable.
Flash point	392,0 °F (200,0 °C) estimated
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapor pressure	0,00002 hPa estimated
Density and/or relative density	
Density	1,04 g/cm3 estimated
Vapor density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.

9.2.2. Other safety characteristi		
Specific gravity	1,04 estimated	
VOC	0,000007 % estimated	
SECTION 10: Stability and	d reactivity	
10.1. Reactivity	The product is stable and non-re	active under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal c	onditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known ur	nder conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materi	als.
10.5. Incompatible materials	Alcohols. Amines.	
10.6. Hazardous decomposition products	No hazardous decomposition pro	oducts are known.
SECTION 11: Toxicologic	al information	
General information	Occupational exposure to the su	bstance or mixture may cause adverse effects.
Information on likely routes of e	exposure	
Inhalation	Fatal if inhaled. May cause allerg	y or asthma symptoms or breathing difficulties if inhaled.
Skin contact	Causes skin irritation. May cause	e an allergic skin reaction.
Eye contact	Causes serious eye irritation.	
Ingestion	May cause discomfort if swallow occupational exposure.	ed. However, ingestion is not likely to be a primary route of
Symptoms	vision. May cause respiratory irri	may include stinging, tearing, redness, swelling, and blurred tation. Coughing. Difficulty in breathing. Skin irritation. May cause allergic skin reaction. Dermatitis. Rash.
11.1. Information on hazard clas	sses as defined in Regulation (EC	C) No 1272/2008
Acute toxicity	Fatal if inhaled.	
Components	Species	Test Results
4 4'-methylenedi(cyclohexyl isocy	anate); dicyclohexylmethane-4,4'-di	-isocyanate (CAS 5124-30-1)
		, , , , , , , , , , , , , , , , , , ,
<u>Acute</u>		
Acute	Rabbit	> 10000 mg/kg
Acute Dermal LD50 Oral		> 10000 mg/kg
Acute Dermal LD50	Rabbit Rat	
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation	Rat Causes skin irritation.	> 10000 mg/kg
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye	Rat Causes skin irritation. Causes serious eye irritation.	> 10000 mg/kg 1065 mg/kg
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye rritation	Rat Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma syr	> 10000 mg/kg 1065 mg/kg nptoms or breathing difficulties if inhaled.
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye rritation Respiratory sensitization Skin sensitization	Rat Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma syr May cause an allergic skin reacti	> 10000 mg/kg 1065 mg/kg nptoms or breathing difficulties if inhaled. on.
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye rritation Respiratory sensitization Skin sensitization	Rat Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma syr May cause an allergic skin reaction Due to partial or complete lack of	> 10000 mg/kg 1065 mg/kg nptoms or breathing difficulties if inhaled. on. f data the classification is not possible.
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye rritation Respiratory sensitization Skin sensitization Skin sensitization	Rat Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma syr May cause an allergic skin reacti Due to partial or complete lack of Due to partial or complete lack of	> 10000 mg/kg 1065 mg/kg nptoms or breathing difficulties if inhaled. on. f data the classification is not possible. f data the classification is not possible.
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye rritation Respiratory sensitization Skin sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity	Rat Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma syr May cause an allergic skin reacti Due to partial or complete lack of Due to partial or complete lack of	> 10000 mg/kg 1065 mg/kg nptoms or breathing difficulties if inhaled. on. f data the classification is not possible.
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity -	Rat Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma syr May cause an allergic skin reacti Due to partial or complete lack of Due to partial or complete lack of	> 10000 mg/kg 1065 mg/kg nptoms or breathing difficulties if inhaled. on. f data the classification is not possible. f data the classification is not possible.
Acute Dermal LD50 Oral	Rat Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma syr May cause an allergic skin reacti Due to partial or complete lack of Due to partial or complete lack of Due to partial or complete lack of May cause respiratory irritation.	> 10000 mg/kg 1065 mg/kg nptoms or breathing difficulties if inhaled. on. f data the classification is not possible. f data the classification is not possible.
Acute Dermal LD50 Oral LD50 Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity -	Rat Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma syr May cause an allergic skin reacti Due to partial or complete lack or Due to partial or complete lack or May cause respiratory irritation. Due to partial or complete lack or	> 10000 mg/kg 1065 mg/kg nptoms or breathing difficulties if inhaled. on. f data the classification is not possible. f data the classification is not possible. f data the classification is not possible.

11.2. Information on other hazards

Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
Other information	Not available.

SECTION 12: Ecological i	nformation
12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential	
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

ADK		
14	.1. UN number	Not regulated as dangerous goods.
	.2. UN proper shipping	Not regulated as dangerous goods.
na	ime	
14	.3. Transport hazard class	(es)
	Class	Not assigned.
	Subsidiary risk	-
	Hazard No. (ADR)	Not assigned.
	Tunnel restriction code	Not assigned.
14	.4. Packing group	-
14	.5. Environmental hazards	No.
	.6. Special precautions	Not assigned.
fo	r user	
RID		
14	.1. UN number	Not regulated as dangerous goods.
14	.2. UN proper shipping	Not regulated as dangerous goods.
na	ime	
14	.3. Transport hazard class	(es)
	Class	Not assigned.
	Subsidiary risk	-
14	.4. Packing group	-
14	.5. Environmental hazards	No.
14	.6. Special precautions	Not assigned.
fo	r user	
ADN		
14	.1. UN number	Not regulated as dangerous goods.
14	.2. UN proper shipping	Not regulated as dangerous goods.
na	ime	
14	.3. Transport hazard class	(es)
	Class	Not assigned.
	Subsidiary risk	-

14.4. Packing group 14.5. Environmental hazards 14.6. Special precautions for user IATA	- No. Not assigned.
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions	Not assigned.
for user	
IMDG	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions for user	Not assigned.
14.7. Maritime transport in bulk according to IMO instruments	Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Austria: CN40-602Y-300G-J6K5 Belgium: CN40-602Y-300G-J6K5 Bulgaria: CN40-602Y-300G-J6K5 Croatia: CN40-602Y-300G-J6K5 Cyprus: CN40-602Y-300G-J6K5 Czech Republic: CN40-602Y-300G-J6K5 Denmark: CN40-602Y-300G-J6K5 Estonia: CN40-602Y-300G-J6K5 EU: CN40-602Y-300G-J6K5 Finland: CN40-602Y-300G-J6K5 France: CN40-602Y-300G-J6K5 Germany: CN40-602Y-300G-J6K5 Greece: CN40-602Y-300G-J6K5 Hungary: CN40-602Y-300G-J6K5 Iceland: CN40-602Y-300G-J6K5 Ireland: CN40-602Y-300G-J6K5 Italy: CN40-602Y-300G-J6K5 Latvia: CN40-602Y-300G-J6K5 Lithuania: CN40-602Y-300G-J6K5 Luxembourg: CN40-602Y-300G-J6K5 Malta: CN40-602Y-300G-J6K5 Netherlands: CN40-602Y-300G-J6K5 Norway: CN40-602Y-300G-J6K5 Poland: CN40-602Y-300G-J6K5 Portugal: CN40-602Y-300G-J6K5 Romania: CN40-602Y-300G-J6K5 Slovakia: CN40-602Y-300G-J6K5 Slovenia: CN40-602Y-300G-J6K5 Spain: CN40-602Y-300G-J6K5 Sweden: CN40-602Y-300G-J6K5

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

Hungary

Poland

Portugal

Slovakia

Netherlands Norway

Italy

France INRS Table of Occupational Diseases

4,4'-methylenedi(cyclohexyl isocyanate); Affections professionnelles provoquées par les isocyanates dicyclohexylmethane-4,4'-di-isocyanate (CAS 5124-30-1) organiques 62 Product registration number UFI: CN40-602Y-300G-J6K5 Austria UFI: CN40-602Y-300G-J6K5 Belgium **Czech Republic** UFI: CN40-602Y-300G-J6K5 Denmark UFI: CN40-602Y-300G-J6K5 **European Union** UFI: CN40-602Y-300G-J6K5 UFI: CN40-602Y-300G-J6K5 Finland France UFI: CN40-602Y-300G-J6K5 UFI: CN40-602Y-300G-J6K5 Germany UFI: CN40-602Y-300G-J6K5 Greece

UFI: CN40-602Y-300G-J6K5

Slovenia	UFI: CN40-602Y-300G-J6K5
Spain	UFI: CN40-602Y-300G-J6K5
Sweden	UFI: CN40-602Y-300G-J6K5
Switzerland	UFI: CN40-602Y-300G-J6K5
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

List of appreviations	
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization.
	IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
	IMDG: International Maritime Dangerous Goods.
	MAC: Maximum Allowed Concentration.
	MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic.
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit.
	TLV: Threshold Limit Value. TWA: Time Weighted Average.
	VLE: Exposure Limit Value.
	VME: Exposure Average Value.
	vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
method leading to the classification of mixture	
classification of mixture Full text of any statements,	
classification of mixture	H302 Harmful if swallowed.
classification of mixture Full text of any statements, which are not written out in full	
classification of mixture Full text of any statements, which are not written out in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction.
classification of mixture Full text of any statements, which are not written out in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
classification of mixture Full text of any statements, which are not written out in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled.
classification of mixture Full text of any statements, which are not written out in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
classification of mixture Full text of any statements, which are not written out in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled.
classification of mixture Full text of any statements, which are not written out in full under sections 2 to 15 Revision information	 H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. None.
classification of mixture Full text of any statements, which are not written out in full under sections 2 to 15 Revision information Training information	 H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. None. Follow training instructions when handling this material.
classification of mixture Full text of any statements, which are not written out in full under sections 2 to 15 Revision information	 H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. None.