SAFETY DATA SHEET

Version #: 01 Issue date: 07-06-2023

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Trade name or designation of the mixture	Epocast 36 Resin
Registration number	-
Synonyms	None.
SKU#	10016/10026/10036
1.2. Relevant identified uses of t Identified uses	he substance or mixture and uses advised against Not available.
Uses advised against	None known.
1.3. Details of the supplier of the	safety data sheet
Supplier	
Company name Address	ITW Performance Polymers Bay 150 Shannon Industrial Estate Co. Clare, Ireland
Division	
Telephone	Phone 353(61)771500
e-mail	customerservice.shannon@itwpp.com
Contact person	Not available.
1.4. Emergency telephone number	Emergency Number 44(0)1235 239 670
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Center	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Center	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.
Environmental hazards Hazardous to the aquatic environment, long-term aquatic hazard	Category 2	H411 - Toxic to aquatic life with long lasting effects.

2.2. Label elements

Contains:

Label according to Regulation (EC) No. 1272/2008 as amended

Quartz, reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

Hazard pictograms

Signal word Hazard statements



H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P261	Avoid breathing mist/vapors.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear eye protection/face protection.
P280	Wear protective gloves.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
Storage	Not available.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 40% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Quartz	30 - 60	14808-60-7 238-878-4	-	-	#
Classification:	Carc. 1A;H	1350			
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	30 - 60	25068-38-6 500-033-5	01-2119456619-26-0000	603-074-00-8	
Classification:	Skin Irrit. 2 Chronic 2;I		319, Skin Sens. 1;H317, Aqu	latic	
Specific Concentration Limits:	Skin Irrit. 2	;H315: C ≥ 5 %, Eye	Irrit. 2;H319: C ≥ 5 %		

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Get medical attention if symptoms occur.		
I.2. Most important symptoms and effects, both acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis Rash.		
I.3. Indication of any mmediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
SECTION 5: Firefighting n	neasures		
General fire hazards	No unusual fire or explosion hazards noted.		
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising rom the substance or mixture	During fire, gases hazardous to health may be formed.		
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Special fire fighting procedures	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all

environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Provide adequate

ventilation. Wear appropriate personal protective equipment. Avoid release to the environment.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tons;

Local authorities should be advised if significant spillages cannot be contained. Use personal

appropriate protective clothing. Do not touch or walk through spilled material.

protection recommended in Section 8 of the SDS.

Never return spills to original containers for re-use.

Observe good industrial hygiene practices.

Upper-tier requirements = 500 tons)

ANNEX 1, PART 1 Categories of dangerous substances

Observe industrial sector guidance on best practices.

Hazard categories in accordance with Regulation (EC) No 1272/2008

drains, water courses or onto the ground. Prevent product from entering drains.

recovery, flush area with water.

remove residual contamination.

SECTION 8: Exposure controls/personal protection

SDS).

For non-emergency

For emergency responders

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

6.4. Reference to other

7.1. Precautions for safe

7.2. Conditions for safe

storage, including any incompatibilities

7.3. Specific end use(s)

8.1. Control parameters

SECTION 7: Handling and storage

sections

handling

personnel

Austria. MAK List, OEL Ordinance Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	MAK	0,05 mg/m3	Respirable dust.
Belgium. OEL. Exposure Limit Valu	ues to Chemical Substances at V	Vork, Code of Well-being a	t work, Book VI, Title 1 -
Chemical agents, as amended	-		F a
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Bulgaria. OEL values of carcinoge work, Ann. 1), as amended	ns and mutagens at work (Reg. 1	0/2003 on prot. from carci	nogens and mutagens a
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction ar dust
Croatia. OELs (GVI). Regulation on	Protection of Workers against E	Exposure to Dangerous Ch	emicals at Work, OELs a
Biological Limit Values, Annex I (N	,,		
Components	Туре	Value	
Quartz (CAS 14808-60-7)	MAC	0,1 mg/m3	
Czech Republic. Occupational exp 361/2007, Annex 2, Part A & Annex		at work (Decree on protect	ion of health at work,
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Denmark. Work Environment Auth	ority. Exposure Limits for Subst	ances & Materials, Annex 2	2
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TLV	0,3 mg/m3	Total
		0,1 mg/m3	Respirable.
Components Quartz (CAS 14808-60-7)	Type TWA	Value 0,1 mg/m3	Fine dust, respiratory fraction
Finland. HTP-arvot, App 3., Binding Components	g Limit Values, Social Affairs and Type	d Ministry of Health Value	Form
Quartz (CAS 14808-60-7)	TWA	0,05 mg/m3	Respirable.
France. OELs. Occupational Expos Components	sure Limits as Prescribed by Art. Type	R.4412-149 of Labor Code Value	e, as amended Form
Quartz (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable dust.
France. Threshold Limit Values (VI Components	LEP) for Occupational Exposure Type		·
		0,1 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	VME		
(, , , , , , , , , , , , , , , , , , ,	VME ry binding (VRC)		·
Regulatory status: Regulator	ry binding (VRC)		
Regulatory status: Regulator Hungary. OELs. Decree on protect	ry binding (VRC)		
Regulatory status: Regulator Hungary. OELs. Decree on protect Components	ry binding (VRC) ion of workers exposed to chem	ical agents (5/2020. (II.6)), /	Annex 1&2, as amended
Regulatory status: Regulator Hungary. OELs. Decree on protect Components Quartz (CAS 14808-60-7) Iceland. OELs. Regulation 390/2009	ry binding (VRC) ion of workers exposed to chem Type TWA	ical agents (5/2020. (II.6)), / Value 0,1 mg/m3	Annex 1&2, as amended Form Respirable dust.
Hungary. OELs. Decree on protect Components Quartz (CAS 14808-60-7) Iceland. OELs. Regulation 390/2009 Components	ry binding (VRC) ion of workers exposed to chemic Type TWA 9 on Pollution Limits and Measur Type	ical agents (5/2020. (II.6)), Value 0,1 mg/m3 res to Reduce Pollution at Value	Annex 1&2, as amended Form Respirable dust. the Workplace, as amen Form
Regulatory status: Regulator Hungary. OELs. Decree on protect Components Quartz (CAS 14808-60-7) Iceland. OELs. Regulation 390/2009	ry binding (VRC) ion of workers exposed to chem Type TWA 9 on Pollution Limits and Measur	ical agents (5/2020. (II.6)), Value 0,1 mg/m3 res to Reduce Pollution at Value 0,3 mg/m3	Annex 1&2, as amended Form Respirable dust. the Workplace, as amen Form Total dust.
Regulatory status: Regulator Hungary. OELs. Decree on protect Components Quartz (CAS 14808-60-7) Iceland. OELs. Regulation 390/2009 Components Quartz (CAS 14808-60-7) Ireland. OELVs, Schedules 1 & 2, C	ry binding (VRC) ion of workers exposed to chemic Type TWA 9 on Pollution Limits and Measur Type TWA Code of Practice for Chemical Ag	ical agents (5/2020. (II.6)), Value 0,1 mg/m3 res to Reduce Pollution at Value 0,3 mg/m3 0,1 mg/m3 gents and Carcinogens Reg	Annex 1&2, as amended Form Respirable dust. the Workplace, as amen Form Total dust. Respirable dust. gulations
Regulatory status: Regulator Hungary. OELs. Decree on protect Components Quartz (CAS 14808-60-7) Iceland. OELs. Regulation 390/2009 Components Quartz (CAS 14808-60-7) Ireland. OELVs, Schedules 1 & 2, C Components	ry binding (VRC) ion of workers exposed to chemic Type TWA 9 on Pollution Limits and Measur Type TWA Code of Practice for Chemical Ag Type	ical agents (5/2020. (II.6)), Value 0,1 mg/m3 res to Reduce Pollution at Value 0,3 mg/m3 0,1 mg/m3 gents and Carcinogens Reg Value	Annex 1&2, as amended Form Respirable dust. the Workplace, as amen Form Total dust. Respirable dust. gulations Form
Regulatory status: Regulator Hungary. OELs. Decree on protect Components Quartz (CAS 14808-60-7) Iceland. OELs. Regulation 390/2009 Components Quartz (CAS 14808-60-7) Ireland. OELVs, Schedules 1 & 2, C Components Quartz (CAS 14808-60-7)	ry binding (VRC) ion of workers exposed to chemic Type TWA 9 on Pollution Limits and Measur Type TWA Code of Practice for Chemical Ag Type TWA	ical agents (5/2020. (II.6)), Value 0,1 mg/m3 res to Reduce Pollution at Value 0,3 mg/m3 0,1 mg/m3 gents and Carcinogens Reg	Annex 1&2, as amended Form Respirable dust. the Workplace, as amen Form Total dust. Respirable dust. gulations
Regulatory status: Regulator Hungary. OELs. Decree on protect Components Quartz (CAS 14808-60-7) Iceland. OELs. Regulation 390/2009 Components Quartz (CAS 14808-60-7) Ireland. OELVs, Schedules 1 & 2, C	ry binding (VRC) ion of workers exposed to chemic Type TWA 9 on Pollution Limits and Measur Type TWA Code of Practice for Chemical Ag Type TWA	ical agents (5/2020. (II.6)), Value 0,1 mg/m3 res to Reduce Pollution at Value 0,3 mg/m3 0,1 mg/m3 gents and Carcinogens Reg Value	Annex 1&2, as amended Form Respirable dust. the Workplace, as amen Form Total dust. Respirable dust. gulations Form

Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
ithuania. OELs. Occupational Ex	posure Limit Values for Chem	ical Substances (Hygiene Nor	m HN 23:2011; Order No.
/-824/A1-389), as amended	Turne	Value	Form
Components	Туре	Value	
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
uxembourg. Chemical Substanc 35/2016, as amended	es Prohibited at Work (Annex	III), G.D.R. of 14 November 20 [,]	16, OJ Memorial A, n °
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
letherlands. OELs per Annex XIII mended	l of Working Conditions Regul	ation (Staatscourant no. 252, 2	
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,075 mg/m3	Respirable dust.
lorway. Regulation No. 1358 on I		Physical and Chemical Factor	rs in Work Environment a
nfection Groups for Biological Fa Components	actors, as amended Type	Value	Form
uartz (CAS 14808-60-7)	TLV	0,3 mg/m3	Total dust.
(0,05 mg/m3	Respirable dust.
oland. Maximum permissible co	ncentrations and intensities of	f harmful factors in the work e	-
286/2018, Annex 1)			
omponents	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occupat			Form
Components	Туре	Value	Form
-	Type TWA	Value 0,025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7) Blovakia. OELs for carcinogens a mended	TWA	0,025 mg/m3	Respirable fraction.
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended Components	TWA and mutagens. Regulation No.	0,025 mg/m3 356/2006 on carcinogenic and	Respirable fraction. mutagenic substances, a
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E	TWA Ind mutagens. Regulation No. 5 Type TWA	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3	Respirable fraction. mutagenic substances, a Form Respirable fraction.
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended Components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E	TWA Ind mutagens. Regulation No. Type TWA Exposición Profesional Para Ag	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E VLAs) components	TWA Ind mutagens. Regulation No. Type TWA Exposición Profesional Para Ag Type	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E VLAs) components Quartz (CAS 14808-60-7)	TWA Ind mutagens. Regulation No. Type TWA Exposición Profesional Para Ag Type TWA	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction.
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended Components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E VLAs) Components Quartz (CAS 14808-60-7) Sweden. OELs (Annex 1). Work E	TWA Ind mutagens. Regulation No. Type TWA Exposición Profesional Para Ag Type TWA	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction.
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended Components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E VLAs) Components Quartz (CAS 14808-60-7) Sweden. OELs (Annex 1). Work E mended	TWA Ind mutagens. Regulation No. Type TWA Exposición Profesional Para Ag Type TWA	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction.
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended Components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E VLAs) Components Quartz (CAS 14808-60-7) Sweden. OELs (Annex 1). Work E mended Components	TWA Ind mutagens. Regulation No. Type TWA Exposición Profesional Para Ag Type TWA TWA	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3 scupational Exposure Limit Va	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as
Quartz (CAS 14808-60-7) Revealed R	TWA Ind mutagens. Regulation No. Type TWA Exposición Profesional Para Ag Type TWA Invironment Authority (AV), Oc Type TWA	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3 cupational Exposure Limit Va Value 0,1 mg/m3	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E VLAs) Components Quartz (CAS 14808-60-7) Sweden. OELs (Annex 1). Work E mended components Quartz (CAS 14808-60-7) Switzerland. SUVA Grenzwerte ar components	TWA Ind mutagens. Regulation No. Type TWA Exposición Profesional Para Ag Type TWA Invironment Authority (AV), Oc Type TWA TWA n Arbeitsplatz: Aktuelle MAK-N	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3 scupational Exposure Limit Va Value 0,1 mg/m3 Nerte	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Respirable dust.
Quartz (CAS 14808-60-7) Slovakia. OELs for carcinogens a mended components Quartz (CAS 14808-60-7) Spain. OELs. INSST, Límites de E VLAs) components Quartz (CAS 14808-60-7) Sweden. OELs (Annex 1). Work E mended components Quartz (CAS 14808-60-7) Switzerland. SUVA Grenzwerte ar components Quartz (CAS 14808-60-7) Switzerland. SUVA Grenzwerte ar components Quartz (CAS 14808-60-7) Switzerland. SUVA Grenzwerte ar components Quartz (CAS 14808-60-7) Switzerland. SUVA Grenzwerte ar components	TWA and mutagens. Regulation No. Type TWA Exposición Profesional Para Ag Type TWA Invironment Authority (AV), Oc Type TWA m Arbeitsplatz: Aktuelle MAK-M Type TWA	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3 scupational Exposure Limit Va Value 0,1 mg/m3 Verte Value 0,15 mg/m3	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Respirable dust. Form
Components Quartz (CAS 14808-60-7) Glovakia. OELs for carcinogens a mended Components Quartz (CAS 14808-60-7) Gpain. OELs. INSST, Límites de E VLAs) Components Quartz (CAS 14808-60-7) Gweden. OELs (Annex 1). Work E mended Components Quartz (CAS 14808-60-7) Gwitzerland. SUVA Grenzwerte ar Components Quartz (CAS 14808-60-7) JK. OELs. Workplace Exposure L Components Quartz (CAS 14808-60-7)	TWA Ind mutagens. Regulation No. 2 Type TWA Exposición Profesional Para Ag Type TWA Invironment Authority (AV), Oc Type TWA In Arbeitsplatz: Aktuelle MAK-M Type TWA In Arbeitsplatz: Aktuelle MAK-M Type TWA	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3 cupational Exposure Limit Va Value 0,1 mg/m3 Nerte Value 0,15 mg/m3 rth Edition 2020)), Table 1	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction. Iues (AFS 2018:1), as Form Respirable dust. Form Respirable fraction.
Quartz (CAS 14808-60-7) Blovakia. OELs for carcinogens a mended Components Quartz (CAS 14808-60-7) Epain. OELs. INSST, Límites de E VLAs) Components Quartz (CAS 14808-60-7) Eweden. OELs (Annex 1). Work E mended Components Quartz (CAS 14808-60-7) Ewitzerland. SUVA Grenzwerte ar Components Quartz (CAS 14808-60-7) Ewitzerland. SUVA Grenzwerte ar Components Quartz (CAS 14808-60-7) Ewitzerland. SUVA Grenzwerte ar Components Quartz (CAS 14808-60-7) Ewitzerland. SUVA Grenzwerte ar Components	TWA Ind mutagens. Regulation No. I Type TWA Exposición Profesional Para Ag Type TWA Invironment Authority (AV), Oc Type TWA In Arbeitsplatz: Aktuelle MAK-M Type TWA In Arbeitsplatz: Aktuelle MAK-M Type TWA Inwa Inwa	0,025 mg/m3 356/2006 on carcinogenic and Value 0,1 mg/m3 gentes Químicos, Table 1-Valo Value 0,05 mg/m3 ccupational Exposure Limit Va Value 0,1 mg/m3 Nerte Value 0,15 mg/m3 rth Edition 2020)), Table 1 Value 0,1 mg/m3	Respirable fraction. mutagenic substances, a Form Respirable fraction. res Límites Ambientales Form Respirable fraction. lues (AFS 2018:1), as Form Respirable dust. Form Respirable fraction. lues (AFS 2018:1), as Form Respirable dust. Form Respirable fraction. Respirable dust. Form Respirable fraction. Respirable fraction. Form Respirable fraction. Respirable fraction.

Biological limit values

No biological exposure limits noted for the ingredient(s).

rd monitoring procedures.
ventilation should be used. Ventilation rates should be matched to conditions. If e process enclosures, local exhaust ventilation, or other engineering controls to orne levels below recommended exposure limits. If exposure limits have not been naintain airborne levels to an acceptable level. Provide eyewash station and safety
nal protective equipment
protective equipment as required. Personal protection equipment should be chosen he CEN standards and in discussion with the supplier of the personal protective
lasses with side shields (or goggles). Face shield is recommended.
iate chemical resistant gloves.
iate chemical resistant clothing. Use of an impervious apron is recommended.
ufficient ventilation, wear suitable respiratory equipment.
iate thermal protective clothing, when necessary.
ve good personal hygiene measures, such as washing after handling the material ting, drinking, and/or smoking. Routinely wash work clothing and protective remove contaminants. Contaminated work clothing should not be allowed out of the
oriate managerial or supervisory personnel of all environmental releases. Emissions on or work process equipment should be checked to ensure they comply with the of environmental protection legislation. Fume scrubbers, filters or engineering to the process equipment may be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical prope	rties
---	-------

5.1. Information on basic physic	al and chemical properties
Physical state	Liquid.
Form	Liquid.
Color	Brown
Odor	Characteristic.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not applicable.
Flash point	905,0 °F (485,0 °C) estimated
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapor pressure	Not available.
Density and/or relative density	Not available.
Vapor density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.

General information

SECTION 10: Stability and reactivity	
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Not known.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
IARC Monographs. Overall E	Evaluation of Carcinogenicity	
Quartz (CAS 14808-60-7)	1 Carcinogenic to humans.	
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Mixture versus substance information	No information available.	
11.2. Information on other hazar	ds	
Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.	
Other information	Not available.	
SECTION 12: Ecological in	nformation	
12.1. Toxicity	Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.	

Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations


13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN3082	
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin)	
name		
14.3. Transport hazard class	s(es)	
Class	9	
Subsidiary risk	-	
Label(s)	9	
Hazard No. (ADR)	90	
Tunnel restriction code	-	
14.4. Packing group	III	
14.5. Environmental hazards	No.	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
RID		
14.1. UN number	UN3082	
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin)	
name		
14.3. Transport hazard class	s(es)	
Class	9	
Subsidiary risk	-	
Label(s)	9	
14.4. Packing group	III	
14.5. Environmental	No.	
hazards		
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
ADN		
14.1. UN number	UN3082	
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin)	
name		
14.3. Transport hazard class	5(es)	
Class	9	

Subsidiary risk	-	
Label(s)	9	
14.4. Packing group		
14.5. Environmental hazards	No.	
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
IATA		
14.1. UN number	UN3082	
14.2. UN proper shipping	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A epoxy resin)	
name		
14.3. Transport hazard class	(es)	
Class	9	
Subsidiary risk	-	
14.4. Packing group	III	
14.5. Environmental	No.	
hazards		
ERG Code	9L	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
Other information		
Passenger and cargo aircraft	Allowed with restrictions.	
Cargo aircraft only	Allowed with restrictions.	
IMDG		
14.1. UN number	UN3082	
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin)	
name		
14.3. Transport hazard class	(es)	
Class	9	
Subsidiary risk	-	
14.4. Packing group		
14.5. Environmental hazards		
Marine pollutant	No.	
EmS	F-A, S-F	
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
14.7. Maritime transport in bulk according to IMO instruments	Not established.	
ADN; ADR; IATA; IMDG; RID		



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/201	2 concerning the export and in	nport of dangerous chemicals, Annex I, Part 3 as amended
Not listed.		
Regulation (EU) No. 649/201	2 concerning the export and in	mport of dangerous chemicals, Annex V as amended
Not listed.		
	6 Annex II Pollutant Release a	nd Transfer Registry, as amended
Not listed.		didate List as summarthy mublished by FOUA
	06, REACH Article 59(10) Cano	didate List as currently published by ECHA
Not listed.		
Authorizations		
• • • •	06, REACH Annex XIV Substa	nces subject to authorization, as amended
Not listed.		
Restrictions on use		
- Conditions of restriction g	06, REACH Annex XVII Substa iven for the associated entry n	nces subject to restriction on marketing and use, as amended number should be considered
Not listed. Directive 2004/37/EC: on the	protection of workers from th	e risks related to exposure to carcinogens and mutagens at
work, as amended	protection of workers nom u	le nava related to exposure to carcinogens and mutagens at
Quartz (CAS 14808-60-7))	
Other EU regulations		r accident hazards involving dangerous substances, as amended
C C	-	
	ANNEX 1, PART 1 Categories	of dangerous substances ice with Regulation (EC) No 1272/2008
	- E2 Hazardous to the Aquatic	
Other regulations		abelled in accordance with Regulation (EC) 1272/2008 (CLP
	Regulation) as amended. This (EC) No 1907/2006, as amend	Safety Data Sheet complies with the requirements of Regulation
National regulations		old are not allowed to work with this product according to EU
National regulations		ection of young people at work, as amended. Follow national
	regulation for work with chemic	cal agents in accordance with Directive 98/24/EC, as amended.
France regulations		
France INRS Table of Occup	ational Diseases	
Quartz (CAS 14808-60-7)		Affections consécutives à l'inhalation de poussières minérales
		renfermant de la silicecristalline (quartz, cristobalite, tridymite), des silicates cristallins (kaolin, talc), du graphite ou de la houille
		25
reaction product: bisphen resin (number average m	ol-A-(epichlorhydrin); epoxy	Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51
(CAS 25068-38-6)		epoxyulques et leurs constituants 51
Product registration number		
Austria	UFI: 7850-Q0WR-700X-5KNM	
Belgium	UFI: 7850-Q0WR-700X-5KNM	
Czech Republic	UFI: 7850-Q0WR-700X-5KNM	
Denmark	UFI: 7850-Q0WR-700X-5KNM	
European Union	UFI: 7850-Q0WR-700X-5KNM	
Finland	UFI: 7850-Q0WR-700X-5KNM UFI: 7850-Q0WR-700X-5KNM	
France Germany	UFI: 7850-Q0WR-700X-5KNM	
Greece	UFI: 7850-Q0WR-700X-5KNM	
Hungary	UFI: 7850-Q0WR-700X-5KNM	
Italy	UFI: 7850-Q0WR-700X-5KNM	
Netherlands	UFI: 7850-Q0WR-700X-5KNM	
Norway	UFI: 7850-Q0WR-700X-5KNM	
Poland	UFI: 7850-Q0WR-700X-5KNM	
Portugal Slovakia	UFI: 7850-Q0WR-700X-5KNM	
Slovakla Slovenia	UFI: 7850-Q0WR-700X-5KNM UFI: 7850-Q0WR-700X-5KNM	
Spain	UFI: 7850-Q0WR-700X-5KNM	
Sweden	UFI: 7850-Q0WR-700X-5KNM	
Switzerland	UFI: 7850-Q0WR-700X-5KNM	
15.2. Chemical safety	No Chemical Safety Assessme	ent has been carried out.
assessment		

List of abbreviations	
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	 ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships.
	PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full under sections 2 to 15	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H350 May cause cancer. H411 Toxic to aquatic life with long lasting effects.
Revision information	Product and Company Identification: Product Registration Numbers
Training information	Follow training instructions when handling this material.
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.