# SAFETY DATA SHEET

1. Identification				
Product identifier	EPOCAST 36-P Hardener			
Other means of identification				
SKU#	10055A			
Recommended use	Not available.			
<b>Recommended restrictions</b>	None known.			
Manufacturer/Importer/Supplie	r/Distributor information			
Company name	ITW Performance Polymers			
Address	35 Brownridge Rd			
	Unit 1			
	Halton Hills, ON L7G 0C6			
Contact person	Customer Service			
Telephone number	978-777-1100			
Fax				
E-mail				
Emergency telephone number	800-424-9300			
Supplier	Not available.	Not available.		
2. Hazard identification				
Physical hazards	Not classified.			
Health hazards	Skin corrosion/irritation	Category 2		
	Serious eye damage/eye irritation	Category 1		
	Sensitization, skin	Category 1		
Environmental hazards	Not classified.			
Label elements				
Signal word	Danger			
Hazard statement	Causes skin irritation. May cause an aller	gic skin reaction. Causes serious eye damage.		
Precautionary statement				
Prevention	Avoid breathing mist/vapors. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.			
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.			
Storage	Not available.			
Disposal	Dispose of contents/container in accordar	nce with local/regional/national/international regulations.		
Supplemental information	100 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 97 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 97 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.			
Other hazards	None known.			

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Quartz		14808-60-7	60 - 100
Fatty Acids, C18-unsatd., Dimers, Oligomeric Reaction Products With Tall-oil Fatty Acids And Triethylenetetramine	Polyamide resin	68082-29-1	30 - < 40
Pentaethylenehexamine		4067-16-7	1 - 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

<u> </u>		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release mea	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		

5 5	
Precautions for safe handling	Do not get this material in contact with eyes. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/per	sonal protec	ction			
Occupational exposure limits					
US. ACGIH Threshold Limi	t Values (TLV)				
Components		Туре		Value	Form
Quartz (CAS 14808-60-7)		TWA		0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Oco Components	cupational Hea	Ith & Safety Code, So Type	hedule 1, Table	e 2), as amended Value	Form
Quartz (CAS 14808-60-7)		TWA		0.025 mg/m3	Respirable particles.
Canada. British Columbia Safety Regulation 296/97, a			ts for Chemica	U	
Components	lo unionacu,	Туре		Value	Form
Quartz (CAS 14808-60-7)		TWA		0.025 mg/m3	Respirable fraction.
, , , , , , , , , , , , , , , , , , ,	047/0000 7			Ū.	
Canada. Manitoba OELs (R Components	leg. 217/2006, 1	he Workplace Safety Type	And Health Ad	ct), as amended Value	Form
Quartz (CAS 14808-60-7)		TWA		0.025 mg/m3	Respirable fraction.
Canada. New Brunswick O Publication (New Brunswic			Based on the	1991 and 1997 AC	GIH TLVs and BEIs
Components		Туре		Value	Form
Quartz (CAS 14808-60-7)		TWA		0.1 mg/m3	Respirable.
,				C C	
Canada. Ontario OELs. (Co Components	ontrol of Expos	Type	nemical Agent	s), as amended Value	Form
Quartz (CAS 14808-60-7)		TWA		0.1 mg/m3	Respirable fraction.
Canada. Quebec OELs. (Mi Components	inistry of Labor	<sup>-</sup> - Regulation respect Type	ting occupatior	al health and saf Value	ety), as amended Form
Quartz (CAS 14808-60-7)		TWA		0.1 mg/m3	Respirable dust.
Biological limit values	No biological	exposure limits noted	for the ingredie	Ū.	
Appropriate engineering ontrols	Good genera applicable, u maintain airb	al ventilation should be se process enclosures orne levels below reco	used. Ventilatio , local exhaust v ommended expo	n rates should be ventilation, or other sure limits. If expo	matched to conditions. If engineering controls to sure limits have not been eyewash station and safety
ndividual protection measures Eye/face protection	-	glasses with side shiel		and a face shield.	Face shield is
Skin protection Hand protection	Wear approp	riate chemical resistar	nt gloves.		
Other	Wear approp	oriate chemical resistar	nt clothing. Use	of an impervious a	pron is recommended.
Respiratory protection			Ū.		
Thermal hazards		In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.			
		-	-	-	<b>6</b> 1 11 11 1 1 1 1
ieneral hygiene onsiderations	and before e	ating, drinking, and/or	smoking. Routi	nely wash work clo	after handling the material othing and protective uld not be allowed out of the
9. Physical and chemical	properties				
ppearance	Liquid.				
Physical state	Liquid.				
Form	Liquid.				
Colour	Brown				

Brown

Not available.

Colour

Odour

Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower ( %)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	<0.1 kPa
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.00
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Specific gravity	1
10. Stability and reactivity	
-	

The product is stable and non-reactive under normal conditions of use, storage and transport.
Material is stable under normal conditions.
No dangerous reaction known under conditions of normal use.
Contact with incompatible materials.
Strong oxidising agents.
No hazardous decomposition products are known.

# 11. Toxicological information

Information on	likely route	s of exposure
----------------	--------------	---------------

······			
Inhalation	No adverse effects due to inhalation are expected.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye damage.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye damage.		

n		
Not a respiratory sensitiser.		
May cause an allergic skin reaction.		
No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
7) A2 Suspected human carcinogen. rcinogen category		
7) Suspected human carcinogen.		
carcinogenicity		
7) Suspected human carcinogen.		
arcinogen category		
7) Suspected carcinogenic effect in humans.		
Evaluation of Carcinogenicity		
7) 1 Carcinogenic to humans.		
ogram (NTP) Report on Carcinogens		
7) Known To Be Human Carcinogen.		
This product is not expected to cause reproductive or developmental effects.		
Not classified.		
Not classified.		
Not an aspiration hazard.		
'n		
The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
No data is available on the degradability of any ingredients in the mixture.		
No data available.		
No data available.		
No data available.		
No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation		
No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.  DNS Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.  DINS Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste		
No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.  DINS  Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:		

# TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot established.Annex II of MARPOL 73/78 andthe IBC Code

# 

anadian regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.		
Controlled Drugs and Subst	tances Act		
Not regulated.			
Export Control List (CEPA 1	999, Schedule 3)		
Not listed.			
Greenhouse Gases			
Not listed. Precursor Control Regulation	ons		
Not regulated.			
ternational regulations			
Stockholm Convention			
Not applicable.			
Rotterdam Convention			
Not applicable.			
Kyoto Protocol			
Not applicable.			
Montreal Protocol			
Not applicable. Basel Convention			
Not applicable.			
ternational Inventories			
Country(s) or region	Inventory name	On inventory (yes/no	
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Ŷ	
Canada	Domestic Substances List (DSL)	Y	
Canada	Non-Domestic Substances List (NDSL)	1	
China	Inventory of Existing Chemical Substances in China (IECSC)	Y	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	1	
Europe	European List of Notified Chemical Substances (ELINCS)	١	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	١	
Korea	Existing Chemicals List (ECL)	Y	
New Zealand	New Zealand Inventory	Ye	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Ye	
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Ye	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Y	

# 16. Other information

Issue date	05-June-2023
Version No.	01
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.