# SAFETY DATA SHEET

Version #: 02

Issue date: 07-26-2023 Revision date: 08-01-2023 Supersedes date: 07-26-2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Devcon Wear Resistant Liquid (WR) Hardener

Registration number

**Synonyms** None.

SKU# 10211H, 10711H, 11211H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name **ITW Performance Polymers** 

**Address** Bay 150

Shannon Industrial Estate

Co. Clare, Ireland

Division

Phone 353(61)771500 Telephone

e-mail customerservice.shannon@itwpp.com

Not available. **Contact person** 

1.4. Emergency telephone

number

**Emergency Number** 44(0)1235 239 670

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

Information Center

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Croatia Poisons Information Center**  +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

**Cyprus Poison Center** 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

**Czech Republic National Poisons Information** 

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons Control Center** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Estonia National Poisons Information Center** 

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

**Finland National Poison Information Center** 

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons** 

**Control Center** 

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Greece Poison Information** (0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) Centre +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be **Hungary National** available for the Emergency Service.) **Emergency Phone Number** (+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be **Iceland Poison Center** available for the Emergency Service.) 113 Latvia Emergency medical aid Latvia Poison and Drug +371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) Information Center Lithuania Neatidėliotina +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.) informacija apsinuodijus 2545 4030 (Hours of operation not provided. SDS/Product information may not be Malta Accident and available for the Emergency Service.) **Emergency Department** NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel **Netherlands National** in cases of acute intoxications) **Poisons Information** Center (NVIC) **Norway Norwegian Poison** 22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Information Center** 800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Center** available for the Emergency Service.) 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be Romania Biroul RSI si available for the Emergency Service.) Informare Toxicologica Slovakia National +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not **Toxicological Information** be available for the Emergency Service.) Center + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not **Spain Toxicology** be available for the Emergency Service.) **Information Service Sweden National Poison** 112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

## **SECTION 2: Hazards identification**

Information Center
Switzerland Tox Info

Suisse

# 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

information may not be available for the Emergency Service.)

145 (Available 24 hours a day. SDS/Product information may not be available for

## Classification according to Regulation (EC) No 1272/2008 as amended

the Emergency Service.)

#### **Health hazards** Acute toxicity, oral Category 4 H302 - Harmful if swallowed. Acute toxicity, dermal Category 4 H312 - Harmful in contact with skin. Skin corrosion/irritation H314 - Causes severe skin burns Category 1B and eye damage. Serious eye damage/eye irritation Category 1 H318 - Causes serious eye damage. Skin sensitization Category 1 H317 - May cause an allergic skin reaction. Reproductive toxicity Category 2 H361 - Suspected of damaging

Specific target organ toxicity - repeated exposure

Category 2

Exposure

Category 2

Category 2

Category 2

Category 2

Organs through prolonged or repeated exposure.

#### **Environmental hazards**

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with long-term aquatic hazard long lasting effects.

#### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: UT40-60FR-Q00F-VVR9 Belgium: UT40-60FR-Q00F-VVR9 Bulgaria: UT40-60FR-Q00F-VVR9 Croatia: UT40-60FR-Q00F-VVR9 Cyprus: UT40-60FR-Q00F-VVR9

Czech Republic: UT40-60FR-Q00F-VVR9
Denmark: UT40-60FR-Q00F-VVR9
Estonia: UT40-60FR-Q00F-VVR9
EU: UT40-60FR-Q00F-VVR9
Finland: UT40-60FR-Q00F-VVR9
France: UT40-60FR-Q00F-VVR9
Germany: UT40-60FR-Q00F-VVR9
Hungary: UT40-60FR-Q00F-VVR9
Iceland: UT40-60FR-Q00F-VVR9
Ireland: UT40-60FR-Q00F-VVR9
Latvia: UT40-60FR-Q00F-VVR9

Lithuania: UT40-60FR-Q00F-VVR9
Luxembourg: UT40-60FR-Q00F-VVR9
Malta: UT40-60FR-Q00F-VVR9
Metherlands: UT40-60FR-Q00F-VVR9
Norway: UT40-60FR-Q00F-VVR9
Poland: UT40-60FR-Q00F-VVR9
Portugal: UT40-60FR-Q00F-VVR9
Romania: UT40-60FR-Q00F-VVR9
Slovakia: UT40-60FR-Q00F-VVR9
Slovenia: UT40-60FR-Q00F-VVR9

Spain: UT40-60FR-Q00F-VVR9 Sweden: UT40-60FR-Q00F-VVR9

**Contains:** 2-piperazin-1-ylethylamine, 3,6-diazaoctanethylenediamin; triethylenetetramine, Fatty Acids,

C18-unsatd., Dimers, Oligomeric Reaction Products With Tall-oil Fatty Acids And

Triethylenetetramine, PHENOL, STYRENATED

#### **Hazard pictograms**







## Signal word Danger

## **Hazard statements**

H302 Harmful if swallowed.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

#### Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapors.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

# Response

P330 Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P405 Store locked up.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information 52,24% of the mixture consists of component(s) of unknown acute oral toxicity. 100% of the

mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 52,24% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
3,6-diazaoctanethylenediamin; triethylenetetramine	30-60%	112-24-3 203-950-6	01-2119487919-13-0000	612-059-00-5	
Classification:	mg/kg bw)		mg/kg bw), Acute Tox. 4;H3 , Eye Dam. 1;H318, Skin Se		
Fatty Acids, C18-unsatd., Dimers, Oligomeric Reaction Products With Tall-oil Fatty Acids And Triethylenetetramine	30-60%	68082-29-1 500-191-5	-	-	
Classification:	-				
PHENOL, STYRENATED	5-10%	61788-44-1 262-975-0	01-2119980970-27-0000	-	
Classification:	-				
2-piperazin-1-ylethylamine	1-5%	140-31-8 205-411-0	01-2119471486-30-0003	612-105-00-4	
Classification	mg/kg bw)		ng/kg bw), Acute Tox. 4;H31 Eye Dam. 1;H318, Skin Se		

## List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

## **SECTION 4: First aid measures**

General information IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice

(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. Call a physician

or poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. Prolonged exposure may cause chronic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

For emergency responders

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Occupational exposure limits

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Value Type

3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)

STEL

12 mg/m3

SDS FII

Material name: Devcon Wear Resistant Liquid (WR) Hardener

10211H, 10711H, 11211H Version #: 02 Revision date: 08-01-2023 Issue date: 07-26-2023

	<b>Type</b> TWA	6 ma/m²
	IVVA	6 mg/m3
		1 ppm
Iceland. OELs. Regulation 3 Components	390/2009 on Pollution Limits and Mea Type	sures to Reduce Pollution at the Workplace, as amend Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	TWA	6 mg/m3
		1 ppm
Lithuania. OELs. Occupatio	nal Exposure Limit Values for Chem	ical Substances (Hygiene Norm HN 23:2011; Order No.
V-824/A1-389), as amended		Value
Components	Туре	
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	12 mg/m3
		2 ppm
	TWA	6 mg/m3
		1 ppm
Norway. Regulation No. 135 Infection Groups for Biolog		Physical and Chemical Factors in Work Environment a
Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	TLV	6 mg/m3
(6/18/112/21/0)		1 ppm
Poland. Maximum permissil 1286/2018, Annex 1)	ble concentrations and intensities of	harmful factors in the work environment (Dz.U.Poz.
Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	3 mg/m3
	TWA	1 mg/m3
	es of Chemical Agents at Workplace	(Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as
Romania. OELs. Limit Value amended) Components	Туре	Value
amended) Components 3,6-diazaoctanethylenedia min; triethylenetetramine	Type STEL	Value 20 mg/m3
amended) Components 3,6-diazaoctanethylenedia		20 mg/m3
amended) Components 3,6-diazaoctanethylenedia min; triethylenetetramine		
amended) Components 3,6-diazaoctanethylenedia min; triethylenetetramine	STEL	20 mg/m3 3,3 ppm
amended) Components  3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	20 mg/m3 3,3 ppm 10 mg/m3
amended) Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)  Sweden. OELs (Annex 1). W	STEL	20 mg/m3 3,3 ppm 10 mg/m3 1,7 ppm
amended) Components  3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)  Sweden. OELs (Annex 1). Wamended	TWA  Vork Environment Authority (AV), Oc	20 mg/m3  3,3 ppm  10 mg/m3  1,7 ppm  cupational Exposure Limit Values (AFS 2018:1), as
amended) Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)  Sweden. OELs (Annex 1). Wamended Components 3,6-diazaoctanethylenedia min; triethylenetetramine	STEL  TWA  Work Environment Authority (AV), Oc  Type	20 mg/m3  3,3 ppm  10 mg/m3  1,7 ppm  cupational Exposure Limit Values (AFS 2018:1), as  Value
amended) Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)  Sweden. OELs (Annex 1). Wamended Components 3,6-diazaoctanethylenedia min; triethylenetetramine	STEL  TWA  Work Environment Authority (AV), Oc  Type	20 mg/m3  3,3 ppm 10 mg/m3 1,7 ppm  cupational Exposure Limit Values (AFS 2018:1), as  Value  12 mg/m3
amended) Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)  Sweden. OELs (Annex 1). Wamended Components 3,6-diazaoctanethylenedia min; triethylenetetramine	TWA  Vork Environment Authority (AV), Oc  Type  STEL	20 mg/m3  3,3 ppm 10 mg/m3 1,7 ppm  cupational Exposure Limit Values (AFS 2018:1), as  Value  12 mg/m3
amended) Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)  Sweden. OELs (Annex 1). Wamended Components 3,6-diazaoctanethylenedia min; triethylenetetramine	TWA  Vork Environment Authority (AV), Oc  Type  STEL	20 mg/m3  3,3 ppm 10 mg/m3 1,7 ppm  cupational Exposure Limit Values (AFS 2018:1), as  Value  12 mg/m3  2 ppm 6 mg/m3 1 ppm

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Wear appropriate chemical resistant gloves. - Hand protection

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Observe any medical surveillance requirements. Keep away from food and drink. Always observe

good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure** 

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

**Physical state** Liquid. **Form** Liquid. Color Amber Odor Amine

Melting point/freezing point 53,6 °F (12 °C) estimated

**Boiling point or initial boiling** point and boiling range

449,6 °F (232 °C)

**Flammability** Not applicable.

Flash point >199,4 °F (>93,0 °C)

**Auto-ignition temperature** 640 °F (337,78 °C) estimated

**Decomposition temperature** Not available. Not available. рH Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water) (log value)

Vapor pressure <10 mm Hg

Density and/or relative density

0,98 g/cm<sup>3</sup> Density Vapor density Not available. Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

Material name: Devcon Wear Resistant Liquid (WR) Hardener

10211H, 10711H, 11211H Version #: 02 Revision date: 08-01-2023 Issue date: 07-26-2023

## 9.2.2. Other safety characteristics

Specific gravity 0,98

**SECTION 10: Stability and reactivity** 

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**10.5.** Incompatible materials Peroxides. Phenols.

**10.6. Hazardous** No hazardous decomposition products are known.

decomposition products

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

**Skin contact**Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.

**Eye contact** Causes serious eye damage.

**Ingestion** Causes digestive tract burns. Harmful if swallowed.

**Symptoms** Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful in contact with skin. Harmful if swallowed.

Components Species Test Results

3,6-diazaoctanethylenediamin; triethylenetetramine (CAS 112-24-3)

Acute Dermal

Liquid

LD50 Rat 1465 mg/kg

Oral

Liquid

LD50 Rat 1716 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

**Respiratory sensitization**Due to partial or complete lack of data the classification is not possible.

**Skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

xicity - May cause damage to organs through prolonged or repeated exposure.

Specific target organ toxicity -

repeated exposure

may dadde damage to organis unough prolonged of repeated exposure.

**Aspiration hazard**Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

## 11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

Material name: Devcon Wear Resistant Liquid (WR) Hardener

SDS EU

# **SECTION 12: Ecological information**

Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria 12.1. Toxicity

are not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

2-piperazin-1-ylethylamine -1,57

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

12.7. Other adverse effects

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

## **SECTION 14: Transport information**

# **ADR**

14.1. UN number UN2735

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. 14.2. UN proper shipping

(3,6-diazaoctanethylenediamin; triethylenetetramine, NONYL PHENOL) name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk Label(s) 8 Hazard No. (ADR) 80 Ε **Tunnel restriction code** Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID 14.1 UN number

UN2735

14.2. UN proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(3,6-diazaoctanethylenediamin; triethylenetetramine, NONYL PHENOL)

14.3. Transport hazard class(es)

8 Subsidiary risk 8 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards No.

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

#### **ADN**

**14.1. UN number** UN2735

14.2. UN proper shipping AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

name (3,6-diazaoctanethylenediamin; triethylenetetramine, NONYL PHENOL)

14.3. Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
14.4. Packing group II
14.5. Environmental hazards No.

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

**IATA** 

**14.1. UN number** UN2735

**14.2. UN proper shipping** Amines, liquid, corrosive, n.o.s. (3,6-diazaoctanethylenediamin; triethylenetetramine, NONYL

name PHENOL)

14.3. Transport hazard class(es)

Class 8
Subsidiary risk 
14.4. Packing group II

14.5. Environmental hazards No.
ERG Code 8L

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**14.1. UN number** UN2735

14.2. UN proper shipping AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

name (3,6-diazaoctanethylenediamin; triethylenetetramine, NONYL PHENOL)

14.3. Transport hazard class(es)

Class 8
Subsidiary risk 
14.4. Packing group ||

14.5. Environmental hazards
Marine pollutant No.
EmS F-A.

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments



# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

  Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: UT40-60FR-Q00F-VVR9 Belgium: UT40-60FR-Q00F-VVR9 Bulgaria: UT40-60FR-Q00F-VVR9 Croatia: UT40-60FR-Q00F-VVR9 Cyprus: UT40-60FR-Q00F-VVR9

Czech Republic: UT40-60FR-Q00F-VVR9 Denmark: UT40-60FR-Q00F-VVR9 Estonia: UT40-60FR-Q00F-VVR9 EU: UT40-60FR-Q00F-VVR9 Finland: UT40-60FR-Q00F-VVR9 France: UT40-60FR-Q00F-VVR9 Germany: UT40-60FR-Q00F-VVR9 Greece: UT40-60FR-Q00F-VVR9 Hungary: UT40-60FR-Q00F-VVR9 Iceland: UT40-60FR-Q00F-VVR9 Ireland: UT40-60FR-Q00F-VVR9 Italy: UT40-60FR-Q00F-VVR9 Latvia: UT40-60FR-Q00F-VVR9 Lithuania: UT40-60FR-Q00F-VVR9 Luxembourg: UT40-60FR-Q00F-VVR9 Malta: UT40-60FR-Q00F-VVR9 Netherlands: UT40-60FR-Q00F-VVR9 Norway: UT40-60FR-Q00F-VVR9 Poland: UT40-60FR-Q00F-VVR9 Portugal: UT40-60FR-Q00F-VVR9 Romania: UT40-60FR-Q00F-VVR9

Romania: UT40-60FR-Q00F-VVR9 Slovakia: UT40-60FR-Q00F-VVR9 Slovenia: UT40-60FR-Q00F-VVR9 Spain: UT40-60FR-Q00F-VVR9 Sweden: UT40-60FR-Q00F-VVR9

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations According to Directive 92/85/EEC as amended, pregnant women should not work with the product,

if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

## France regulations

France INRS Table of Occupational Diseases

Not regulated.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

# **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data. if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

## **Revision information**

#### **Training information**

Disclaimer

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.