# SAFETY DATA SHEET

#### 1. Identification

Product identifier DEVCON® Titanium Putty Resin

Other means of identification

**SKU#** 0113

**Recommended use** Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name ITW Performance Polymers

Address 35 Brownridge Rd

Unit 1

Halton Hills, ON L7G 0C6

Contact personCustomer ServiceTelephone number978-777-1100

Fax E-mail

**Emergency telephone** 

number

800-424-9300

Supplier Not available.

#### 2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2
Sensitization, skin Category 1

Specific target organ toxicity following single Category 3 narcotic effects

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May

cause drowsiness or dizziness. Toxic to aquatic life.

Precautionary statement

**Prevention** Avoid breathing mist/vapours. Wash thoroughly after handling. Use only outdoors or in a

well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.

**Response** IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists:

Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Material name: DEVCON® Titanium Putty Resin
0113 Version #: 05 Revision date: 28-July-2023 Issue date: 29-May-2019

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Ferrosilicon, [with >= 30% But <= 70% Silicon]		8049-17-0	40 - 70
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl] -, polymers		25085-99-8	20 - < 30
Aromatic Hydrocarbon Solvents		64742-95-6	< 0.2
Other components below reportable	levels		7 - 13

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison Inhalation

centre or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information**  May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May

cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

During fire, gases hazardous to health may be formed.

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods General fire hazards

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: DEVCON® Titanium Putty Resin

0113 Version #: 05 Revision date: 28-July-2023 Issue date: 29-May-2019

SDS CANADA

#### **Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment.

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower

Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical respirator with organic vapour cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection Chemical respirator with organic vapour cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

Viscous. Liquid. **Appearance** 

Physical state Liquid.

**Form** Viscous. Liquid. Colour Not available.

Odour Slight.

**Odour threshold** Not available. Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

320 °C (608 °F) estimated

>204.4 °C (>399.9 °F) Flash point

129.4 °C (265.0 °F) estimated

**Evaporation rate** Not available. Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Explosive limit - upper

Not available.

(%)

Not available. Vapour pressure Vapour density Not available. Not available. Relative density

Solubility(ies)

Not available. Solubility (water)

Material name: DEVCON® Titanium Putty Resin 0113 Version #: 05 Revision date: 28-July-2023 Issue date: 29-May-2019 Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Density** 1.36 g/cm3 estimated

**Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Oxidising properties Not oxidising.

Specific gravity 1.36 estimated

**VOC** 0 g/l

#### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May cause drowsiness or dizziness. Headache. Nausea, vomiting.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

**Respiratory sensitisation** Not a respiratory sensitiser.

**Skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Aromatic Hydrocarbon Solvents (CAS 64742-95-6) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Material name: DEVCON® Titanium Putty Resin

#### 12. Ecological information

**Ecotoxicity** Toxic to aquatic life.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture. Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

#### **TDG**

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not established.

#### 15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto Protocol** 

Not applicable.

**Montreal Protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

Material name: DEVCON® Titanium Putty Resin SDS CANADA

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

#### 16. Other information

Issue date29-May-2019Revision date28-July-2023

Version No. 05

**Disclaimer** ITW Performance Polymers cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

0113 Version #: 05 Revision date: 28-July-2023 Issue date: 29-May-2019

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# SAFETY DATA SHEET

#### 1. Identification

Product identifier DEVCON® Titanium Putty Hardener

Other means of identification

**SKU#** 5318N

**Recommended use** Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name ITW Performance Polymers

Address 35 Brownridge Rd

Unit 1

Halton Hills, ON L7G 0C6

Contact personCustomer ServiceTelephone number978-777-1100

Fax E-mail

**Emergency telephone** 

number

800-424-9300

Supplier Not available.

#### 2. Hazard identification

Physical hazards Not classified.

Health hazardsAcute toxicity, dermalCategory 4

Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Sensitization, skinCategory 1

Environmental hazards Not classified.

Label elements



Signal word Danger

Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic

skin reaction. Causes serious eye damage.

**Precautionary statement** 

Prevention Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective

gloves/protective clothing/eye protection/face protection.

**Response** IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store locked up.

5318N Version #: 05 Revision date: 01-August-2023 Issue date: 29-May-2019

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Other hazards None known.

Material name: DEVCON® Titanium Putty Hardener

SDS CANADA

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Ferrosilicon, [with >= 30% But <= 70% Silicon]		8049-17-0	10 - 30
Formaldehyde, Oligomeric Reaction Products With Phenol And Triethylenetetramine	Formaldehyde, oligomeric reaction products with phenol and triethylenetetramine	32610-77-8	10 - 30
1h-imidazole, 2-ethyl-4-methyl-		931-36-2	5 - < 10
Glass Oxide		65997-17-3	5 - 10
Phenol		108-95-2	5 - 10
TRIETHYLENETETRAMINE	TETA	112-24-3	5 - 10
Titanium dioxide	Titanium dioxide	13463-67-7	1 - 5
Methylimidazole, 4-		822-36-6	< 1
Silica, amorphous		7631-86-9	< 0.3
Other components below reportable	levels		10 - < 20

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Ingestion

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. Call a physician

or poison control centre immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control centre immediately. Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

Burning nain and severe corrosive skin damage. Causes serious eve damage. S

Most important Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated

clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use water spray to cool unopened containers.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

#### Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

#### **Environmental precautions**

7. Handling and storage Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. ACGIH	Threshold	l Limit \	/alues	(TLV)	
-----------	-----------	-----------	--------	-------	--

Components	Туре	Value	Form
Phenol (CAS 108-95-2)	TWA	5 ppm	
Titanium dioxide (CAS 13463-67-7)	TWA	2.5 mg/m3	Respirable finescale particles
		0.2 mg/m3	Respirable nanoscale particles
Canada. Alberta OELs (Occupat	ional Health & Safety Code, Sc	hedule 1, Table 2), as amended	
			F

Components	Type	Value	Form
Glass Oxide (CAS 65997-17-3)	TWA	1 fibers/cm3	Fiber.
		5 mg/m3	Fiber, total
		5 mg/m3	Total particulate.
Phenol (CAS 108-95-2)	TWA	19 mg/m3	
		5 ppm	
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

# Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and

Components	Туре	Value	Form
Glass Oxide (CAS 65997-17-3)	TWA	1 fibers/cm3	Fiber.
		5 mg/m3	Inhalable fibers.
Phenol (CAS 108-95-2)	TWA	5 ppm	
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Titanium dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 2	17/2006. The Workplace Safety	And Health Act), as amended	
Components	Туре	Value	Form

Material name: DEVCON® Titanium Putty Hardener

Glass Oxide (CAS

Phenol (CAS 108-95-2)

65997-17-3)

Inhalable fraction.

5 mg/m3

5 ppm

**TWA** 

**TWA** 

Canada. Manitoba OELs ( Components		Туре	-	alue	Form
Titanium dioxide (CAS 13463-67-7)		TWA	2.	5 mg/m3	Respirable finescale particles
			0.	2 mg/m3	Respirable nanoscale particles
Canada. New Brunswick			ased on the 199	1 and 1997 AC	GIH TLVs and BEIs
Publication (New Brunsw Components	ick Regulation 91	l-191) Type	V	alue	Form
		TWA			
Phenol (CAS 108-95-2)		IVVA		mg/m3	
Silica, amorphous (CAS		TWA		ppm mg/m²	Posnirablo
7631-86-9)		IVVA	3	mg/m3	Respirable.
			10	mg/m3	Inhalable
Titanium dioxide (CAS 13463-67-7)		TWA	10	) mg/m3	
Canada. Ontario OELs. (C Components	Control of Exposu	ire to Biological or Che Type		as amended alue	
Phenol (CAS 108-95-2)		TWA	5	ppm	
Titanium dioxide (CAS		TWA		) mg/m3	
13463-67-7) TRIETHYLENETETRAMIN	1	TWA		mg/m3	
E (CAS 112-24-3)					
			0.	5 ppm	
Canada. Quebec OELs. (N Components	Ministry of Labor	- Regulation respecting Type		health and saf alue	ety), as amended Form
Phenol (CAS 108-95-2)		TWA	19	mg/m3	
			5	ppm	
Silica, amorphous (CAS 7631-86-9)		TWA	10	mg/m3	Total dust.
Titanium dioxide (CAS 13463-67-7)		TWA	10	) mg/m3	Total dust.
Canada. Saskatchewan O	ELs (Occupation	al Health and Safety Re	egulations, 199	6, Table 21), a	
		Туре	Va	alue	Form
Components				/ 2	Respirable fibers.
Glass Oxide (CAS		15 minute	3	mg/m3	
Glass Oxide (CAS		15 minute			Inhalable fraction
Glass Oxide (CAS 65997-17-3)			10	) mg/m3	Inhalable fraction.
Glass Oxide (CAS 65997-17-3)		15 minute	10 7.	) mg/m3 5 ppm	Inhalable fraction.
Components  Glass Oxide (CAS 65997-17-3)  Phenol (CAS 108-95-2)		15 minute 8 hour	10 7. 5	0 mg/m3 5 ppm ppm	
Glass Oxide (CAS 65997-17-3) Phenol (CAS 108-95-2) Silica, amorphous (CAS		15 minute	10 7. 5 6	0 mg/m3 5 ppm ppm mg/m3	Respirable fraction.
Glass Oxide (CAS 65997-17-3)  Phenol (CAS 108-95-2)  Silica, amorphous (CAS 7631-86-9)		15 minute 8 hour 15 minute	10 7. 5 6	mg/m3 5 ppm ppm mg/m3 0 mg/m3	
Glass Oxide (CAS 65997-17-3)		15 minute 8 hour	10 7. 5 6	0 mg/m3 5 ppm ppm mg/m3	Respirable fraction.
Glass Oxide (CAS 65997-17-3)  Phenol (CAS 108-95-2)  Silica, amorphous (CAS 7631-86-9)  Titanium dioxide (CAS 13463-67-7)		15 minute 8 hour 15 minute	10 7. 5 6	mg/m3 5 ppm ppm mg/m3 0 mg/m3	Respirable fraction.
Glass Oxide (CAS 65997-17-3)  Phenol (CAS 108-95-2)  Silica, amorphous (CAS 7631-86-9)  Titanium dioxide (CAS	ıre Indices (BEI) Value	15 minute 8 hour 15 minute	10 7. 5 6	mg/m3 5 ppm ppm mg/m3 0 mg/m3	Respirable fraction. Inhalable fraction.

# Exposure guidelines

Canada - Alberta OELs: Skin designation

Phenol (CAS 108-95-2)

Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

Phenol (CAS 108-95-2) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

Phenol (CAS 108-95-2) Danger of cutaneous absorption

Canada - Ontario OELs: Skin designation

Phenol (CAS 108-95-2) Can be absorbed through the skin. TRIETHYLENETETRAMINE (CAS 112-24-3) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

Phenol (CAS 108-95-2) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Can be absorbed through the skin.

Can be absorbed through the skin. Phenol (CAS 108-95-2)

**US ACGIH Threshold Limit Values: Skin designation** 

Phenol (CAS 108-95-2) Danger of cutaneous absorption

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles) and a face shield. Face shield is Eye/face protection

recommended.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** Paste. Solid. **Physical state** Paste. **Form** Off-white. Colour Odour Ammoniacal. **Odour threshold** Not available.

12 °C (53.6 °F) estimated Melting point/freezing point Initial boiling point and boiling 266 °C (510.8 °F) estimated

Not available.

range

pН

Flash point 135.6 °C (276.1 °F) estimated

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available.

Explosive limit - lower (%) Explosive limit - upper Not available.

0.001 hPa estimated Vapour pressure

Not available. Vapour density Relative density Not available.

Solubility(ies)

(%)

Not available. Solubility (water)

Material name: DEVCON® Titanium Putty Hardener

Partition coefficient (n-octanol/water)

Not available.

**Auto-ignition temperature** 

337.78 °C (640 °F) estimated

**Decomposition temperature** 

Not available.

**Viscosity** 

Not available.

Other information

1.65 g/cm3 estimated Density

**Explosive properties** Not explosive. Not oxidising **Oxidising properties** Specific gravity 1.65 estimated

VOC 0 q/l

#### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

Contact with incompatible materials.

Incompatible materials Peroxides. Phenols.

Hazardous decomposition

Conditions to avoid

products

No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction. Skin contact

Eye contact Causes serious eye damage. Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

#### Information on toxicological effects

Harmful in contact with skin. **Acute toxicity** 

**Test Results** Components Species

Methylimidazole, 4- (CAS 822-36-6)

Acute **Dermal** 

LD50 Rabbit 440 mg/kg

Oral

Rat LD50 751 mg/kg

Silica, amorphous (CAS 7631-86-9)

**Acute** Oral

LD50 Rat > 22500 mg/kg

Titanium dioxide (CAS 13463-67-7)

**Acute Dermal** 

LD50 Hamster >= 10000 mg/kg

Oral

LD50 Rat > 10000 mg/kg

Material name: DEVCON® Titanium Putty Hardener 5318N Version #: 05 Revision date: 01-August-2023 Issue date: 29-May-2019

**Test Results** Components **Species** 

TRIETHYLENETETRAMINE (CAS 112-24-3)

Acute Dermal Liquid

LD50 Rat 1465 mg/kg

Oral Liquid

LD50 Rat 1716 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eve damage/eve

Causes serious eye damage.

irritation

Respiratory or skin sensitisation

Canada - Alberta OELs: Irritant

Glass Oxide (CAS 65997-17-3) Irritant Silica, amorphous (CAS 7631-86-9) Irritant Titanium dioxide (CAS 13463-67-7) Irritant

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

**ACGIH Carcinogens** 

Glass Oxide (CAS 65997-17-3) A2 Suspected human carcinogen.

Phenol (CAS 108-95-2) A4 Not classifiable as a human carcinogen.

Titanium dioxide (CAS 13463-67-7) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

Glass Oxide (CAS 65997-17-3) Suspected human carcinogen.

Phenol (CAS 108-95-2) Not classifiable as a human carcinogen.

Titanium dioxide (CAS 13463-67-7) Confirmed animal carcinogen with unknown relevance to humans.

Canada - Quebec OELs: Carcinogen category

Glass Oxide (CAS 65997-17-3) Detected carcinogenic effect in animals.

IARC Monographs. Overall Evaluation of Carcinogenicity

Methylimidazole, 4- (CAS 822-36-6) 2B Possibly carcinogenic to humans.

Phenol (CAS 108-95-2) 3 Not classifiable as to carcinogenicity to humans. Silica, amorphous (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7)

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Phenol 1.46

No data available. Mobility in soil

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions** 

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

**TDG** 

UN3259 **UN number** 

UN proper shipping name AMINES, SOLID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, Methylimidazole, 4-),

Limited Quantity

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** Nο

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IATA** 

UN3259 **UN number** 

Amines, solid, corrosive, n.o.s. (TRIETHYLENETETRAMINE, Methylimidazole, 4-), Limited **UN proper shipping name** 

Quantity

Transport hazard class(es)

8 Class Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 8L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

**UN** number UN3259

AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S. **UN** proper shipping name

(TRIETHYLENETETRAMINE, Methylimidazole, 4-), Limited Quantity

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** 

Marine pollutant Nο F-A. S-B **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code


Material name: DEVCON® Titanium Putty Hardener

5318N Version #: 05 Revision date: 01-August-2023 Issue date: 29-May-2019





### IMDG; TDG



# 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### **Controlled Drugs and Substances Act**

Not regulated.

#### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### **Greenhouse Gases**

Not listed.

#### Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

Phenol (CAS 108-95-2)

#### **Precursor Control Regulations**

Not regulated.

#### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto Protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Glass Oxide (CAS 65997-17-3)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No

Country(s) or region Inventory name On inventory (yes/no)\*

New Zealand New Zealand Inventory Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

#### 16. Other information

Issue date29-May-2019Revision date01-August-2023

Version No. 05

**Disclaimer** ITW Performance Polymers cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

Revision information Physical & Chemical Properties: Multiple Properties

Material name: DEVCON® Titanium Putty Hardener
5318N Version #: 05 Revision date: 01-August-2023 Issue date: 29-May-2019