SAFETY DATA SHEET

1. Identification

Product identifier DEVCON® DFense Blok™ Resin

Other means of identification

SKU# 0053

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name ITW Performance Polymers

Address 35 Brownridge Rd

Unit 1

Halton Hills, ON L7G 0C6

Contact personCustomer ServiceTelephone number978-777-1100

Fax E-mail

Emergency telephone

number

800-424-9300

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazardsSkin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2A

Sensitization, skin Category 1

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Precautionary statement

Prevention Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face

protection. Wear protective gloves.

Response IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: DEVCON® DFense Blok™ Resin sds canada

0053 Version #: 05 Revision date: 16-June-2022 Issue date: 28-May-2019

Chemical name	Common name and synonyms	CAS number	%
Bauxite		92797-42-7	60 - 100
Phenol Polymer With Formaldehyde, Glycidyl Ether		28064-14-4	10 - 30
Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)	Epoxy resin	25068-38-6	7 - 13
2-PROPENENITRILE POLYMER WITH 1,3-BUTADIENE, CARBOXY-TERMINATED POLYMER WITH 2,2'-[(2,2-DIMETHYL-1,3-PROPAN EDIYL)BIS(OXYMETHYLENE)]BIS[OXIRANE]		68909-14-8	0.1 - 1
Neopentyl Glycol Diglycidyl Ether		17557-23-2	0.1 - 1
Other components below reportable	levels		1 - 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Rash. Provide general supportive measures and treat symptomatically. Keep victim under observation.

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Indication of immediate medical attention and special

treatment needed

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good

industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety

shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

9. Physical and chemical properties

Appearance Solid.
Physical state Solid.

Form Solid.

Colour Not available.

Odour Mild.

Odour threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling

range

245 °C (473 °F) estimated

Flash point 485.0 °C (905.0 °F) estimated

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit – upper (%)

Not available.

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

0053 Version #: 05 Revision date: 16-June-2022 Issue date: 28-May-2019

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

2.21 g/cm3 Mixed material Density

Explosive properties Not explosive. Not oxidising **Oxidising properties** Specific gravity 2.21 Mixed material

VOC 0 q/l

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eve contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis, Rash.

Information on toxicological effects

Acute toxicity Not known.

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Material name: DEVCON® DFense Blok™ Resin

SDS CANADA

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No

Material name: DEVCON® DFense Blok™ Resin
0053 Version #: 05 Revision date: 16-June-2022 Issue date: 28-May-2019

Country(s) or region Inventory name On inventory (yes/no)* Europe European Inventory of Existing Commercial Chemical

Substances (EINECS)

European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory No **Philippines** Philippine Inventory of Chemicals and Chemical Substances Nο

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) No Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

16. Other information

Issue date 28-May-2019 16-June-2022 **Revision date**

Version No. 05

Disclaimer ITW Performance Polymers cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

This document has undergone significant changes and should be reviewed in its entirety. **Revision information**

SDS CANADA 0053 Version #: 05 Revision date: 16-June-2022 Issue date: 28-May-2019

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SAFETY DATA SHEET

1. Identification

Product identifier DEVCON® DFense Blok™ Hardener

Other means of identification

SKU# 5203

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name ITW Performance Polymers

Address 35 Brownridge Rd

Unit 1

Halton Hills, ON L7G 0C6

Contact personCustomer ServiceTelephone number978-777-1100

Fax E-mail

Emergency telephone

number

800-424-9300

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 4

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1
Sensitization, respiratory Category 1
Sensitization, skin Category 1A
Reproductive toxicity Category 2

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious

eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection.

Response IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store locked up.

Disposal

Other hazards

Dispose of contents/container in accordance with local/regional/national/international regulations.

None known.

Supplemental information

83.03 % of the mixture consists of component(s) of unknown acute oral toxicity. 84.38 % of the mixture consists of component(s) of unknown acute dermal toxicity. 89.1 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 89.74 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

ľ	۷	1	İ)	(t	u	r	е	S

Chemical name	Common name and synonyms	CAS number	%
4-TERT-BUTYLPHENOL		98-54-4	3 - 7
M-XYLENE-ALPHA,ALPHA NE	A'-DIAMI	1477-55-0	3 - 7
DIETHYLENETRIAMINE		111-40-0	1 - 5
TRIMETHYLHEXAMETHY DIAMINE	LENE	25513-64-8	1 - 5
N-(2-AMINOETHYL)PIPER	AZINE	140-31-8	0.1 - 1
PIPERAZINE		110-85-0	0.1 - 1
Titanium dioxide	Titanium dioxide	13463-67-7	0.1 - 1
Triethanolamine		102-71-6	0.1 - 1
Other components below re	eportable levels		60 - 100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or doctor/physician.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.

Ingestion

Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

5 mg/m3

8. Exposure controls/personal protection

Occupational exposure limits

TRIETHANOLAMINE (CAS

102-71-6)

US. ACGIH Threshold Limit Values Components	Туре	Value	Form
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	1 ppm	
M-XYLENE-ALPHA,ALPHA' -DIAMINE (CAS 1477-55-0)	Ceiling	0.018 ppm	
PIPERAZINE (CAS 110-85-0)	TWA	0.03 ppm	Inhalable fraction and vapour.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

TWA

Components	Туре	Value	
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	4.2 mg/m3	
		1 ppm	
M-XYLENE-ALPHA,ALPHA' -DIAMINE (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
DIETHYLENETRIAMINE (CAS 111-40-0)	TWA	1 ppm	
M-XYLENE-ALPHA,ALPHA' -DIAMINE (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
PIPERAZINE (CAS 110-85-0)	STEL	1 mg/m3	

Material name: DEVCON® DFense Blok™ Hardener

SDS CANADA

5203 Version #: 02 Revision date: 21-July-2022 Issue date: 19-July-2022

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
	TWA	0.3 mg/m3	
itanium dioxide (CAS 3463-67-7)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Total dust.
RIETHANOLAMINE (CAS 02-71-6)	TWA	5 mg/m3	
Canada. Manitoba OELs (Reg. 217/2 Components	2006, The Workplace Safety A Type	nd Health Act) Value	Form
DIETHYLENETRIAMINE	TWA	1 ppm	
CAS 111-40-0)	IVVA	ι μριτι	
M-XYLENE-ALPHA,ALPHA' DIAMINE (CAS 1477-55-0)	Ceiling	0.018 ppm	
PIPERAZINE (CAS 110-85-0)	TWA	0.03 ppm	Inhalable fraction and vapour.
Fitanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
Canada. Ontario OELs. (Control of l	Exposure to Biological or Che Type	mical Agents) Value	Form
<u> </u>			
DIETHYLENETRIAMINE CAS 111-40-0)	TWA	1 ppm	
M-XYLENE-ALPHA,ALPHA' DIAMINE (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
PIPERAZINE (CAS 10-85-0)	TWA	0.03 ppm	Inhalable fraction and vapour.
Titanium dioxide (CAS 3463-67-7)	TWA	10 mg/m3	
RIETHANOLAMINE (CAS 02-71-6)	TWA	3.1 mg/m3	
		0.5 ppm	
Canada. Quebec OELs. (Ministry of Components	Labor - Regulation respecting Type	g occupational health and s Value	afety) Form
DIETHYLENETRIAMINE CAS 111-40-0)	TWA	4.2 mg/m3	
		1 ppm	
M-XYLENE-ALPHA,ALPHA' DIAMINE (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
Fitanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
Canada. Saskatchewan OELs (Occเ Components	-	egulations, 1996, Table 21) Value	
•	Type		
DIETHYLENETRIAMINE CAS 111-40-0)	15 minute	2 ppm	
A VVI ENE ALBUA ALBUAL	8 hour	1 ppm	
M-XYLENE-ALPHA,ALPHA' DIAMINE (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
Fitanium dioxide (CAS 13463-67-7)	15 minute	20 mg/m3	
	8 hour	10 mg/m3	

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)
Components Type Value

TRIETHANOLAMINE (CAS 15 minute 10 mg/m3

102-71-6)

8 hour 5 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Canada - Alberta OELs: Skin designation

DIETHYLENETRIAMINE (CAS 111-40-0)

Can be absorbed through the skin.

M-XYLENE-ALPHA, ALPHA'-DIAMINE (CAS 1477-55-0)

Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

DIETHYLENETRIAMINE (CAS 111-40-0)

Can be absorbed through the skin.

M-XYLENE-ALPHA, ALPHA'-DIAMINE (CAS 1477-55-0) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

DIETHYLENETRIAMINE (CAS 111-40-0)

Can be absorbed through the skin.

M-XYLENE-ALPHA, ALPHA'-DIAMINE (CAS 1477-55-0) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

DIETHYLENETRIAMINE (CAS 111-40-0)

Can be absorbed through the skin.

M-XYLENE-ALPHA, ALPHA'-DIAMINE (CAS 1477-55-0)

Can be absorbed through the skin.

M-XYLENE-ALPHA, ALPHA'-DIAMINE (CAS 1477-55-0) Canada - Quebec OELs: Skin designation

DIETHYLENETRIAMINE (CAS 111-40-0)

M-XYLENE-ALPHA,ALPHA'-DIAMINE (CAS 1477-55-0)

Can be absorbed through the skin.

Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

DIETHYLENETRIAMINE (CAS 111-40-0)

M-XYLENE-ALPHA,ALPHA'-DIAMINE (CAS 1477-55-0)

Can be absorbed through the skin.

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

DIETHYLENETRIAMINE (CAS 111-40-0)

Can be absorbed through the skin.

M-XYLENE-ALPHA, ALPHA'-DIAMINE (CAS 1477-55-0)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Solid. **Appearance Physical state** Solid. **Form** Solid. Colour Amber Odour Ammoniacal. **Odour threshold** Not available. рH Not available. Not available. Melting point/freezing point

Initial boiling point and boiling

range

Not available.

Flash point 100.0 °C (212.0 °F) estimated

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available. Not available.

Explosive limit - upper

(%)

Not available. Vapour pressure Not available. Vapour density Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. Auto-ignition temperature **Decomposition temperature** Not available. Not available. Viscosity

Other information

1.03 g/cm3 estimated Density

Not explosive. **Explosive properties** Oxidising properties Not oxidising. 0.4 % estimated Percent volatile Specific gravity 1.03 estimated

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

Avoid temperatures exceeding the decomposition temperature. Avoid temperatures exceeding the Conditions to avoid

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. May cause allergy or asthma symptoms or

breathing difficulties if inhaled. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Eye contact Causes serious eye damage. Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

Triethanolamine (CAS 102-71-6)

Acute Dermal

LD50 Rabbit > 20000 mg/kg

Oral

LD50 Rat 8 g/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitisation

ACGIH sensitisation

PIPERAZINE AND SALTS, INHALABLE FRACTION AND Dermal sensitisation

VAPOR, AS PIPERAZINE (CAS 110-85-0)

Respiratory sensitisation

Canada - Alberta OELs: Irritant

DIETHYLENETRIAMINE (CAS 111-40-0) Irritant
M-XYLENE-ALPHA,ALPHA'-DIAMINE (CAS 1477-55-0) Irritant
Titanium dioxide (CAS 13463-67-7) Irritant
Triethanolamine (CAS 102-71-6) Irritant

Canada - British Columbia OELs: Respiratory or skin sensitiser

DIETHYLENETRIAMINE (CAS 111-40-0) Capable of causing sensitization

Canada - Manitoba OELs Hazard: Dermal sensitization

PIPERAZINE (CAS 110-85-0) Dermal sensitisation

Canada - Manitoba OELs Hazard: Respiratory sensitization

PIPERAZINE (CAS 110-85-0) Respiratory sensitisation

Canada - Quebec OELs: Sensitizer

Triethanolamine (CAS 102-71-6) Sensitiser.

Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

PIPERAZINE (CAS 110-85-0)

A4 Not classifiable as a human carcinogen.

A4 Not classifiable as a human carcinogen.

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

PIPERAZINE (CAS 110-85-0)

Not classifiable as a human carcinogen.

Titanium dioxide (CAS 13463-67-7)

Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

Triethanolamine (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

toxicity - Not classified.

single exposure

Specific target organ toxicity - Not cl

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

PIPERAZINE -1.17Triethanolamine

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN3263 **UN number**

UN proper shipping name CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Diethylenetriamine,

TRIMETHYLHEXAMETHYLENEDIAMINE), Limited Quantity

Transport hazard class(es)

Class 8 Subsidiary risk Packing group Ш

Environmental hazards Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN3263 **UN number**

Corrosive solid, basic, organic, n.o.s. (Diethylenetriamine, **UN proper shipping name**

TRIMETHYLHEXAMETHYLENEDIAMINE)

Transport hazard class(es)

Class 8 Subsidiary risk Packing group Ш **Environmental hazards** Nο **ERG Code** 81

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

UN3263 **UN** number

CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Diethylenetriamine, **UN proper shipping name**

TRIMETHYLHEXAMETHYLENEDIAMINE), Limited Quantity

Transport hazard class(es)

8 **Class** Subsidiary risk Ш Packing group **Environmental hazards**


Marine pollutant No. **EmS** F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code



15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date19-July-2022Revision date21-July-2022

Version No. 02

Disclaimer ITW Performance Polymers cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

Revision information Exposure controls/personal protection: Respiratory protection