# SAFETY DATA SHEET

### 1. Identification

Product identifier Devcon Wetsurface Repair Putty Hardener

Other means of identification

SKU# 11801 (Hardener)

Recommended use Not available.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name ITW Performance Polymers

Address 35 Brownridge Rd

Unit 1

Halton Hills, ON L7G 0C6

Contact personCustomer ServiceTelephone number978-777-1100

Fax E-mail

**Emergency telephone** 

number

800-424-9300

Supplier Not available.

## 2. Hazard identification

Physical hazards Not classified.

Health hazardsSkin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1

Sensitization, skin Category 1

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious

eye damage.

**Precautionary statement** 

Prevention Do not breathe mist/vapours. Wash thoroughly after handling. Contaminated work clothing should

not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection.

Response IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental information** 23 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 23 % of the

mixture consists of component(s) of unknown acute hazards to the aquatic environment. 3 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

## 3. Composition/information on ingredients

_	-				
n	л	ľ	***	re	

Chemical name	Common name and synonyms	CAS number	%
1,3-PROPANEDIAMINE, N-[3-(TRIDECYLOXY)PROPYL]-, BRANCHED		68479-04-9	20 - < 30
2,4,6-tris-(dimethylaminomethyl)-ph enol		90-72-2	3 - < 5
Other components below reportable	e levels		60 - 100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Call a physician

or poison control centre immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.

Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

Ingestion

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

the chemical

Special protective equipment and precautions for firefighters

Specific hazards arising from

Fire fighting

equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

#### **Environmental precautions**

11801 (Hardener) Version #: 03 Revision date: 31-July-2023 Issue date: 06-February-2022

## 7. Handling and storage

Precautions for safe handling

Do not breathe mist/vapours. Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

## 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield. Face shield is

recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

# 9. Physical and chemical properties

Paste. **Appearance Physical state** Liquid. Paste. **Form** 

Off-white. Colour Odour Amine

**Odour threshold** Not available. Not available. Ha

Melting point/freezing point Initial boiling point and boiling

range

>260 °C (>500 °F)

Not available.

Flash point >149.0 °C (>300.2 °F)

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Not available. Explosive limit - lower (%) Explosive limit - upper Not available.

(%)

<1 mm Hg Vapour pressure

0.000003 hPa estimated

Vapour density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient (n-octanol/water)

Not available.

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

1.48 g/cm3 Density **Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Not oxidising Oxidising properties

1.48 Specific gravity

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Eye contact Causes serious eye damage. Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

### Information on toxicological effects

Not known. Acute toxicity

**Test Results** Components **Species** 

2,4,6-tris-(dimethylaminomethyl)-phenol (CAS 90-72-2)

Acute **Dermal** 

LD50 Rat 1280 mg/kg

Oral

LD50 Rat 1200 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Not a respiratory sensitiser. Respiratory sensitisation

May cause an allergic skin reaction. Skin sensitisation

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not available.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

11801 (Hardener) Version #: 03 Revision date: 31-July-2023 Issue date: 06-February-2022

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** 

Not an aspiration hazard.

## 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

No data available. No data available.

Mobility in soil Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

**TDG** 

**UN** number UN2735

**UN** proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-PROPANEDIAMINE, N-[3-(TRIDECYLOXY)PROPYL]-, BRANCHED), Limited Quantity

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** No.

IATA

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**UN** number UN2735

UN proper shipping name

Amines, liquid, corrosive, n.o.s. (1,3-PROPANEDIAMINE, N-[3-(TRIDECYLOXY)PROPYL]-,

BRANCHED), Limited Quantity

Transport hazard class(es)

Class 8 Subsidiary risk Packing group Ш **Environmental hazards** No. **ERG Code** 81

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

**UN number** 

UN2735

11801 (Hardener) Version #: 03 Revision date: 31-July-2023 Issue date: 06-February-2022

**UN proper shipping name** 

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (1,3-PROPANEDIAMINE, N-[3-(TRIDECYLOXY)PROPYL]-, BRANCHED), Limited Quantity

Transport hazard class(es)

8 Class Subsidiary risk Ш **Packing group** 

**Environmental hazards** 

Marine pollutant No. EmS F-A, S-B

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling. **ansport in bulk according to** Not established.


Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA



IMDG; TDG



# 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

# **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto Protocol** 

Not applicable.

**Montreal Protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region Inventory name On inventory (yes/no)\* China Inventory of Existing Chemical Substances in China (IECSC) Europe Yes

European Inventory of Existing Commercial Chemical

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand **New Zealand Inventory** Yes Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

### 16. Other information

06-February-2022 Issue date 31-July-2023 **Revision date** 

Version No. 03

ITW Performance Polymers cannot anticipate all conditions under which this information and its Disclaimer

> product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

Product and Company Identification: Product Registration Numbers **Revision information** 

> Hazard identification: Disposal Hazard identification: Prevention Hazard identification: Response Hazard identification: Storage Hazard identification: Other hazards

Hazard identification: Supplemental information

Accidental release measures: Methods and materials for containment and cleaning up

Stability and reactivity: Conditions to avoid Transport information: General information

Other information: References

Other information: List of abbreviations

Material name: Devcon Wetsurface Repair Putty Hardener

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).