

SAFETY DATA SHEET

Version #: 07

Issue date: 01-24-2020

Revision date: 08-03-2023

Supersedes date: 07-11-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture PLEXUS® H4110 Activator

Registration number -

Synonyms None.

SKU# 41104

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150
Shannon Industrial Estate
Co. Clare
Ireland
V14 DF82

Contact Person Customer Service

Telephone Number 353(61)771500
353(61)471285

Email customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Austria National Poisons Information Center +431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Belgium National Poisons Control Center 070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Bulgaria National Toxicological Information Center +359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Czech Republic National Poisons Information Center +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Center (09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.

Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard	Category 2	H411 - Toxic to aquatic life with long lasting effects.
--	------------	---

2.2. Label elements

UFI:

Austria: ECC0-N0WX-0002-4U16
 Belgium: ECC0-N0WX-0002-4U16
 Bulgaria: ECC0-N0WX-0002-4U16
 Croatia: ECC0-N0WX-0002-4U16
 Cyprus: ECC0-N0WX-0002-4U16
 Czech Republic: ECC0-N0WX-0002-4U16
 Denmark: ECC0-N0WX-0002-4U16
 Estonia: ECC0-N0WX-0002-4U16
 EU: ECC0-N0WX-0002-4U16
 Finland: ECC0-N0WX-0002-4U16
 France: ECC0-N0WX-0002-4U16
 Germany: ECC0-N0WX-0002-4U16
 Greece: ECC0-N0WX-0002-4U16
 Hungary: ECC0-N0WX-0002-4U16
 Iceland: ECC0-N0WX-0002-4U16
 Ireland: ECC0-N0WX-0002-4U16
 Italy: ECC0-N0WX-0002-4U16
 Latvia: ECC0-N0WX-0002-4U16
 Lithuania: ECC0-N0WX-0002-4U16
 Luxembourg: ECC0-N0WX-0002-4U16
 Malta: ECC0-N0WX-0002-4U16
 Netherlands: ECC0-N0WX-0002-4U16
 Norway: ECC0-N0WX-0002-4U16
 Poland: ECC0-N0WX-0002-4U16
 Portugal: ECC0-N0WX-0002-4U16
 Romania: ECC0-N0WX-0002-4U16
 Slovakia: ECC0-N0WX-0002-4U16
 Slovenia: ECC0-N0WX-0002-4U16
 Spain: ECC0-N0WX-0002-4U16
 Sweden: ECC0-N0WX-0002-4U16

Contains:

3-(trimethoxysilyl)propyl Glycidyl Ether, DIBUTYLTIN DI(ACETATE), reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

Hazard pictograms



Signal word

Warning

Hazard statements

H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P261 Avoid breathing mist/vapors.
 P264 Wash thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear eye protection/face protection.
 P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337 + P313 If eye irritation persists: Get medical advice/attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P391 Collect spillage.

Storage

Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

52% of the mixture consists of component(s) of unknown acute oral toxicity. 52% of the mixture consists of component(s) of unknown acute inhalation toxicity. 52% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 2% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	50 - < 60	25068-38-6 500-033-5	01-2119456619-26-0000	603-074-00-8	
Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Aquatic Chronic 2;H411					
Specific Concentration Limits: Skin Irrit. 2;H315: C ≥ 5 %, Eye Irrit. 2;H319: C ≥ 5 %					
3-(trimethoxysilyl)propyl Glycidyl Ether	1 - < 3	2530-83-8 219-784-2	-	-	
Classification: -					
DIBUTYLTIN DI(ACETATE)	< 1	1067-33-0 213-928-8	-	-	
Classification: Acute Tox. 2;H300;(ATE: 32 mg/kg bw)					
Other components below reportable levels	40 - < 50				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tons;

Upper-tier requirements = 500 tons)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits****Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended**

Components	Type	Value	Form
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	MAK	0,1 mg/m ³	Inhalable dust.
	STEL	0,2 mg/m ³	Inhalable dust.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	TWA	0,1 mg/m ³

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	MAC	0,1 mg/m ³
	STEL	0,2 mg/m ³

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	Ceiling	0,2 mg/m ³
	TWA	0,1 mg/m ³

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	TLV	0,1 mg/m ³

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,3 mg/m ³
	TWA	0,1 mg/m ³

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	VLE	0,2 mg/m ³
	Regulatory status: Indicative limit (VL)	
	VME	0,1 mg/m ³
	Regulatory status: Indicative limit (VL)	

Greece. OELs, Presidential Decree No. 307/1986, as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	TWA	0,02 mg/m ³

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,05 mg/m ³
		0,002 ppm
	TWA	0,1 mg/m ³

Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	TLV	0,1 mg/m ³

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,15 mg/m ³
	TWA	0,05 mg/m ³

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	TWA	0,009 mg/m ³
		0,0018 ppm

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Type	Value
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³
	TWA	0,1 mg/m ³

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components	Type	Value	Form
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³	Total dust.
	TWA	0,1 mg/m ³	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Type	Value	Form
DIBUTYLtin DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m ³	Inhalable fraction.
	TWA	0,1 mg/m ³	Inhalable fraction.

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Type	Value
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	STEL	0,2 mg/m3
	TWA	0,1 mg/m3
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedures.	
Derived no effect levels (DNELs)	Not available.	
Predicted no effect concentrations (PNECs)	Not available.	
Exposure guidelines		
Austria MAK: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Belgium OELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Czech Republic PELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Denmark GV: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Estonia OELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Finland Exposure Limit Values: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Greece OEL: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Hungary OELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Iceland OELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Italy OELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Danger of cutaneous absorption	
Lithuania OELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Norway Exposure Limit Values: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Portugal VLEs Norm on Occupatioinal Exposure: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Slovakia OELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Spain OELs: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
Sweden Threshold Limit Values: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	
UK EH40 WEL: Skin designation		
DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)	Can be absorbed through the skin.	

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
---	--

Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves.
- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Color	Dark grey
Odor	Slight.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not applicable.
Flash point	>392,0 °F (>200,0 °C)
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
pH	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapor pressure	Not available.
Density and/or relative density	
Density	1,55 g/cm ³ 1,16 g/cm ³ estimated
Vapor density	Not available.
Particle characteristics	Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity 1,55

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
----------------------------	--

Material name: PLEXUS® H4110 Activator

41104 Version #: 07 Revision date: 08-03-2023 Issue date: 01-24-2020

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Components	Species	Test Results
------------	---------	--------------

DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)

Acute**Oral**

LD50

Rat

32 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity Not applicable.

Specific target organ toxicity - single exposure Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance information No information available.

11.2. Information on other hazards

Endocrine disrupting properties This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential**Partition coefficient****n-octanol/water (log Kow)**

DIBUTYLTIN DI(ACETATE)

1,27

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)

Tin (Sn) 10 MG/KG

Tin (Sn) 300 MG/KG

Tin (Sn) 50 MG/KG

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

RID

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

ADN

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IATA

14.1. UN number	UN3082
14.2. UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700))
14.3. Transport hazard class(es)	
Class	9
Subsidiary risk	-

14.4. Packing group III
 14.5. Environmental hazards Yes
 ERG Code 9L
 14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information


Passenger and cargo aircraft Allowed with restrictions.
 Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN3082
 14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)), MARINE POLLUTANT
 14.3. Transport hazard class(es)
 Class 9
 Subsidiary risk -
 14.4. Packing group III
 14.5. Environmental hazards
 Marine pollutant Yes
 EmS F-A, S-F
 14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

14.7. Maritime transport in bulk according to IMO instruments Not established.

IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

DIBUTYL TIN DI(ACETATE) (CAS 1067-33-0)

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

DIBUTYLTIN DI(ACETATE) (CAS 1067-33-0)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: ECC0-N0WX-0002-4U16
Belgium: ECC0-N0WX-0002-4U16
Bulgaria: ECC0-N0WX-0002-4U16
Croatia: ECC0-N0WX-0002-4U16
Cyprus: ECC0-N0WX-0002-4U16
Czech Republic: ECC0-N0WX-0002-4U16
Denmark: ECC0-N0WX-0002-4U16
Estonia: ECC0-N0WX-0002-4U16
EU: ECC0-N0WX-0002-4U16
Finland: ECC0-N0WX-0002-4U16
France: ECC0-N0WX-0002-4U16
Germany: ECC0-N0WX-0002-4U16
Greece: ECC0-N0WX-0002-4U16
Hungary: ECC0-N0WX-0002-4U16
Iceland: ECC0-N0WX-0002-4U16
Ireland: ECC0-N0WX-0002-4U16
Italy: ECC0-N0WX-0002-4U16
Latvia: ECC0-N0WX-0002-4U16
Lithuania: ECC0-N0WX-0002-4U16
Luxembourg: ECC0-N0WX-0002-4U16
Malta: ECC0-N0WX-0002-4U16
Netherlands: ECC0-N0WX-0002-4U16
Norway: ECC0-N0WX-0002-4U16
Poland: ECC0-N0WX-0002-4U16
Portugal: ECC0-N0WX-0002-4U16
Romania: ECC0-N0WX-0002-4U16
Slovakia: ECC0-N0WX-0002-4U16
Slovenia: ECC0-N0WX-0002-4U16
Spain: ECC0-N0WX-0002-4U16
Sweden: ECC0-N0WX-0002-4U16

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended
- Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances
Hazard categories in accordance with Regulation (EC) No 1272/2008
- E2 Hazardous to the Aquatic Environment Chronic

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight \leq 700) (CAS 25068-38-6)

Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51

Product registration number

Austria UFI: ECC0-N0WX-0002-4U16
Belgium UFI: ECC0-N0WX-0002-4U16
Czech Republic UFI: ECC0-N0WX-0002-4U16

Denmark	UFI: ECC0-N0WX-0002-4U16
European Union	UFI: ECC0-N0WX-0002-4U16
Finland	UFI: ECC0-N0WX-0002-4U16
France	UFI: ECC0-N0WX-0002-4U16
Germany	UFI: ECC0-N0WX-0002-4U16
Greece	UFI: ECC0-N0WX-0002-4U16
Hungary	UFI: ECC0-N0WX-0002-4U16
Italy	UFI: ECC0-N0WX-0002-4U16
Netherlands	UFI: ECC0-N0WX-0002-4U16
Norway	UFI: ECC0-N0WX-0002-4U16
Poland	UFI: ECC0-N0WX-0002-4U16
Portugal	UFI: ECC0-N0WX-0002-4U16
Slovakia	UFI: ECC0-N0WX-0002-4U16
Slovenia	UFI: ECC0-N0WX-0002-4U16
Spain	UFI: ECC0-N0WX-0002-4U16
Sweden	UFI: ECC0-N0WX-0002-4U16
Switzerland	UFI: ECC0-N0WX-0002-4U16

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
 AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
 CAS: Chemical Abstract Service.
 CEN: European Committee for Standardization.
 IATA: International Air Transport Association.
 IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
 IMDG: International Maritime Dangerous Goods.
 MAC: Maximum Allowed Concentration.
 MARPOL: International Convention for the Prevention of Pollution from Ships.
 PBT: Persistent, bioaccumulative and toxic.
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
 STEL: Short term exposure limit.
 TLV: Threshold Limit Value.
 TWA: Time Weighted Average.
 VLE: Exposure Limit Value.
 VME: Exposure Average Value.
 vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H300 Fatal if swallowed.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H411 Toxic to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.