SAFETY DATA SHEET

Version #: 06

Issue date: 05-29-2019 Revision date: 07-31-2023 Supersedes date: 06-25-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Ultra Quartz™ Crystal

Registration number

None. Synonyms 5200 SKU#

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service Telephone Number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® Ultra Quartz™ Crystal 5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

113

Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye irritation.

Skin sensitization H317 - May cause an allergic skin Category 1

reaction.

Environmental hazards

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long lasting effects. long-term aquatic hazard

2.2. Label elements

5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019

Material name: DEVCON® Ultra Quartz™ Crystal

Label according to Regulation (EC) No. 1272/2008 as amended

Austria: HP80-Y0HM-G00R-M7Y6 Belgium: HP80-Y0HM-G00R-M7Y6 Bulgaria: HP80-Y0HM-G00R-M7Y6 Croatia: HP80-Y0HM-G00R-M7Y6 Cyprus: HP80-Y0HM-G00R-M7Y6

Czech Republic: HP80-Y0HM-G00R-M7Y6 Denmark: HP80-Y0HM-G00R-M7Y6 Estonia: HP80-Y0HM-G00R-M7Y6 EU: HP80-Y0HM-G00R-M7Y6 Finland: HP80-Y0HM-G00R-M7Y6 France: HP80-Y0HM-G00R-M7Y6 Germany: HP80-Y0HM-G00R-M7Y6 Greece: HP80-Y0HM-G00R-M7Y6 Hungary: HP80-Y0HM-G00R-M7Y6 Iceland: HP80-Y0HM-G00R-M7Y6 Ireland: HP80-Y0HM-G00R-M7Y6 Italy: HP80-Y0HM-G00R-M7Y6 Latvia: HP80-Y0HM-G00R-M7Y6 Lithuania: HP80-Y0HM-G00R-M7Y6 Luxembourg: HP80-Y0HM-G00R-M7Y6 Malta: HP80-Y0HM-G00R-M7Y6 Netherlands: HP80-Y0HM-G00R-M7Y6 Norway: HP80-Y0HM-G00R-M7Y6 Poland: HP80-Y0HM-G00R-M7Y6 Portugal: HP80-Y0HM-G00R-M7Y6 Romania: HP80-Y0HM-G00R-M7Y6

Slovakia: HP80-Y0HM-G00R-M7Y6 Slovenia: HP80-Y0HM-G00R-M7Y6 Spain: HP80-Y0HM-G00R-M7Y6 Sweden: HP80-Y0HM-G00R-M7Y6

Contains: oxirane, mono[(C12-14-alkyloxy)methyl] derivs., Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-,

polymers, reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular

weight ≤ 700), Yellow Pigment

Hazard pictograms



Signal word Warning

Hazard statements

Causes skin irritation. H315

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention

P261 Avoid breathing mist/vapors. Wash thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273 Wear eye protection/face protection. P280

Wear protective gloves. P280

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Not available. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Genera	into	rmatii	nη

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl polymers	70 - < 80]-,	25085-99-8 -	-	-	
Classificatio	n: Skin Irrit. 2;	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	10 - < 20	68609-97-2 271-846-8	-	603-103-00-4	
Classificatio	n: Skin Irrit. 2;	;H315, Skin Sens. 1;	H317		
Yellow Pigment	3 - < 5	68186-90-3 269-052-1	-	051-003-00-9	#
Classificatio		4;H302;(ATE: 500 natic Chronic 2;H411	ng/kg bw), Acute Tox. 4;H33	2;(ATE: 11	
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	< 1	25068-38-6 500-033-5	-	603-074-00-8	
· ·	n: Skin Irrit. 2; Chronic 2:H		319, Skin Sens. 1;H317, Aqu	atic	

Other components below reportable levels

Specific Concentration Limits: Skin Irrit. 2;H315: C ≥ 5 %, Eye Irrit. 2;H319: C ≥ 5 %

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

and special treatment needed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Provide general supportive measures and treat symptomatically. Keep victim under observation. 4.3. Indication of any immediate medical attention Symptoms may be delayed.

SECTION 5: Firefighting measures

Material name: DEVCON® Ultra Quartz™ Crystal

No unusual fire or explosion hazards noted. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019

SDS FII

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Туре	Value	Form
Yellow Pigment (CAS	STEL	1,5 mg/m3	Inhalable fraction.
68186-90-3)			

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	туре	value
Yellow Pigment (CAS	TWA	0,5 mg/m3
68186-90-3)		

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended Components Type Value

Yellow Pigment (CAS	TWA	0,5 mg/m3
68186-90-3)		

5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019

Components	Туре	Value	
Yellow Pigment (CAS 68186-90-3)	TWA	2 mg/m3	
Estonia. OELs. Occupational Ex Components	posure Limits of Hazardous Sub Type	stances (Regulation No. 10 Value	5/2001, Annex), as amended
Yellow Pigment (CAS 68186-90-3)	TWA	2 mg/m3	
France. Threshold Limit Values Components	(VLEP) for Occupational Exposu Type	re to Chemicals in France, l Value	INRS ED 984
Yellow Pigment (CAS 68186-90-3)	VME	2 mg/m3	
Regulatory status: Regula	tory indicative (VRI)	0.5	
Regulatory status: Indicati	ive limit (VL)	0,5 mg/m3	
	es in the Ambient Air at the Work	rnlace	
Components	Type	Value	Form
Yellow Pigment (CAS 68186-90-3)	AGW	2 mg/m3	Inhalable fraction.
Hungary. OELs. Decree on prote Components	ection of workers exposed to che Type	emical agents (5/2020. (II.6)) Value	, Annex 1&2, as amended
Yellow Pigment (CAS 68186-90-3)	STEL	2 mg/m3	
lreland. OELVs, Schedules 1 & 2 Components	, Code of Practice for Chemical Type	Agents and Carcinogens Ro Value	egulations
Yellow Pigment (CAS 68186-90-3)	TWA	2 mg/m3	
	osure Limits of Chemical Substa	nces at Workplace (Reg. No	o. 325/ 2007, L.V. 80, Annex
1), as amended Components	Туре	Value	
Yellow Pigment (CAS	TWA	2 mg/m3	
68186-90-3)	1777	2 mg/mo	
-	exposure Limit Values for Chemi	cal Substances (Hygiene N	orm HN 23:2011; Order No.
V-824/A1-389), as amended Components	Туре	Value	
Yellow Pigment (CAS	TWA	2 mg/m3	
68186-90-3)		- (A	
n ° 235/2016, as amended	cupational Exposure Limit Value	S (Annex I), G.D.R. of 14 No	vember 2016, OJ Memoriai A
Components	Туре	Value	
Yellow Pigment (CAS 68186-90-3)	TWA	2 mg/m3	
Malta. OELs. Protection of Healt Schedules I and V), as amended	h and Safety of Workers from Ri	sks related to Chemical Ago	ents at Work (L.N 227/2003
Components	Туре	Value	
Yellow Pigment (CAS 68186-90-3)	TWA	2 mg/m3	
Netherlands. OELs per Annex XI amended	III of Working Conditions Regula	tion (Staatscourant no. 252	, 29 December 2006), as
	Turne	Value	
Components	Туре	Value	

Components	Туре	Value	
Yellow Pigment (CAS 68186-90-3)	TLV	0,5 mg/m3	
1286/2018, Annex 1)	concentrations and intensities o	f harmful factors in the work	environment (Dz.U.Poz.
Components	Туре	Value	
Yellow Pigment (CAS 68186-90-3)	STEL	30 mg/m3	
Portugal. Decree-Law No. 24/20	12, Occupational Exposure Limi	t Values, Annex II, as amend	ed
Components	Type	Value	
Yellow Pigment (CAS 68186-90-3)	TWA	2 mg/m3	
Romania OFI s Limit Values of		/D	045 Ammov 4 204 as
amended)	Chemical Agents at Workplace	(Regulation 1.218/2006, M.O	645, Annex 1, 3&4, as
amended)	Type	(Regulation 1.218/2006, M.O Value	845, Annex 1, 3&4, as
amended) Components Yellow Pigment (CAS 68186-90-3)			645, Annex 1, 3&4, as
amended) Components Yellow Pigment (CAS 68186-90-3) Slovenia. OELs. Occupational E	Type TWA Exposure Limits of Chemicals at	Value 0,5 mg/m3	
amended) Components Yellow Pigment (CAS	Type TWA Exposure Limits of Chemicals at	Value 0,5 mg/m3	
amended) Components Yellow Pigment (CAS 68186-90-3) Slovenia. OELs. Occupational E due to Exp. to Chemicals at Wor Components Yellow Pigment (CAS	Type TWA Exposure Limits of Chemicals at rk, Annex I), as amended	Value 0,5 mg/m3 Workplace (Reg. on Protection	on of Workers from Risks
amended) Components Yellow Pigment (CAS 68186-90-3) Slovenia. OELs. Occupational E due to Exp. to Chemicals at Wor Components Yellow Pigment (CAS 68186-90-3)	Type TWA Exposure Limits of Chemicals at rk, Annex I), as amended Type TWA	Value 0,5 mg/m3 Workplace (Reg. on Protection Value 2 mg/m3	on of Workers from Risks
amended) Components Yellow Pigment (CAS 68186-90-3) Slovenia. OELs. Occupational E due to Exp. to Chemicals at Wor Components Yellow Pigment (CAS 68186-90-3) Switzerland. SUVA Grenzwerte	Type TWA Exposure Limits of Chemicals at rk, Annex I), as amended Type TWA	Value 0,5 mg/m3 Workplace (Reg. on Protection Value 2 mg/m3	on of Workers from Risks
amended) Components Yellow Pigment (CAS 68186-90-3) Slovenia. OELs. Occupational Edue to Exp. to Chemicals at Wolcomponents Yellow Pigment (CAS 68186-90-3) Switzerland. SUVA Grenzwerte & Components Yellow Pigment (CAS	Type TWA Exposure Limits of Chemicals at rk, Annex I), as amended Type TWA TWA TWA	Value 0,5 mg/m3 Workplace (Reg. on Protection Value 2 mg/m3 Werte	on of Workers from Risks Form Inhalable fraction.
amended) Components Yellow Pigment (CAS 68186-90-3) Slovenia. OELs. Occupational Edue to Exp. to Chemicals at Work Components Yellow Pigment (CAS 68186-90-3) Switzerland. SUVA Grenzwerte at Components Yellow Pigment (CAS 68186-90-3) EU. Indicative Exposure Limit V	Type TWA Exposure Limits of Chemicals at rk, Annex I), as amended Type TWA TWA am Arbeitsplatz: Aktuelle MAK-V Type TWA	Value 0,5 mg/m3 Workplace (Reg. on Protection Value 2 mg/m3 Verte Value 0,5 mg/m3	on of Workers from Risks Form Inhalable fraction. Form Inhalable fraction.
amended) Components Yellow Pigment (CAS 68186-90-3) Slovenia. OELs. Occupational E due to Exp. to Chemicals at Wo	Type TWA Exposure Limits of Chemicals at rk, Annex I), as amended Type TWA TWA am Arbeitsplatz: Aktuelle MAK-V Type TWA	Value 0,5 mg/m3 Workplace (Reg. on Protection Value 2 mg/m3 Verte Value 0,5 mg/m3	on of Workers from Risks Form Inhalable fraction. Form Inhalable fraction.

Biological limit values

Hungary. BELs. Decree Components	Value	Determinant	Specimen	Sampling Time
Yellow Pigment (CAS 68186-90-3)	0,022 µmol/mmol	chromium	Creatinine in urine	*
	0,01 mg/g	chromium	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Recommended monitoring Follow standard monitoring procedures. procedures Derived no effect levels Not available. (DNELs) Not available. Predicted no effect concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles). Face shield is recommended. Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColorBrown.OdorSlight.

Melting point/freezing point Not available.

Boiling point or initial boiling point and boiling range

608 °F (320 °C) estimated

Flammability Not applicable.

Flash point 265,0 °F (129,4 °C) estimated

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure Not available.

Density and/or relative density

Density 1,33 g/cm3 estimated

Vapor densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Specific gravity 1,33 estimated

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Material name: DEVCON® Ultra Quartz™ Crystal

5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019 8 / 1

Causes skin irritation. May cause an allergic skin reaction. Skin contact

Causes serious eye irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms**

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not known. **Acute toxicity**

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

May cause an allergic skin reaction. Skin sensitization

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Yellow Pigment (CAS 68186-90-3) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria 12.1. Toxicity

are not met for hazardous to the aquatic environment, acute hazard.

No data is available on the degradability of any ingredients in the mixture.

12.2. Persistence and degradability

No data available. 12.3. Bioaccumulative potential Not available. Partition coefficient

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF) No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019

Material name: DEVCON® Ultra Quartz™ Crystal

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.

14.4. Packing group - **14.5. Environmental hazards** No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk - 14.4. Packing group -

14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Yellow Pigment (CAS 68186-90-3)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: HP80-Y0HM-G00R-M7Y6 Belgium: HP80-Y0HM-G00R-M7Y6 Bulgaria: HP80-Y0HM-G00R-M7Y6 Croatia: HP80-Y0HM-G00R-M7Y6 Cyprus: HP80-Y0HM-G00R-M7Y6

Czech Republic: HP80-Y0HM-G00R-M7Y6 Denmark: HP80-Y0HM-G00R-M7Y6 Estonia: HP80-Y0HM-G00R-M7Y6 EU: HP80-Y0HM-G00R-M7Y6 Finland: HP80-Y0HM-G00R-M7Y6 France: HP80-Y0HM-G00R-M7Y6 Germany: HP80-Y0HM-G00R-M7Y6 Greece: HP80-Y0HM-G00R-M7Y6 Hungary: HP80-Y0HM-G00R-M7Y6 Iceland: HP80-Y0HM-G00R-M7Y6 Ireland: HP80-Y0HM-G00R-M7Y6 Italy: HP80-Y0HM-G00R-M7Y6 Latvia: HP80-Y0HM-G00R-M7Y6 Lithuania: HP80-Y0HM-G00R-M7Y6 Luxembourg: HP80-Y0HM-G00R-M7Y6 Malta: HP80-Y0HM-G00R-M7Y6 Netherlands: HP80-Y0HM-G00R-M7Y6 Norway: HP80-Y0HM-G00R-M7Y6 Poland: HP80-Y0HM-G00R-M7Y6 Portugal: HP80-Y0HM-G00R-M7Y6 Romania: HP80-Y0HM-G00R-M7Y6 Slovakia: HP80-Y0HM-G00R-M7Y6

Slovenia: HP80-Y0HM-G00R-M7Y6 Spain: HP80-Y0HM-G00R-M7Y6 Sweden: HP80-Y0HM-G00R-M7Y6

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Material name: DEVCON® Ultra Quartz™ Crystal
5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Yellow Pigment (CAS 68186-90-3)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers Maladies professionnelles provoquées par les résines

(CAS 25085-99-8)

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

(CAS 25068-38-6)

Yellow Pigment (CAS 68186-90-3)

époxydiques et leurs constituants 51

Maladies professionnelles provoquées par les résines

époxydiques et leurs constituants 51

Maladies professionnelles causées par l'antimoine et ses dérivés

Product registration number

Austria UFI: HP80-Y0HM-G00R-M7Y6 **Belgium** UFI: HP80-Y0HM-G00R-M7Y6 **Czech Republic** UFI: HP80-Y0HM-G00R-M7Y6 UFI: HP80-Y0HM-G00R-M7Y6 **Denmark European Union** UFI: HP80-Y0HM-G00R-M7Y6 **Finland** UFI: HP80-Y0HM-G00R-M7Y6 **France** UFI: HP80-Y0HM-G00R-M7Y6 Germany UFI: HP80-Y0HM-G00R-M7Y6 UFI: HP80-Y0HM-G00R-M7Y6 Greece UFI: HP80-Y0HM-G00R-M7Y6 Hungary UFI: HP80-Y0HM-G00R-M7Y6 Italy UFI: HP80-Y0HM-G00R-M7Y6 **Netherlands** UFI: HP80-Y0HM-G00R-M7Y6 Norway UFI: HP80-Y0HM-G00R-M7Y6 **Poland** UFI: HP80-Y0HM-G00R-M7Y6 **Portugal** Slovakia UFI: HP80-Y0HM-G00R-M7Y6 Slovenia UFI: HP80-Y0HM-G00R-M7Y6 **Spain** UFI: HP80-Y0HM-G00R-M7Y6 Sweden UFI: HP80-Y0HM-G00R-M7Y6 **Switzerland** UFI: HP80-Y0HM-G00R-M7Y6

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent. bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

Material name: DEVCON® Ultra Quartz™ Crystal

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

None.

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® Ultra Quartz™ Crystal

SDS EU 5200 Version #: 06 Revision date: 07-31-2023 Issue date: 05-29-2019