## SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	DEVCON® Wear Guard™ 300RTC Hardener-	
Registration number	-	
Product registration number	UFI: 7N05-N1VM-4006-4R1S	
Synonyms	None.	
SKU#	5209	
Issue date	01-August-2023	
Version number	02	
Revision date	03-December-2024	
Supersedes date	01-August-2023	
1.2. Relevant identified uses of Identified uses	the substance or mixture and uses advised against Not available.	
Uses advised against	None known.	
1.3. Details of the supplier of the	e safety data sheet	
Company name	ITW Performance Polymers	
Address	Bay 150	
	Shannon Industrial Estate	
	Co. Clare	
	Ireland	
	V14 DF82	
Contact person	Customer Service	
Telephone number	353(61)771500	
E I	353(61)471285	
Email	customerservice.shannon@itwpp.com	
Emergency phone number	44(0) 1235 239 670 (24 hours)	
1.4. Emergency telephone numl General emergency	<b>per</b> 112 or 999 SDS/Product information may not be available for the Emergency Service.	
Non-emergency medical helpline	111 SDS/Product information may not be available for the Emergency Service.	

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies. The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725.

#### Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Skin corrosion/irritation	Category 1C	H314 - Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.

#### 2.2. Label elements

Signal word

Label according to Regulatio	n (EC) No. 1272/2008 as amended	
Contains:	4,4'-methylenedicyclohexaneamine, N,N'-BIS(3-AMINOPROPYL)ETHYLENEDIAMINE	
Hazard pictograms		

Danger

Hazard statements					
H314	Causes severe s	kin burns and eye da	nage.		
H318	Causes serious eye damage.				
Precautionary statements Prevention					
P260	Do not breathe dust or mists.				
P264		Wash thoroughly after handling.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.				
Response					
P301 + P330 + P331		): rinse mouth. Do NO	-		
P303 + P361 + P353 P363		ted clothing before re	tely all contaminated clothing	g. Rinse skin witr	n water/shower.
P303 P304 + P340		•	air and keep comfortable for	breathing	
P305 + P351 + P338			er for several minutes. Remo		s, if present
	and easy to do. (	Continue rinsing.			•
P310	Immediately call	a POISON CENTRE/	doctor.		
Storage					
P405	Store locked up.				
Disposal					
P501	Dispose of conte	ents/container in accor	dance with local/regional/nat	ional/internationa	l regulations.
Supplemental label	98.4475 % of the	e mixture consists of c	omponent(s) of unknown acu	ute oral toxicity. 9	8.4475 % of
information	the mixture cons	ists of component(s) of	of unknown acute dermal toxi	icity. 98.4475 % c	of the mixture
			acute hazards to the aquatic		
			וknown long-term hazards to אין lamine. May produce an a		onment.
			ny lamine. May produce an a		
2.3. Other hazards	This mixture doe	s not contain substan	ces assessed to be vPvB / P	BT according to F	Regulation (EC)
			does not contain any subst		
		ual to or greater than	H Article 59(1) for having end 0.1% bv weight.	locrine disrupting	properties at a
<b>SECTION 3: Composition</b>	· · · · · · · · · · · · · · · · · · ·		, ,		
3.2. Mixtures					
General information					
Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
4,4'-methylenedicyclohexane	amine 10 - < 20	) 1761-71-3	-	-	
		217-168-8			
Classi	fication: -				
N,N'-BIS(3-AMINOPROPYL)	ETHYLE 1 - < 3	10563-26-5	-	-	
NEDIAMINE		234-147-9			
Classi	fication: -				
2-Piperazin-1-ylethy lamine	< 0.3	140-31-8 205-411-0	01-2119471486-30-0003	612-105-00-4	
Classi	fication: Acute Tox		4;H312, Skin Corr. 1B;H314,	Eve Dam	
510551		Skin Sens. 1;H317, Aq		_,• bain.	
titanium dioxide [in powder fo		13463-67-7	01-2119489379-17-0000	022-006-002	#
containing 1 % or more of par		236-675-5			
with aerodynamic diameter ≤					

Classification:Carc. 2;H351Other components below reportable80 - < 90</td>levels80 - < 90</td>

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## **Composition comments**

The full text for all H-statements is displayed in section 16.

10,V,W

## **SECTION 4: First aid measures**

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.
Ingestion	Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
4.2. Most important symptoms and effects, both acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures		
General fire hazards	No unusual fire or explosion hazards noted.	
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.	
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Special fire fighting procedures	Use water spray to cool unopened containers.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, prote	ective equipment and emergency procedures
For non-emergency personnel	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.
	Small Spills: Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	d storage
7.1. Precautions for safe	Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices

handling	protective equipment. Observe good industrial hygiene practices.	
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	
7.3. Specific end use(s)	Observe industrial sector guidance on best practices.	

8.1. Control parameters			
Occupational exposure limits			
	sure Limits (WELs) (EH40/2005 (Four		_
Components	Туре	Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
		10 mg/m3	Inhalable
Biological limit values	No biological exposure limits noted fo	the ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedure	,	
Derived no effect levels DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
.2. Exposure controls			
Appropriate engineering controls	Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom- established, maintain airborne levels to shower must be available when hand	ocal exhaust ventilation, or oth mended exposure limits. If exp o an acceptable level. Eye wa	er engineering controls to oosure limits have not been
ndividual protection measures, General information	such as personal protective equipme Use personal protective equipment as according to the CEN standards and i equipment.	required. Personal protection	
Eye/face protection	Wear safety glasses with side shields	(or goggles) and a face shield	I.
Skin protection			
- Hand protection	Wear appropriate chemical resistant g	loves.	
- Other	Wear appropriate chemical resistant of	lothing.	
Respiratory protection	In case of insufficient ventilation, wear	suitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective of	lothing, when necessary.	
lygiene measures	Always observe good personal hygier before eating, drinking, and/or smokin remove contaminants.		
Environmental exposure controls	Emissions from ventilation or work pro with the requirements of environmenta modifications to the process equipment	al protection legislation. Fume	scrubbers, filters or engineering

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

SECTION 8: Exposure controls/personal protection

Appearance	Putty
Physical state	Solid.
Form	Solid.
Colour	Grey.
Odour	Ammoniacal.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	110.0 °C (230.0 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Material name: DEVCON® Wear Guard™ 300RTC Hardener-

5209 Version #: 02 Revision date: 03-December-2024 Issue date: 01-August-2023

#### Upper/lower flammability or explosive limits

Explosive limit - lower ( %)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	0.0004 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	
Density	2.06 g/cm3
Specific gravity	2.06

## **SECTION 10: Stability and reactivity**

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Peroxides. Phenols.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely route	s of exposure
Inhalation	May cause irritation to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

**Test Results** 

### 11.1. Information on toxicological effects

Acute t	oxicity	
---------	---------	--

Components	Species
------------	---------

Not known.

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)

	<u>Acute</u>		
	Dermal		
	LD50	Hamster	>= 10000 mg/kg
	Oral		
	LD50	Rat	> 10000 mg/kg
Skin cor	rosion/irritation	Causes severe skin burns and eye damage.	
Serious irritatior	eye damage/eye n	Causes serious eye damage.	
Respirat	tory sensitisation	Due to partial or complete lack of data the classificati	ion is not possible.

repeated exposure Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard Mixture versus substance	Due to partial or complete lack of data the classification is not possible. No information available.	
Mixture versus substance information	No information available.	
Other information	May cause allergic respiratory and skin reactions.	

12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential	
Partition coefficient n-octanol/water (log Kow) 2-Piperazin-1-ylethy lamine	-1.57
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.


## **SECTION 14: Transport information**

ADR

DR	
14.1. UN number	UN3263
14.2. UN proper shipping	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (4,4'-methylenedicyclohexaneamine), Limited
name	Quantity
14.3. Transport hazard class	(es)
Class	8
Subsidiary hazard	-
Label(s)	8
Hazard No. (ADR)	80
Tunnel restriction code	E
14.4. Packing group	III
14.5. Environmental	No.
hazards	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	

RID

RID	
14.1. UN number	UN3263
14.2. UN proper shipping	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (4,4'-methylenedicyclohexaneamine), Limited
name	Quantity
14.3. Transport hazard clas	•
Class	8
	0
Subsidiary hazard	-
Label(s)	8
14.4. Packing group	
14.5. Environmental	No.
hazards	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
ADN	
14.1. UN number	UN3263
14.2. UN proper shipping	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (4,4'-methylenedicyclohexaneamine)
name	
14.3. Transport hazard clas	s(es)
Class	8
Subsidiary hazard	-
Label(s)	8
14.4. Packing group	
14.5. Environmental	No.
hazards	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	Read safety instructions, obo and emergency procedures before handling.
IATA	
14.1. UN number	UN3263
14.2. UN proper shipping name	Corrosive solid, basic, organic, n.o.s. (4,4'-methylenedicyclohexaneamine), Limited Quantity
14.3. Transport hazard clas	
Class	8
Subsidiary hazard	-
14.4. Packing group	
14.5. Environmental	No.
hazards	
ERG Code	8L
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
14.1. UN number	UN3263
14.2. UN proper shipping	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (4,4'-methylenedicyclohexaneamine), Limited
name	Quantity
14.3. Transport hazard clas	s(es)
Class	8
Subsidiary hazard	-
14.4. Packing group	
14.5. Environmental hazard	
Marine pollutant	No.
EmS	F-A, S-B
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	Nataniaska
14.7. Transport in bulk	Not applicable.
according to Annex II of	
MARPOL 73/78 and the IBC Code	
Coue	



#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Retained direct EU regulations**

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

# Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

#### Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material. New or expectant mothers should not work with this product if there is a risk due to exposure, in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended.

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

List of abbreviations	
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TWA: Time Weighted Average. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full under sections 2 to 15	<ul> <li>H302 Harmful if swallowed.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H351 Suspected of causing cancer by inhalation.</li> <li>H351 Suspected of causing cancer.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>
Revision information	This document has undergone significant changes and should be reviewed in its entirety.
Training information	Follow training instructions when handling this material.
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

processing, storage, transportation, disposal and release.

specified in the text. The information given is designed only as a guidance for safe handling, use,