SAFETY DATA SHEET

Version #: 07 Issue date: 04-17-2019 Revision date: 08-01-2023 Supersedes date: 07-15-2023

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	······································
Trade name or designation of the mixture	DEVCON® Plastic Steel® 5 Minute® Putty (SF) Hardener
Registration number	-
Synonyms	None.
SKU#	5332
1.2. Relevant identified uses of t Identified uses	he substance or mixture and uses advised against Not available.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company Name	ITW Performance Polymers
Address	Bay 150
	Shannon Industrial Estate
	Co. Clare
	Ireland
	V14 DF82
Contact Person	Customer Service
Telephone Number	353(61)771500
	353(61)471285
Email	customerservice.shannon@itwpp.com
Emergency Phone Number	44(0) 1235 239 670 (24 hours)
1.4. Emergency telephone numb General in EU	ber 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Center	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Center	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone numb	er
Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

H315 - Causes skin irritation. H319 - Causes serious eye irritation.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended UFI:

Austria: V140-N085-Y000-WTGQ Belgium: V140-N085-Y000-WTGQ Bulgaria: V140-N085-Y000-WTGQ Croatia: V140-N085-Y000-WTGQ Cyprus: V140-N085-Y000-WTGQ Czech Republic: V140-N085-Y000-WTGQ Denmark: V140-N085-Y000-WTGQ Estonia: V140-N085-Y000-WTGQ EU: V140-N085-Y000-WTGQ Finland: V140-N085-Y000-WTGQ France: V140-N085-Y000-WTGQ Germany: V140-N085-Y000-WTGQ Greece: V140-N085-Y000-WTGQ Hungary: V140-N085-Y000-WTGQ Iceland: V140-N085-Y000-WTGQ Ireland: V140-N085-Y000-WTGQ Italy: V140-N085-Y000-WTGQ Latvia: V140-N085-Y000-WTGQ Lithuania: V140-N085-Y000-WTGQ Luxembourg: V140-N085-Y000-WTGQ Malta: V140-N085-Y000-WTGQ Netherlands: V140-N085-Y000-WTGQ Norway: V140-N085-Y000-WTGQ Poland: V140-N085-Y000-WTGQ Portugal: V140-N085-Y000-WTGQ Romania: V140-N085-Y000-WTGQ Slovakia: V140-N085-Y000-WTGQ Slovenia: V140-N085-Y000-WTGQ Spain: V140-N085-Y000-WTGQ Sweden: V140-N085-Y000-WTGQ

Contains:

Hazard pictograms

Warning

Signal word

Hazard statements

H315 H319 Causes skin irritation. Causes serious eye irritation.

Precautionary statements

Prevention Wash thoroughly after handling. P264 Wear eye protection/face protection. P280 Wear protective gloves. P280 Response IF ON SKIN: Wash with plenty of water. P302 + P352 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338 and easy to do. Continue rinsing If skin irritation occurs: Get medical advice/attention. P332 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364 Not available. Storage Disposal Not available. Supplemental label information 91,94% of the mixture consists of component(s) of unknown acute inhalation toxicity. 2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

Calcium Carbonate, Tris-2,4,6-(dimethylaminomethyl)phenol

SECTION 3: Composition/information on ingredients

3.2. Mixtures

0.1.1	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Calcium Carbonate	30 - 40	1317-65-3 215-279-6	-	-	
Classif	ication: -				
Tris-2,4,6-(dimethylaminometh ol	nyl)phen 10 - 20	90-72-2 202-013-9	01-2119560597-27-0000	603-069-00-0	
Classif		. 4;H302;(ATE: 500 r , Skin Irrit. 2;H315, E	ng/kg bw), Acute Tox. 4;H31 ye Irrit. 2;H319	2;(ATE: 1280	
titanium dioxide [in powder for containing 1 % or more of part with aerodynamic diameter < 7	ticles	13463-67-7 236-675-5	01-2119489379-17-0000	022-006-002	
Classif	ication: Carc. 2;H3	51			
Crystalline silica	< 0,3	14808-60-7 238-878-4	-	-	#
Classif	ication: Carc. 1A;⊦	1350			
Other components below repo levels	ortable 30 - 60				
ATE: Acute toxicity estimate. M: M-factor vPvB: very persistent and very PBT: persistent, bioaccumulat #: This substance has been as All concentrations are in perce	ive and toxic substa ssigned Union work ent by weight unless	ance. place exposure limit(s ingredient is a gas.	Gas concentrations are in pe	ercent by volume.	
omposition comments	The full text for all	H-statements is dis	played in section 16.		
SECTION 4: First aid meas	sures				
eneral information	Ensure that medic protect themselve		are of the material(s) involve	d, and take preca	autions to
.1. Description of first aid meas					
Inhalation			mptoms develop or persist.		0.1
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.				
		tention. Wash contar	ninated clothing before reuse	9.	
Eye contact	Immediately flush	tention. Wash contar eyes with plenty of v		e. Remove contact	lenses, if
Eye contact Ingestion	Immediately flush present and easy Rinse mouth. Get	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur.	e. Remove contact ritation develops	lenses, if and persists
Eye contact Ingestion .2. Most important symptoms nd effects, both acute and	Immediately flush present and easy Rinse mouth. Get Severe eye irritati	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. nclude stinging, tearing, redr	e. Remove contact ritation develops	lenses, if and persists
Eye contact Ingestion 2. Most important symptoms nd effects, both acute and elayed 3. Indication of any nmediate medical attention	Immediately flush present and easy Rinse mouth. Get Severe eye irritati vision. Skin irritati	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s on. Symptoms may i on. May cause reduce upportive measures	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. nclude stinging, tearing, redr	e. Remove contact ritation develops ness, swelling, an	lenses, if and persists d blurred
Eye contact Ingestion .2. Most important symptoms nd effects, both acute and elayed .3. Indication of any nmediate medical attention nd special treatment needed	Immediately flush present and easy Rinse mouth. Get Severe eye irritati vision. Skin irritati Provide general s Symptoms may b	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s on. Symptoms may i on. May cause reduce upportive measures	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. nclude stinging, tearing, redr ess and pain.	e. Remove contact ritation develops ness, swelling, an	lenses, if and persists d blurred
Eye contact Ingestion .2. Most important symptoms and effects, both acute and lelayed .3. Indication of any mmediate medical attention and special treatment needed SECTION 5: Firefighting n	Immediately flush present and easy Rinse mouth. Get Severe eye irritati vision. Skin irritati Provide general s Symptoms may b	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s on. Symptoms may i on. May cause reduce upportive measures	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. nclude stinging, tearing, redr ess and pain. and treat symptomatically. K	e. Remove contact ritation develops ness, swelling, an	lenses, if and persists d blurred
Eye contact Ingestion .2. Most important symptoms nd effects, both acute and elayed .3. Indication of any nmediate medical attention nd special treatment needed SECTION 5: Firefighting n General fire hazards .1. Extinguishing media Suitable extinguishing	Immediately flush present and easy Rinse mouth. Get Severe eye irritati vision. Skin irritati Provide general s Symptoms may b neasures No unusual fire or	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s on. Symptoms may i on. May cause redne upportive measures e delayed.	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. nclude stinging, tearing, redr ess and pain. and treat symptomatically. K	e. Remove contact ritation develops ness, swelling, an	lenses, if and persists d blurred
Eye contact Ingestion .2. Most important symptoms nd effects, both acute and elayed .3. Indication of any nmediate medical attention nd special treatment needed SECTION 5: Firefighting n ieneral fire hazards .1. Extinguishing media	Immediately flush present and easy Rinse mouth. Get Severe eye irritati vision. Skin irritati Provide general s Symptoms may b neasures No unusual fire or Water fog. Foam.	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s on. Symptoms may i on. May cause redne upportive measures e delayed.	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. nclude stinging, tearing, redr ess and pain. and treat symptomatically. K	e. Remove contact ritation develops ness, swelling, an	lenses, if and persists d blurred
Eye contact Ingestion 2. Most important symptoms and effects, both acute and elayed 3. Indication of any mediate medical attention and special treatment needed SECTION 5: Firefighting n eneral fire hazards 1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 2. Special hazards arising	Immediately flush present and easy Rinse mouth. Get Severe eye irritati vision. Skin irritati Provide general s Symptoms may b neasures No unusual fire or Water fog. Foam. Do not use water	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s on. Symptoms may i on. May cause redne upportive measures e delayed.	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. Include stinging, tearing, redr ess and pain. and treat symptomatically. K noted. r. Carbon dioxide (CO2). r, as this will spread the fire.	e. Remove contact ritation develops ness, swelling, an	lenses, if and persists d blurred
Eye contact Ingestion 2. Most important symptoms and effects, both acute and elayed 3. Indication of any mediate medical attention and special treatment needed SECTION 5: Firefighting n teneral fire hazards 1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 2. Special hazards arising form the substance or mixture	Immediately flush present and easy Rinse mouth. Get Severe eye irritati vision. Skin irritati Provide general s Symptoms may b neasures No unusual fire or Water fog. Foam. Do not use water During fire, gases	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s on. Symptoms may i on. May cause redne upportive measures e delayed.	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. Include stinging, tearing, redr ess and pain. and treat symptomatically. K noted. r. Carbon dioxide (CO2). r, as this will spread the fire.	e. Remove contact ritation develops ness, swelling, an eep victim under	lenses, if and persists d blurred observation.
Eye contact Ingestion 2. Most important symptoms and effects, both acute and lelayed 3. Indication of any mmediate medical attention and special treatment needed SECTION 5: Firefighting n Seneral fire hazards 3.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 2.2. Special hazards arising rom the substance or mixture 3. Advice for firefighters Special protective	Immediately flush present and easy Rinse mouth. Get Severe eye irritati vision. Skin irritati Provide general s Symptoms may b neasures No unusual fire or Water fog. Foam. Do not use water During fire, gases Self-contained bre	tention. Wash contar eyes with plenty of v to do. Continue rinsi medical attention if s on. Symptoms may i on. May cause redne upportive measures e delayed.	ninated clothing before reuse vater for at least 15 minutes. ng. Get medical attention if in symptoms occur. nclude stinging, tearing, redr ess and pain. and treat symptomatically. K noted. r. Carbon dioxide (CO2). r, as this will spread the fire. may be formed. d full protective clothing mus	e. Remove contact ritation develops ness, swelling, an eep victim under	lenses, if and persists d blurred observation.

SECTION 6: Accidental release measures

6.1. Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.
	Small Spills: Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Observe industrial sector guidance on best practices.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	MAK	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.
Crystalline silica (CAS 14808-60-7)	MAK	0,05 mg/m3	Respirable dust.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	МАК	5 mg/m3	Respirable dust.
	STEL	10 mg/m3	Respirable dust.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	10 mg/m3	
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)	TWA	10 mg/m3	

Bulgaria. OEL values of carcinogens and mutagens at work (Reg. 10/2003 on prot. from carcinogens and mutagens at work, Ann. 1), as amended

Components	Туре	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction and dust

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	1 fibers/cm3	Respirable fraction.
		10 mg/m3	
		10 mg/m3	Inhalable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter < 10	TWA	10 mg/m3	Respirable dust.

 μ m] (CAS 13463-67-7)

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	MAC	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Crystalline silica (CAS 14808-60-7)	MAC	0,1 mg/m3	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)	MAC	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Cyprus. OELs. Control of factory	atmosphere and dangerous s	substances in factories regulat	tion, PI 311/73, as amended
Components	Туре	Value	, ,
titanium dioxide [in powder form containing 1 % or more of particles with	TWA	10 mg/m3	

aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	10 mg/m3	Dust.
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2 Components

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TLV	5 mg/m3	Respirable dust.
		10 mg/m3	Dust.
		0,5 mg/m3	Respirable quartz fraction.
Crystalline silica (CAS 14808-60-7)	TLV	0,3 mg/m3	Total
		0,1 mg/m3	Respirable.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TLV	6 mg/m3	

Components	Туре	Value	Form	
Calcium Carbonate (CAS 1317-65-3)	TWA	5 mg/m3	Fine dust.	
		10 mg/m3		

Estonia. OELs. Occupational Components	Exposure Limits of Hazardous Sub Type	stances (Regulation No. 105/2 Value	001, Annex), as amended Form
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Fine dust, respiratory fraction
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)	TWA	5 mg/m3	
	Binding Limit Values, Social Affairs a	-	
Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	10 mg/m3	Dust.
Crystalline silica (CAS 14808-60-7)	TWA	0,05 mg/m3	Respirable.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	Dust.
France. OELs. Occupational Components	Exposure Limits as Prescribed by A Type	Art. R.4412-149 of Labor Code, Value	as amended Form
Crystalline silica (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable dust.
France. Threshold Limit Valu Components	es (VLEP) for Occupational Exposu Type	re to Chemicals in France, INF Value	RS ED 984 Form
Calcium Carbonate (CAS 1317-65-3)	VME	4 mg/m3	Total dust.
Regulatory status: Reg	gulatory binding (VRC)		
		0,9 mg/m3	Respirable dust.
	gulatory binding (VRC)	0.1 mg/m2	Despirable fraction
Crystalline silica (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable fraction.
•••	gulatory binding (VRC)		
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	VME	10 mg/m3	
Regulatory status: Ind	icative limit (VL)		
	visory OELs). Commission for the Ir	nvestigation of Health Hazards	of Chemical Compounds
in the Work Area (DFG), as u Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	4 mg/m3	Inhalable dust.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] (CAS 13463-67-7)	TWA	0,3 mg/m3	Respirable fraction.
Germany. TRGS 900, Limit V Components	alues in the Ambient Air at the Work Type	kplace Value	Form
Calcium Carbonate (CAS	AGW	10 mg/m3	Inhalable fraction.
1317-65-3)		1,25 mg/m3	Respirable fraction
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10	AGW	10 mg/m3	Respirable fraction. Inhalable fraction.
μm] (CAS 13463-67-7)		1,25 mg/m3	Respirable fraction.

Greece. OELs, Presidential Decree Components	e No. 307/1986, as amended Type	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Inhalable
itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Inhalable
Hungary. OELs. Decree on protec Components	tion of workers exposed to ch Type	emical agents (5/2020. (II.6)), A Value	Annex 1&2, as amended Form
Calcium Carbonate (CAS 1317-65-3)	TWA	10 mg/m3	
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
celand. OELs. Regulation 390/200 Components	9 on Pollution Limits and Mea Type	asures to Reduce Pollution at Value	the Workplace, as amende Form
Crystalline silica (CAS 14808-60-7)	TWA	0,3 mg/m3	Total dust.
		0,1 mg/m3	Respirable dust.
itanium dioxide [in powder orm containing 1 % or nore of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	TWA	6 mg/m3	
reland. OELVs, Schedules 1 & 2, Components	Code of Practice for Chemica Type	l Agents and Carcinogens Reg Value	ulations Form
Calcium Carbonate (CAS 1317-65-3)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
itanium dioxide [in powder orm containing 1 % or nore of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
taly. OELs (Legislative Decree n.8 Components	31, 9 April 2008), as amended Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
itanium dioxide [in powder orm containing 1 % or nore of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7)	TWA	2,5 mg/m3	Respirable finescale particles
		0,2 mg/m3	Respirable nanoscale particles
_atvia. OELs. Occupational Expos	sure Limits of Chemical Subst	ances at Workplace (Reg. No.	325/ 2007, L.V. 80, Annex
1), as amended Components	Туре	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.

Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	10 mg/m3	

V-824/A1-389), as amended Components	Туре	Value	Form
Calcium Carbonate (CAS	TWA	5 mg/m3	Respirable fraction.
1317-65-3)	IWA	5 mg/m5	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TWA	5 mg/m3	
Luxembourg. Chemical Substance 235/2016, as amended	es Prohibited at Work (Annex	III), G.D.R. of 14 November 20	16, OJ Memorial A, n °
Components	Туре	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Netherlands. OELs per Annex XIII amended	of Working Conditions Regula	ation (Staatscourant no. 252, 2	29 December 2006), as
Components	Туре	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0,075 mg/m3	Respirable dust.
Norway. Regulation No. 1358 on N Infection Groups for Biological Fa		Physical and Chemical Factor	rs in Work Environment a
Components	Туре	Value	Form
Crystalline silica (CAS 14808-60-7)	TLV	0,3 mg/m3	Total dust.
		0,05 mg/m3	Respirable dust.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)	TLV	5 mg/m3	
Poland. Maximum permissible cor	ncentrations and intensities of	f harmful factors in the work e	nvironment (Dz.U.Poz.
1286/2018, Annex 1) Components	Туре	Value	Form
Crystalline silica (CAS	TWA	0,1 mg/m3	Respirable fraction.
		0,1119/110	
14808-60-7)			
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10	STEL	30 mg/m3	
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10	STEL	30 mg/m3 10 mg/m3	Inhalable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)	TWA	10 mg/m3	Inhalable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Portugal. VLEs. Norm on occupati	TWA	10 mg/m3	Inhalable fraction. Form
itanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 um] (CAS 13463-67-7) Portugal. VLEs. Norm on occupati Components Crystalline silica (CAS	TWA ional exposure to chemical ag	10 mg/m3 Jents (NP 1796-2014)	
titanium dioxide [in powder form containing 1 % or more of particles with	TWA ional exposure to chemical ag Type	10 mg/m3 jents (NP 1796-2014) Value	Form
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Portugal. VLEs. Norm on occupati Components Crystalline silica (CAS 14808-60-7) titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10	TWA ional exposure to chemical ag Type TWA TWA	10 mg/m3 gents (NP 1796-2014) Value 0,025 mg/m3 10 mg/m3	Form Respirable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Portugal. VLEs. Norm on occupati Components Crystalline silica (CAS 14808-60-7) titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Romania. OELs. Limit Values of C	TWA ional exposure to chemical ag Type TWA TWA	10 mg/m3 gents (NP 1796-2014) Value 0,025 mg/m3 10 mg/m3	Form Respirable fraction.

Romania. OELs. Limit Values of Ch Imended)	onnoai Agente at WorkpidCe	(1.09010110111.210/2000, WI.O (
Components	Туре	Value	Form
itanium dioxide [in powder orm containing 1 % or nore of particles with nerodynamic diameter ≤ 10	STEL	15 mg/m3	
ım] (ĆAS 13463-67-7)			
	TWA	10 mg/m3	
lovakia. OELs for carcinogens and mended	d mutagens. Regulation No.	356/2006 on carcinogenic and	l mutagenic substances,
omponents	Туре	Value	Form
rystalline silica (CAS 4808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
lovakia. OELs. Maximum permiss	ible exposure limits for chen	nical factors in workplace air (Regulation No 355/2006,
nnex 1, Table 1, as amended) omponents	Туре	Value	
alcium Carbonate (CAS 317-65-3)	TWA	10 mg/m3	
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	5 mg/m3	
lovenia. OELs. Occupational Expo ue to Exp. to Chemicals at Work, A			
omponents	Туре	Value	Form
alcium Carbonate (CAS 317-65-3)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
anium dioxide [in powder orm containing 1 % or ore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
pain. OELs. INSST, Límites de Ex _l /LAs)	oosición Profesional Para Ag	gentes Químicos, Table 1-Valc	ores Límites Ambientales
omponents	Туре	Value	Form
alcium Carbonate (CAS	TWA	3 mg/m3	Respirable fraction.
317-65-3)		10 mg/m3	Inhalable fraction.
rystalline silica (CAS 4808-60-7)	TWA	0,05 mg/m3	Respirable fraction.
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	10 mg/m3	
weden. OELs (Annex 1). Work Env	vironment Authority (AV), Oc	cupational Exposure Limit Va	alues (AFS 2018:1), as
mended			Form
omponents	Туре	Value	
rystalline silica (CAS 4808-60-7)	TWA	0,1 mg/m3	Respirable dust.
tanium dioxide [in powder orm containing 1 % or nore of particles with erodynamic diameter ≤ 10 m] (CAS 13463-67-7)	TWA	5 mg/m3	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	3 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
Crystalline silica (CAS 14808-60-7)	TWA	0,15 mg/m3	Respirable fraction.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10	TWA	3 mg/m3	Respirable dust.

µm] (ĆAS 13463-67-7)

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	4 mg/m3	Respirable.
		4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
		10 mg/m3	Inhalable
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable.
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
· · · · · · · · · · · · · · · · · · ·		10 mg/m3	Inhalable

EU. OELs, Directive 2004/37/EC on carcinogen and mutagens from Annex III, Part A, as amended

Components	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction and dust
Biological limit values	No biological exposure limits noted for the ingredi	ient(s).	
Recommended monitoring procedures	Follow standard monitoring procedures.		
Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
Exposure guidelines	Occupational Exposure Limits are not relevant to	the current physical	form of the product.
8.2. Exposure controls			
Appropriate engineering controls	Good general ventilation should be used. Ventilat applicable, use process enclosures, local exhaust maintain airborne levels below recommended exp established, maintain airborne levels to an accept shower.	t ventilation, or other posure limits. If expo	engineering controls to sure limits have not been
Individual protection measures,	such as personal protective equipment		
General information	Use personal protective equipment as required. P according to the CEN standards and in discussion equipment.		
Eye/face protection	Wear safety glasses with side shields (or goggles	s).	
Skin protection			
- Hand protection	Wear appropriate chemical resistant gloves.		
- Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable re	spiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, whe	en necessary.	
Hygiene measures	Always observe good personal hygiene measures and before eating, drinking, and/or smoking. Rou equipment to remove contaminants.		

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

SECTION 9: Physical and	r chemical properties
9.1. Information on basic physic	cal and chemical properties
Physical state	Solid.
Form	Solid. Viscous. Paste.
Color	Amber.
Odor	Mercaptan
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not available.
Flash point	200,0 °F (93,3 °C) estimated
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Negligible
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapor pressure	Not available.
Density and/or relative density	
Density	2,69 g/cm3 estimated
Vapor density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristic	CS
Specific gravity	2,69 estimated
VOC	100 % Solids
SECTION 10: Stability and	d reactivity
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.
SECTION 11: Toxicologic	al information
General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of e Inhalation	exposure No adverse effects due to inhalation are expected.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.

IngestionMay cause discomfort if swallowed. However, ingestion is not likely to be a primary route of
occupational exposure.SymptomsSevere eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred
vision. Skin irritation. May cause redness and pain.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Not known.	
Components	Species	Test Results
titanium dioxide [in powder form co	ntaining 1 % or more of particles with aerodynamic	c diameter ≤ 10 μm] (CAS 13463-67-7)
Acute		
Dermal		
LD50	Hamster	>= 10000 mg/kg
Oral LD50	Rat	> 10000 malka
		> 10000 mg/kg
Tris-2,4,6-(dimethylaminomethyl)pl <u>Acute</u>	ienoi (CAS 90-72-2)	
Dermal		
LD50	Rat	1280 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitization	Due to partial or complete lack of data the classif	ication is not possible.
Skin sensitization	Due to partial or complete lack of data the classif	ication is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classif	ication is not possible.
Carcinogenicity	Due to partial or complete lack of data the classif	ication is not possible.
Hungary. 26/2000 EüM Ordin (as amended)	ance on protection against and preventing risk	relating to exposure to carcinogens at work
	r form containing 1 % or more of particles with aer valuation of Carcinogenicity	odynamic diameter ≤ 10 μm] (CAS 13463-67-7)
Crystalline silica (CAS 14 titanium dioxide [in powde of particles with aerodyna (CAS 13463-67-7)	r form containing 1 % or more 2B Possibly carci	o humans. inogenic to humans.
Reproductive toxicity	Due to partial or complete lack of data the classif	ication is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classif	ication is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classif	ication is not possible.
Aspiration hazard	Due to partial or complete lack of data the classif	ication is not possible.
Mixture versus substance information	No information available.	
11.2. Information on other hazard	ds	
Endocrine disrupting properties	This mixture does not contain any substances hat to human health as assessed in accordance with 1907/2006, (EU) No 2017/2100 and (EU) 2018/60 0.1% by weight.	the criteria set out in Regulations (EC) No
Other information	Not available.	
SECTION 12: Ecological in	nformation	
12.1. Toxicity	Based on available data, the classification criteria environment.	a are not met for hazardous to the aquatic
12.2. Persistence and degradability	No data is available on the degradability of any ir	ngredients in the mixture.
12.3. Bioaccumulative potential		
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assess (EC) No 1907/2006, Annex XIII.	sed to be vPvB / PBT according to Regulation
12.6. Endocrine disrupting properties	This mixture does not contain any substances ha to the environment as assessed in accordance w 1907/2006, (EU) No 2017/2100 and (EU) 2018/60 0.1% by weight.	ith the criteria set out in Regulations (EC) No
12.7. Other adverse effects	The product contains volatile organic compounds potential.	which have a photochemical ozone creation

SECTION 13: Disposal considerations 13.1. Waste treatment methods **Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Since emptied containers may retain product residue, follow label warnings even after container is **Contaminated packaging** emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal methods/information** contents/container in accordance with local/regional/national/international regulations. Special precautions Dispose in accordance with all applicable regulations. **SECTION 14: Transport information** ADR 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary risk Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned. 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user RID 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No. Not assigned. 14.6. Special precautions for user ADN 14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user ΙΑΤΑ 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No. 14.6. Special precautions Not assigned. for user IMDG 14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	-
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions	Not assigned.
for user	
14.7. Maritime transport in bulk according to IMO instruments	Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Calcium Carbonate (CAS 1317-65-3)

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7) Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: V140-N085-Y000-WTGQ Belgium: V140-N085-Y000-WTGQ Bulgaria: V140-N085-Y000-WTGQ Croatia: V140-N085-Y000-WTGQ Cyprus: V140-N085-Y000-WTGQ Czech Republic: V140-N085-Y000-WTGQ Denmark: V140-N085-Y000-WTGQ Estonia: V140-N085-Y000-WTGQ EU: V140-N085-Y000-WTGQ Finland: V140-N085-Y000-WTGQ France: V140-N085-Y000-WTGQ Germany: V140-N085-Y000-WTGQ Greece: V140-N085-Y000-WTGQ Hungary: V140-N085-Y000-WTGQ Iceland: V140-N085-Y000-WTGQ Ireland: V140-N085-Y000-WTGQ Italy: V140-N085-Y000-WTGQ Latvia: V140-N085-Y000-WTGQ Lithuania: V140-N085-Y000-WTGQ Luxembourg: V140-N085-Y000-WTGQ Malta: V140-N085-Y000-WTGQ Netherlands: V140-N085-Y000-WTGQ Norway: V140-N085-Y000-WTGQ Poland: V140-N085-Y000-WTGQ Portugal: V140-N085-Y000-WTGQ Romania: V140-N085-Y000-WTGQ Slovakia: V140-N085-Y000-WTGQ Slovenia: V140-N085-Y000-WTGQ Spain: V140-N085-Y000-WTGQ Sweden: V140-N085-Y000-WTGQ

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Tris-2,4,6-(dimethylaminomethyl)phenol (CAS 90-72-2) 75

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Crystalline silica (CAS 14808-60-7)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Gipsfasernund Wollastonitfasern)

Gipsfasernund Wollastonitfasern)

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Calcium Carbonate (CAS 1317-65-3)

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm] (CAS 13463-67-7)

France regulations

France INRS Table of Occupational Diseases

Crystalline silica (CAS 14808-60-7)

Affections consécutives à l'inhalation de poussières minérales renfermant de la silicecristalline (quartz, cristobalite, tridymite), des silicates cristallins (kaolin, talc), du graphite ou de la houille 25

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen

Product registration number

Austria	UFI: V140-N085-Y000-WTGQ
Belgium	UFI: V140-N085-Y000-WTGQ
Czech Republic	UFI: V140-N085-Y000-WTGQ
Denmark	UFI: V140-N085-Y000-WTGQ
European Union	UFI: V140-N085-Y000-WTGQ
Finland	UFI: V140-N085-Y000-WTGQ
France	UFI: V140-N085-Y000-WTGQ
Germany	UFI: V140-N085-Y000-WTGQ
Greece	UFI: V140-N085-Y000-WTGQ
Hungary	UFI: V140-N085-Y000-WTGQ
Italy	UFI: V140-N085-Y000-WTGQ
Netherlands	UFI: V140-N085-Y000-WTGQ
Norway	UFI: V140-N085-Y000-WTGQ
Poland	UFI: V140-N085-Y000-WTGQ
Portugal	UFI: V140-N085-Y000-WTGQ
Slovakia	UFI: V140-N085-Y000-WTGQ
Slovenia	UFI: V140-N085-Y000-WTGQ
Spain	UFI: V140-N085-Y000-WTGQ
Sweden	UFI: V140-N085-Y000-WTGQ
Switzerland	UFI: V140-N085-Y000-WTGQ
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland
Waterways.
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous
Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MAC: Maximum Allowed Concentration.
MARPOL: International Convention for the Prevention of Pollution from Ships.

References	PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative. Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full under sections 2 to 15	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H350 May cause cancer. H351 Suspected of causing cancer.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.