SAFETY DATA SHEET

Version #: 07

Issue date: 05-29-2019 Revision date: 08-01-2023 Supersedes date: 07-17-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Brushable Ceramic Red Hardener

Registration number

None. Synonyms SKU# 5491

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service Telephone Number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

113

Latvia Emergency medical

aid

Latvia Poison and Drug +371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC) NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

,

Portugal Poison Center 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, inhalation Category 4 H332 - Harmful if inhaled.

Skin corrosion/irritation Category 1C H314 - Causes severe skin burns

and eye damage.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Environmental hazards

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: 5E50-R09H-U00X-G8TR Belgium: 5E50-R09H-U00X-G8TR Bulgaria: 5E50-R09H-U00X-G8TR Croatia: 5E50-R09H-U00X-G8TR Cyprus: 5E50-R09H-U00X-G8TR

Czech Republic: 5E50-R09H-U00X-G8TR
Denmark: 5E50-R09H-U00X-G8TR
Estonia: 5E50-R09H-U00X-G8TR
EU: 5E50-R09H-U00X-G8TR
Finland: 5E50-R09H-U00X-G8TR
France: 5E50-R09H-U00X-G8TR
Germany: 5E50-R09H-U00X-G8TR
Greece: 5E50-R09H-U00X-G8TR
Hungary: 5E50-R09H-U00X-G8TR
Iceland: 5E50-R09H-U00X-G8TR

Italy: 5E50-R09H-U00X-G8TR Latvia: 5E50-R09H-U00X-G8TR Lithuania: 5E50-R09H-U00X-G8TR Luxembourg: 5E50-R09H-U00X-G8TR Malta: 5E50-R09H-U00X-G8TR Netherlands: 5E50-R09H-U00X-G8TR Norway: 5E50-R09H-U00X-G8TR Poland: 5E50-R09H-U00X-G8TR Portugal: 5E50-R09H-U00X-G8TR Romania: 5E50-R09H-U00X-G8TR Slovakia: 5E50-R09H-U00X-G8TR

Slovenia: 5E50-R09H-U00X-G8TR Spain: 5E50-R09H-U00X-G8TR Sweden: 5E50-R09H-U00X-G8TR

Contains: Benzene-1,3-dimethaneamine, benzyl alcohol, Formaldehyde, Polymer With Benzenamine,

Hydrogenated

Hazard pictograms



Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P260 Do not breathe mist/vapors.
P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
benzyl alcohol	20 - < 30	100-51-6 202-859-9	01-2119492630-38-0000	603-057-00-5	
Classification			ng/kg bw), Acute Tox. 4;H31 (ATE: 11 mg/l), Aquatic Chro		
Formaldehyde, Polymer With Benzenamine, Hydrogenated	20 - < 30	135108-88-2 -	-	-	
Classification	: -				
Benzene-1,3-dimethaneamine	10 - < 20	1477-55-0 216-032-5	01-2119480150-50-0000	-	
Classification	: -				
Other components below reportable	30 - < 40				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

levels

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a poison center or doctor/physician if you feel unwell.

Skin contactTake off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid inhalation of vapors and spray mists. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS

personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tons;

Upper-tier requirements = 500 tons)

7.3. Specific end use(s)Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Гуре	Value
Benzene-1,3-dimethaneami ne (CAS 1477-55-0)	Ceiling	0,1 mg/m3
	MAK	0,1 mg/m3

Belgium. OELs. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1, as amended

Components	Туре	Value	
Benzene-1,3-dimethaneami	Ceiling	0,1 mg/m3	
ne (CAS 1477-55-0)			

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value
benzyl alcohol (CAS 100-51-6)	TWA	5 mg/m3

Components	Part A, as amended) Type	Value	
benzyl alcohol (CAS	Ceiling	80 mg/m3	
100-51-6)	TWA	40 mg/m3	
Denmark. Work Environment Authorit	y. Exposure Limits for Subs	tances & Materials, Annex	2
Components	Туре	Value	
Benzene-1,3-dimethaneami ne (CAS 1477-55-0)	Ceiling	0,1 mg/m3	
		0,02 ppm	
Finland. HTP-arvot, App 3., Binding Li Components	mit Values, Social Affairs an Type	d Ministry of Health Value	
Benzene-1,3-dimethaneami ne (CAS 1477-55-0)	Ceiling	0,1 mg/m3	
benzyl alcohol (CAS 100-51-6)	TWA	45 mg/m3	
		10 ppm	
France. Threshold Limit Values (VLEP Components	P) for Occupational Exposure Type	e to Chemicals in France, I Value	NRS ED 984
Benzene-1,3-dimethaneami ne (CAS 1477-55-0)	VLE	0,1 mg/m3	
Regulatory status: Indicative lim	it (VL)		
Germany. DFG MAK List (advisory OE in the Work Area (DFG), as updated	ELs). Commission for the Inv	estigation of Health Hazar	ds of Chemical Compounds
Components	Туре	Value	Form
benzyl alcohol (CAS 100-51-6)	TWA	22 mg/m3	Vapor and aerosol.
		5 ppm	Vapor and aerosol.
Germany. TRGS 900, Limit Values in t			Form
Componento	Туре	Value	FUIIII
<u> </u>	-		
benzyl alcohol (CAS	AGW	22 mg/m3	Vapor and aerosol.
benzyl alcohol (CAS 100-51-6)	AGW	22 mg/m3 5 ppm	Vapor and aerosol.
benzyl alcohol (CAS 100-51-6) Iceland. OELs. Regulation 390/2009 or	AGW	22 mg/m3 5 ppm	Vapor and aerosol.
benzyl alcohol (CAS 100-51-6) Iceland. OELs. Regulation 390/2009 or Components Benzene-1,3-dimethaneami	AGW n Pollution Limits and Measu	22 mg/m3 5 ppm ures to Reduce Pollution a	Vapor and aerosol.
benzyl alcohol (CAS 100-51-6) Iceland. OELs. Regulation 390/2009 or Components Benzene-1,3-dimethaneami	AGW n Pollution Limits and Measu Type	22 mg/m3 5 ppm ures to Reduce Pollution a Value	Vapor and aerosol.
benzyl alcohol (CAS 100-51-6) Iceland. OELs. Regulation 390/2009 of Components Benzene-1,3-dimethaneami ne (CAS 1477-55-0) Ireland. OELVs, Schedules 1 & 2, Cod	AGW n Pollution Limits and Measu Type STEL	22 mg/m3 5 ppm sees to Reduce Pollution at Value 0,1 mg/m3 0,02 ppm	Vapor and aerosol. Vapor and aerosol. the Workplace, as amended
benzyl alcohol (CAS 100-51-6) Iceland. OELs. Regulation 390/2009 of Components Benzene-1,3-dimethaneamine (CAS 1477-55-0) Ireland. OELVs, Schedules 1 & 2, Cod Components Benzene-1,3-dimethaneami	AGW n Pollution Limits and Measu Type STEL e of Practice for Chemical A	22 mg/m3 5 ppm series to Reduce Pollution at Value 0,1 mg/m3 0,02 ppm gents and Carcinogens Re	Vapor and aerosol. Vapor and aerosol. the Workplace, as amended
benzyl alcohol (CAS 100-51-6) Iceland. OELs. Regulation 390/2009 of Components Benzene-1,3-dimethaneamine (CAS 1477-55-0) Ireland. OELVs, Schedules 1 & 2, Cod Components Benzene-1,3-dimethaneamine (CAS 1477-55-0) Italy. OELs (Legislative Decree n.81, 9	AGW Pollution Limits and Measury Type STEL e of Practice for Chemical Arype TWA	22 mg/m3 5 ppm sees to Reduce Pollution at Value 0,1 mg/m3 0,02 ppm gents and Carcinogens Revolue	Vapor and aerosol. Vapor and aerosol. t the Workplace, as amended
Components benzyl alcohol (CAS 100-51-6) Iceland. OELs. Regulation 390/2009 or Components Benzene-1,3-dimethaneamine (CAS 1477-55-0) Ireland. OELVs, Schedules 1 & 2, Cod Components Benzene-1,3-dimethaneamine (CAS 1477-55-0) Italy. OELs (Legislative Decree n.81, 9 Components Benzene-1,3-dimethaneamine (CAS 1477-55-0)	AGW n Pollution Limits and Measurype STEL e of Practice for Chemical Arype TWA April 2008), as amended	22 mg/m3 5 ppm ures to Reduce Pollution a Value 0,1 mg/m3 0,02 ppm gents and Carcinogens Re Value 0,1 mg/m3	Vapor and aerosol. Vapor and aerosol. t the Workplace, as amended
benzyl alcohol (CAS 100-51-6) Iceland. OELs. Regulation 390/2009 of Components Benzene-1,3-dimethaneami ne (CAS 1477-55-0) Ireland. OELVs, Schedules 1 & 2, Cod Components Benzene-1,3-dimethaneami ne (CAS 1477-55-0) Italy. OELs (Legislative Decree n.81, 9 Components	AGW n Pollution Limits and Measurype STEL e of Practice for Chemical Arype TWA April 2008), as amended Type Ceiling	22 mg/m3 5 ppm series to Reduce Pollution ar Value 0,1 mg/m3 0,02 ppm gents and Carcinogens Revalue 0,1 mg/m3 Value 0,1 mg/m3	Vapor and aerosol. Vapor and aerosol. the Workplace, as amended gulations

5 mg/m3

TWA

benzyl alcohol (CAS 100-51-6)

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Components	Туре	Value
benzyl alcohol (CAS 100-51-6)	TWA	5 mg/m3

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Components	Туре	Value	
Benzene-1,3-dimethaneami	Ceiling	0,1 mg/m3	
ne (CAS 1477-55-0)			

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018. Annex 1)

Components	Туре	Value
benzyl alcohol (CAS 100-51-6)	TWA	240 mg/m3

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Benzene-1,3-dimethaneami Ceiling 0,1 mg/m3

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Туре	Value
benzyl alcohol (CAS 100-51-6)	TWA	22 mg/m3

5 ppm

Can be absorbed through the skin.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Туре	Value	Form
Benzene-1,3-dimethaneami ne (CAS 1477-55-0)	TWA	0,1 mg/m3	
benzyl alcohol (CAS 100-51-6)	TWA	22 mg/m3	Vapor and aerosol.
		5 ppm	Vapor and aerosol.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Recommended monitoring procedures

ne (CAS 1477-55-0)

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available

Predicted no effect

Not available.

concentrations (PNECs)

Exposure guidelines

Belgium OELs: Skin designation

Denmark GV: Skin designation Benzene-1,3-dimethaneamine (CAS 1477-55-0) Can be absorbed through the skin. Finland Exposure Limit Values: Skin designation Benzene-1,3-dimethaneamine (CAS 1477-55-0) Can be absorbed through the skin. Germany DFG MAK (advisory): Skin designation benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

Benzene-1,3-dimethaneamine (CAS 1477-55-0)

benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin. Iceland OELs: Skin designation Benzene-1,3-dimethaneamine (CAS 1477-55-0) Can be absorbed through the skin. Italy OELs: Skin designation Benzene-1,3-dimethaneamine (CAS 1477-55-0) Danger of cutaneous absorption

Lithuania OELs: Skin designation benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin.

Portugal VLEs Norm on Occupational Exposure: Skin designation

Benzene-1,3-dimethaneamine (CAS 1477-55-0) Can be absorbed through the skin.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

benzyl alcohol (CAS 100-51-6) Can be absorbed through the skin.

Switzerland SUVA Limit Values at the Workplace: Skin designation

Benzene-1,3-dimethaneamine (CAS 1477-55-0) Can be absorbed through the skin. Can be absorbed through the skin. benzyl alcohol (CAS 100-51-6)

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. - Other Wear appropriate chemical resistant clothing.

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Amber Color Odor Ammoniacal.

Melting point/freezing point 4,64 °F (-15,2 °C) estimated **Boiling point or initial boiling**

point and boiling range

401,54 °F (205,3 °C) estimated

Flammability Not applicable.

Flash point 212,0 °F (100,0 °C) estimated 816,8 °F (436 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available. Not available. рΗ Kinematic viscosity Not available.

Solubility

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure 0,13 hPa estimated

Density and/or relative density

1,09 g/cm3 estimated Density

Not available. Vapor density **Particle characteristics** Not available.

9.2 Other information

9.2.1. Information with regard No relevant additional information available. to physical hazard classes

9.2.2. Other safety characteristics

Specific gravity 1.09 estimated

VOC 0 g/I

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous decomposition products No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Harmful if inhaled. Inhalation

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage. Ingestion Causes digestive tract burns.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful if inhaled. **Acute toxicity**

Components **Species Test Results**

benzyl alcohol (CAS 100-51-6)

Acute Dermal

LD50 Rabbit 2000 mg/kg

Skin corrosion/irritation

Serious eye damage/eye irritation

Causes severe skin burns and eye damage. Causes serious eye damage.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization Skin sensitization Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Not available Other information

SECTION 12: Ecological information

Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are 12.1. Toxicity

not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

> 1,1 benzyl alcohol

Bioconcentration factor (BCF) Not available. No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

benzyl alcohol (CAS 100-51-6) Chemical pesticides (As the total sum of the active substances)

0,5 MG/KG

Chemical pesticides (As the total sum of the active substances) 20

MG/KG

Chemical pesticides (As the total sum of the active substances) 5

MG/KG

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN2735

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. 14.2. UN proper shipping

(Benzene-1,3-dimethaneamine) name

14.3. Transport hazard class(es)

8 Class Subsidiary risk 8 Label(s) Hazard No. (ADR) 80 **Tunnel restriction code** Ε Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

UN2735 14.1. UN number

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S 14.2. UN proper shipping

(Benzene-1,3-dimethaneamine) name

14.3. Transport hazard class(es)

8 Class Subsidiary risk 8 Label(s) Ш 14.4. Packing group

Material name: DEVCON® Brushable Ceramic Red Hardener

14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN2735

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. 14.2. UN proper shipping

(Benzene-1,3-dimethaneamine) name

14.3. Transport hazard class(es)

8 Class Subsidiary risk Label(s) 8 Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

UN2735 14.1. UN number

14.2. UN proper shipping Amines, liquid, corrosive, n.o.s. (Benzene-1,3-dimethaneamine), Limited Quantity

name

14.3. Transport hazard class(es)

Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards No. **ERG Code**

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

14.1. UN number UN2735

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. 14.2. UN proper shipping

(Benzene-1,3-dimethaneamine), Limited Quantity name

14.3. Transport hazard class(es)

8 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Marine pollutant No. **EmS**

F-A, S-B

for user

Read safety instructions, SDS and emergency procedures before handling.


14.7. Maritime transport in bulk according to IMO instruments

14.6. Special precautions

Not established.



IATA



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Belgium: 5E50-R09H-U00X-G8TR Bulgaria: 5E50-R09H-U00X-G8TR Croatia: 5E50-R09H-U00X-G8TR Cyprus: 5E50-R09H-U00X-G8TR Czech Republic: 5E50-R09H-U00X-G8TR Denmark: 5E50-R09H-U00X-G8TR Estonia: 5E50-R09H-U00X-G8TR EU: 5E50-R09H-U00X-G8TR Finland: 5E50-R09H-U00X-G8TR France: 5E50-R09H-U00X-G8TR Germany: 5E50-R09H-U00X-G8TR Greece: 5E50-R09H-U00X-G8TR Hungary: 5E50-R09H-U00X-G8TR Iceland: 5E50-R09H-U00X-G8TR Ireland: 5E50-R09H-U00X-G8TR Italy: 5E50-R09H-U00X-G8TR Latvia: 5E50-R09H-U00X-G8TR Lithuania: 5E50-R09H-U00X-G8TR Luxembourg: 5E50-R09H-U00X-G8TR Malta: 5E50-R09H-U00X-G8TR Netherlands: 5E50-R09H-U00X-G8TR Norway: 5E50-R09H-U00X-G8TR Poland: 5E50-R09H-U00X-G8TR Portugal: 5E50-R09H-U00X-G8TR Romania: 5E50-R09H-U00X-G8TR

Austria: 5E50-R09H-U00X-G8TR

Slovakia: 5E50-R09H-U00X-G8TR Slovenia: 5E50-R09H-U00X-G8TR Spain: 5E50-R09H-U00X-G8TR Sweden: 5E50-R09H-U00X-G8TR

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

Austria UFI: 5E50-R09H-U00X-G8TR **Belgium** UFI: 5E50-R09H-U00X-G8TR **Czech Republic** UFI: 5E50-R09H-U00X-G8TR Denmark UFI: 5E50-R09H-U00X-G8TR UFI: 5E50-R09H-U00X-G8TR **European Union Finland** UFI: 5E50-R09H-U00X-G8TR **France** UFI: 5E50-R09H-U00X-G8TR Germany UFI: 5E50-R09H-U00X-G8TR UFI: 5E50-R09H-U00X-G8TR Greece UFI: 5E50-R09H-U00X-G8TR Hungary Italy UFI: 5E50-R09H-U00X-G8TR **Netherlands** UFI: 5E50-R09H-U00X-G8TR

UFI: 5F50-R09H-U00X-G8TR Norway **Poland** UFI: 5E50-R09H-U00X-G8TR **Portugal** UFI: 5E50-R09H-U00X-G8TR Slovakia UFI: 5E50-R09H-U00X-G8TR UFI: 5E50-R09H-U00X-G8TR Slovenia Spain UFI: 5E50-R09H-U00X-G8TR Sweden UFI: 5E50-R09H-U00X-G8TR UFI: 5E50-R09H-U00X-G8TR **Switzerland**

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® Brushable Ceramic Red Hardener

5491 Version #: 07 Revision date: 08-01-2023 Issue date: 05-29-2019 14 /