SAFETY DATA SHEET

1. Identification

Product identifier	DEVCON® Flexane® 94 Lic	quid Curing Ager	nt
Other means of identification			
SKU#	6921N		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	Distributor information		
Manufacturer			
Company name Address	ITW Performance Polymers 30 Endicott Street		
	Danvers, MA 01923 United States		
Telephone	Customer Service	978-777-1100	
Website	www.itwperformancepolyme	rs.com	
E-mail	Not available.		
Contact person	EHS Department		
Emergency phone number	Chemtrec International	800-424-9300 703-527-3887	
		103-321-3001	
2. Hazard(s) identification	1		
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 4
	Acute toxicity, dermal		Category 4
	Serious eye damage/eye irrit	tation	Category 2A
	Specific target organ toxicity	, repeated	Category 2
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
	$\wedge \wedge$		
Signal word	Warning		
Hazard statement	Harmful if swallowed. Harmfu damage to organs through p		skin. Causes serious eye irritation. May cause
Precautionary statement			
Prevention			after handling. Do not eat, drink or smoke when rotection. Wear protective gloves/protective
	clothing.	protection/lace p	rolection. Wear protective groves/protective
Response	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention.		
Storage	Not available.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients **Mixtures** % **Chemical name** Common name and synonyms CAS number Diethyltoluenediamine 68479-98-1 20 - 40 1333-86-4 Carbon Black 0.1 - 1 Other components below reportable levels 60 - 80 4. First-aid measures Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Wash off with soap and water. Get medical advice/attention if you feel unwell. Get medical Skin contact attention if irritation develops and persists. Wash contaminated clothing before reuse. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion Get medical advice/attention if you feel unwell. Most important Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects. symptoms/effects, acute and delayed Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim Indication of immediate under observation. Symptoms may be delayed. medical attention and special treatment needed **General information** If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. 5. Fire-fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing media Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters Move containers from fire area if you can do so without risk. Fire fighting equipment/instructions **Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. General fire hazards 6. Accidental release measures Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not protective equipment and touch damaged containers or spilled material unless wearing appropriate protective clothing. emergency procedures Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is Methods and materials for containment and cleaning up possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. **Environmental precautions** Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Do not breathe mist/vapors. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Precautions for safe handling Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Carbon Black (CAS PEL 3.5 mg/m3 US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000) Form Carbon Black (CAS TWA 5 mg/m3 Respirable fraction. 1333-86-4) 15 mg/m3 Total dust. 50 mppof Total dust. 1333-86-4) 15 mg/m3 Total dust. 50 mppof Total dust. 1333-86-4) 15 mg/m3 Total dust. 50 mppof Total dust. Carbon Black (CAS TWA 3 mg/m3 Inhalable fraction. US. ACGIH Threshold Limit Values (TLV) Type Value Form Carbon Black (CAS TWA 3 mg/m3 Inhalable fraction. 1333-86-4) TWA 3 mg/m3 Inhalable fraction. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components Type Value Carbon Black (CAS IDLH 1750 mg/m3 133-36-4) 133-36-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value Value Form engineering controls to propriate engineering	Components	Туре	Value	
ComponentsTypeValueFormCarbon Black (CAS 1333-86-4)TWA5 mg/m3Respirable fraction.1333-86-4)15 mg/m3Total dust.50 mppcfTotal dust.50 mppcfTotal dust.50 mppcfTotal dust.15 mg/m3Total dust.50 mppcfTotal dust.15 mg/m3Total dust.50 mppcfTotal dust.1333-86-4)TWA3 mg/m3NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended ComponentsFormCarbon Black (CAS Carbon Black (CASIDLH1750 mg/m31333-86-4)IDLH1750 mg/m3NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) ComponentsTypeValueCarbon Black (CAS ComponentsTypeCarbon Black (CAS 1333-86-4)TWA0.1 mg/m31333-86-4)No biological exposure limits noted for the ingredient(s). propriate engineering applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide vewash station.Vidual protection Hand protectionWear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant clothing. Use of an impervious apron is recommended.Respiratory protection Hand protectionChemical respirator with organic vapor cartridge and full facepiece.Skin protection Ha		PEL	3.5 mg/m3	
Carbon Black (CAS TWA 5 mg/m3 Respirable fraction. 1333-86-4) 15 mg/m3 Total dust. 50 mppcf Total dust. 1333-86-4) 15 mg/m3 Total dust. 50 mppcf Total dust. 1333-86-4) 15 mg/m3 Total dust. 15 mppcf Total dust. US. ACGIH Threshold Limit Values (TLV) Value Form Carbon Black (CAS TWA 3 mg/m3 Inhalable fraction. 1333-86-4) NOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components Type Value Carbon Black (CAS IDLH 1750 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value Value Carbon Black (CAS IDLH 1750 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value Value Carbon Black (CAS TWA 0.1 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Components Type Value No biological exposure limits noted for the ingredient(s). Good general ventilation shou			•	•
1333-86-4) 15 mg/m3 Total dust. 50 mppof Total dust. 15 mpcof T				
50 mppf Total dust. 15 mppf Total dust. 15 mppf Respirable fraction. US. ACGIH Threshold Limit Values (TLV) Ype Value Form Carbon Black (CAS TWA 3 mg/m3 Inhalable fraction. 1333-86-4) MIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components Type Value Carbon Black (CAS IDLH 1750 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Carbon Black (CAS TWA 0.1 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Carbon Black (CAS TWA 0.1 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Components Carbon Black (CAS TWA 0.1 mg/m3 1333-86-4) Usigui Ill init values No biological exposure limits noted for the ingredient(s). Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits have not been established, maintain airborne levels below		TWA	5 mg/m3	Respirable fraction.
15 mppcf Respirable fraction. US. ACGIH Threshold Limit Values (TLV) Components Type Value Form Carbon Black (CAS 1333-86-4) TWA 3 mg/m3 Inhalable fraction. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components Type Value Carbon Black (CAS 1333-86-4) IDLH 1750 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value Carbon Black (CAS 1333-86-4) TWA 0.1 mg/m3 0.1 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Vidual protection measures, strip general protective equipment Chemical respirator with organic vapor cartridge and full facepiece. Skin protection Hand protection Wear appropriate chemical resistant gloves. Other Other Wear appropriate chemical resistant gloves. Mear appropriate chemical respirator with organic vapor cartridge and full facepiece. Thrmal hazards <			15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values (TLV) Type Value Form Carbon Black (CAS 1333-86-4) TWA 3 mg/m3 Inhalable fraction. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components Type Value Carbon Black (CAS 1333-86-4) IDLH 1750 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value Carbon Black (CAS 1333-86-4) TWA 0.1 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value Carbon Black (CAS 1333-86-4) TWA 0.1 mg/m3 US. NIOSH: Pocket Guide to Chemical Hazards Recommended for the ingredient(s). Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Vidual protection measures, such as personal protective equipment Eye/face protection Eye/face protection Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant gloves. Other Wear appropriate thermal protective clothing, wh			50 mppcf	Total dust.
ComponentsTypeValueFormCarbon Black (CAS 1333-86-4)TWA3 mg/m3Inhalable fraction.NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended ComponentsTypeValueCarbon Black (CAS 1333-86-4)IDLH1750 mg/m3US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) ComponentsTypeValueCarbon Black (CAS 1333-86-4)IDLH1750 mg/m3US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) ComponentsTWA0.1 mg/m3Carbon Black (CAS 1333-86-4)No biological exposure limits noted for the ingredient(s).Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering ontrols to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended.Vidual protection Hand protectio			15 mppcf	Respirable fraction.
Carbon Black (CAS TWA 3 mg/m3 Inhalable fraction. Carbon Black (CAS TWA 3 mg/m3 Inhalable fraction. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Value Value Carbon Black (CAS IDLH 1750 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Value Carbon Black (CAS TWA 0.1 mg/m3 1333-86-4) No biological exposure limits noted for the ingredient(s). Components TWA 0.1 mg/m3 Value Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. ividual protection Chemical respirator with organic vapor cartridge and full facepiece. Skin protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical respirator with organic vapor cartridge and full facepiece. Thermal hazards Wear appropriate thermal protective clothing, when necessary.	US. ACGIH Threshold Lim	it Values (TLV)		
1333-86-4) NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended Components Type Value Carbon Black (CAS IDLH 1750 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Value Carbon Black (CAS TWA 0.1 mg/m3 1333-86-4) No biological exposure limits noted for the ingredient(s). Propriate engineering throls No biological exposure limits noted for the ingredient(s). Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recartinge and full facepiece. Skin protection Chemical respirator with organic vapor cartridge and full facepiece. Skin protection Wear appropriate chemical resistant gloves. Other Wear appropriate respirator with organic vapor cartridge and full facepiece. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Thermal hazards Wear a	Components	Туре	Value	Form
ComponentsTypeValueCarbon Black (CAS 1333-86-4)IDLH1750 mg/m3US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) ComponentsTypeValueCarbon Black (CAS 1333-86-4)TWA0.1 mg/m3Obgical limit values htrolsNo biological exposure limits noted for the ingredient(s).Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering mintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended.Keyface protection Hand protection Hand protection Wear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant clothing. Use of an impervious apron is recommended.Respiratory protection Thermal hazardsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.		TWA	3 mg/m3	Inhalable fraction.
Carbon Black (CAS IDLH 1750 mg/m3 1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Type Value Carbon Black (CAS TWA 0.1 mg/m3 1333-86-4) No biological exposure limits noted for the ingredient(s). Gorgical limit values No biological exposure limits noted for the ingredient(s). propriate engineering trols Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. ividual protection measures, such as personal protective equipment Eye/face protection Kin protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant gloves. Other Wear appropriate thermal protective colothing. Use of an impervious apron is recommended. Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, dri	NIOSH. Immediately Dang	erous to Life or Health (IDLH) Values,	as amended	
1333-86-4) US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) Components Components Type Value Carbon Black (CAS 1333-86-4) TWA 0.1 mg/m3 biogical limit values No biological exposure limits noted for the ingredient(s). Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering other and intain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. ividual protection measures, such as personal protective equipment Eye/face protection Skin protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant gloves. Other Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece. Thermal hazards Wear appropriate thermal protective clothing, when necessary. meral hygiene Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	Components	Туре	Value	
US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL) TypeValueCarbon Black (CAS 1333-86-4)TWA0.1 mg/m3Inogical limit values propriate engineering ntrolsNo biological exposure limits noted for the ingredient(s). Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.ividual protection measures, such as personal protective equipment Eyelface protection Hand protection Hand protection Hand protection Hand protectionWear appropriate chemical resistant gloves. Chemical respirator with organic vapor cartridge and full facepiece.Respiratory protection Thermal hazardsChemical respirator with organic vapor cartridge and full facepiece.Respiratory protection therial hazardsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.		IDLH	1750 mg/m3	
ComponentsTypeValueCarbon Black (CAS 1333-86-4)TWA0.1 mg/m3Dogical limit values propriate engineering ttrolsNo biological exposure limits noted for the ingredient(s). Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.ividual protection measures, such as personal protective equipment Eye/face protection Hand protectionChemical respirator with organic vapor cartridge and full facepiece.Skin protection Hand protection Thermal hazardsWear appropriate chemical resistant gloves. Wear appropriate thermal protective clothing, when necessary.Respiratory protection therein hygiene mersi hand protective equipment to remove contaminants.	,	to Chemical Hazards Recommended I	Exposure Limits (REL)	
1333-86-4)No biological exposure limits noted for the ingredient(s).propriate engineering propriate engineering introlsSo biological exposure limits noted for the ingredient(s).Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.ividual protection measures, such as personal protective equipment Eye/face protection Hand protectionWear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant gloves.Use of an impervious apron is recommended.Respiratory protection Thermal hazardsWear appropriate thermal protective clothing, when necessary.Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.				
propriate engineering introlsGood general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.ividual protection measures, such as personal protective equipment Eye/face protection Hand protection OtherChemical respirator with organic vapor cartridge and full facepiece.Skin protection Mear appropriate chemical resistant gloves.Wear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Chemical respirator with organic vapor cartridge and full facepiece.Respiratory protection Thermal hazardsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.		TWA	0.1 mg/m3	
htrolsapplicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.ividual protection measures, such as personal protective equipment Eye/face protection Hand protectionChemical respirator with organic vapor cartridge and full facepiece.Skin protection Hand protection OtherWear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant clothing. Use of an impervious apron is recommended.Respiratory protection Thermal hazardsWear appropriate thermal protective clothing, when necessary.Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	logical limit values	No biological exposure limits noted for	or the ingredient(s).	
Eye/face protectionChemical respirator with organic vapor cartridge and full facepiece.Skin protectionWear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant clothing. Use of an impervious apron is recommended.Respiratory protectionChemical respirator with organic vapor cartridge and full facepiece.Thermal hazardsWear appropriate thermal protective clothing, when necessary.neral hygiene hsiderationsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.		applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been		
Skin protection Hand protectionWear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant clothing. Use of an impervious apron is recommended.Respiratory protectionChemical respirator with organic vapor cartridge and full facepiece.Thermal hazardsWear appropriate thermal protective clothing, when necessary.Meral hygiene hsiderationsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	ividual protection measure	s, such as personal protective equipm	ent	
Hand protectionWear appropriate chemical resistant gloves.OtherWear appropriate chemical resistant clothing. Use of an impervious apron is recommended.Respiratory protectionChemical respirator with organic vapor cartridge and full facepiece.Thermal hazardsWear appropriate thermal protective clothing, when necessary.neral hygiene nsiderationsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	Eye/face protection	Chemical respirator with organic vap	or cartridge and full facepiece.	
Respiratory protectionChemical respirator with organic vapor cartridge and full facepiece.Thermal hazardsWear appropriate thermal protective clothing, when necessary.neral hygiene nsiderationsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	=	Wear appropriate chemical resistant gloves.		
Thermal hazardsWear appropriate thermal protective clothing, when necessary.neral hygiene nsiderationsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	Other			
neral hygiene nsiderationsKeep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	Respiratory protection			
nsiderations washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
Physical and chemical properties		washing after handling the material and before eating, drinking, and/or smoking. Routinely wash		
	Physical and chemica	al properties		
	pearance	Liquid.		

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Black
Odor	Ammoniacal.
Odor threshold	Not available.
рН	Not available.

Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	312.8 °F (156.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00009 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.02 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	1.02 estimated
10. Stability and reactivity	y l
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
44 Tassia ala sia al infama a	

11. Toxicological information

Information on likely routes of	exposure		
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Harmful in contact with skin.		
Eye contact	Causes serious eye irritation.		
Ingestion	Harmful if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.		
Information on toxicological eff	ects		
Acute toxicity	Harmful in contact with skin. Harmful if swallowed.		
Components	Species	Test Results	
Carbon Black (CAS 1333-86-4)			
<u>Acute</u>			
Oral			
LD50	Rat	> 8000 mg/kg	

Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Carbon Black (CAS 1333 OSHA Specifically Regulate Not listed.	-86-4) 2B Possibly carcinogenic to humans. ad Substances (29 CFR 1910.1001-1053)		
US. National Toxicology Pro	ogram (NTP) Report on Carcinogens		
Carbon Black (CAS 1333			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.		
12. Ecological information	n		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential			
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideratio	ns		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:		
	Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to
Annex II of MARPOL 73/78 and
the IBC CodeNot established.

15. Regulatory information

15. Regulatory informat			
JS federal regulations	This product is a "Ha Standard, 29 CFR 19	zardous Chemical" as defined by the OSHA Haz 010.1200.	zard Communication
Toxic Substances Contro	l Act (TSCA)		
TSCA Section 12(b) E Not regulated.	Export Notification (40 C	FR 707, Subpt. D)	
CERCLA Hazardous Subs	stance List (40 CFR 302.	4)	
Not listed.			
SARA 304 Emergency rel	ease notification		
Not regulated. OSHA Specifically Regula Not listed.	ated Substances (29 CFF	R 1910.1001-1053)	
	Population Act of 1	096 (SADA)	
uperfund Amendments and SARA 302 Extremely haz		966 (SARA)	
Not listed.	N/		
SARA 311/312 Hazardous chemical	s Yes		
Classified hazard categories	Acute toxicity (any ro Serious eye damage Specific target organ		
SARA 313 (TRI reporting) Not regulated.			
ther federal regulations			
Clean Air Act (CAA) Secti	on 112 Hazardous Air P	ollutants (HAPs) List	
Not regulated.			
	on 112(r) Accidental Re	lease Prevention (40 CFR 68.130)	
Not regulated.	Not regulated		
Safe Drinking Water Act (SDWA)	Not regulated.		
S state regulations			
US. California. Candidate (a))	Chemicals List. Safer C	onsumer Products Regulations (Cal. Code R	legs, tit. 22, 69502.3, subd.
Carbon Black (CAS 13 Diethyltoluenediamine			
California Proposition 65			
		you to Carbon Black, which is known to the Stat tion go to www.P65Warnings.ca.gov.	e of California to cause
California Propositio	n 65 - CRT: Listed date/0	Carcinogenic substance	
Carbon Black (CA		Listed: February 21, 2003	
nternational Inventories	,	- · ·	
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia		of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substance	s List (DSL)	Yes
Canada	Non-Domestic Subst	ances List (NDSL)	No
China	Inventory of Existing	Chemical Substances in China (IECSC)	Yes

European Inventory of Existing Commercial Chemical

European List of Notified Chemical Substances (ELINCS)

Inventory of Existing and New Chemical Substances (ENCS)

Philippine Inventory of Chemicals and Chemical Substances

Substances (EINECS)

New Zealand Inventory

Existing Chemicals List (ECL)

(PICCS)

Europe

Europe

Japan

Korea

New Zealand

Philippines

Yes

No

No

Yes

Yes

Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the components of the product are not listed or exempt from listing on the inventory	

16. Other information, including date of preparation or last revision

Issue date	05-22-2019
Revision date	10-04-2023
Version #	06
HMIS® ratings	Health: 2* Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Transport Information: Proper Shipping Name/Packing Group