SAFETY DATA SHEET

1.	Identific	ation

Product identifier		
i iouuci iuentinei	DEVCON® Flexane® 80 Liquid Curing A	gent
Other means of identification		
SKU#	6922N1	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplie	r/Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity following repeated exposure	Category 2
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Signal word Hazard statement	6	irritation. May cause damage to organs through
•	Harmful if swallowed. Causes serious eye i	irritation. May cause damage to organs through
Hazard statement	Harmful if swallowed. Causes serious eye i prolonged or repeated exposure.	ghly after handling. Do not eat, drink or smoke when
Hazard statement Precautionary statement	Harmful if swallowed. Causes serious eye i prolonged or repeated exposure. Do not breathe mist/vapours. Wash thoroug using this product. Wear eye protection/fac IF SWALLOWED: Call a POISON CENTRE Rinse cautiously with water for several min	ghly after handling. Do not eat, drink or smoke when
Hazard statement Precautionary statement Prevention	Harmful if swallowed. Causes serious eye i prolonged or repeated exposure. Do not breathe mist/vapours. Wash thoroug using this product. Wear eye protection/fac IF SWALLOWED: Call a POISON CENTRE Rinse cautiously with water for several min do. Continue rinsing. Get medical advice/at	ghly after handling. Do not eat, drink or smoke when be protection. E/doctor if you feel unwell. Rinse mouth. IF IN EYES: nutes. Remove contact lenses, if present and easy to
Hazard statement Precautionary statement Prevention Response	 Harmful if swallowed. Causes serious eye is prolonged or repeated exposure. Do not breathe mist/vapours. Wash thoroug using this product. Wear eye protection/fact IF SWALLOWED: Call a POISON CENTRER Rinse cautiously with water for several min do. Continue rinsing. Get medical advice/attention. Not available. 	ghly after handling. Do not eat, drink or smoke when be protection. E/doctor if you feel unwell. Rinse mouth. IF IN EYES: nutes. Remove contact lenses, if present and easy to
Hazard statement Precautionary statement Prevention Response Storage	 Harmful if swallowed. Causes serious eye is prolonged or repeated exposure. Do not breathe mist/vapours. Wash thoroug using this product. Wear eye protection/fact IF SWALLOWED: Call a POISON CENTRER Rinse cautiously with water for several min do. Continue rinsing. Get medical advice/attention. Not available. Dispose of contents/container in accordance 49.67 % of the mixture consists of component(s) of unital sectors. 	ghly after handling. Do not eat, drink or smoke when be protection. E/doctor if you feel unwell. Rinse mouth. IF IN EYES: nutes. Remove contact lenses, if present and easy to ttention if you feel unwell. If eye irritation persists: Get

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Diethyltoluenediamine		68479-98-1	40 - < 50
Carbon Black		1333-86-4	1 - < 3
Other components below re	portable levels		40 - < 50

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures		
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.	
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release mea	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Do not breathe mist/vapours. Do not taste or swallow. Avoid contact with eyes. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.	

	al protection		
upational exposure limits US. ACGIH Threshold Limit Val Components	ues (TLV) Type	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
,	tional Health & Safety Code, Sche	dula 1 Table 2) as amended	
Components	Type	Value	
Carbon Black (CAS 1333-86-4)	TWA	3.5 mg/m3	
Canada. British Columbia OELs Safety Regulation 296/97, as an	s. (Occupational Exposure Limits nended)	for Chemical Substances, Oco	cupational Health and
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable
	217/2006, The Workplace Safety A	nd Health Act), as amended	
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Canada. New Brunswick OELs: Publication (New Brunswick Re	: Threshold Limit Values (TLVs) Ba egulation 91-191)	ased on the 1991 and 1997 AC	GIH TLVs and BEIs
Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	TWA	3.5 mg/m3	
Canada. Ontario OELs. (Contro Components	l of Exposure to Biological or Che Type	emical Agents), as amended Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
	ry of Labor - Regulation respecting Type	g occupational health and saf Value	ety), as amended Form
Components			
Components Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable dust.
Carbon Black (CAS 1333-86-4)	TWA Occupational Health and Safety R Type	-	
Carbon Black (CAS 1333-86-4) Canada. Saskatchewan OELs (Components Carbon Black (CAS	Occupational Health and Safety R	egulations, 1996, Table 21), as	
Carbon Black (CAS 1333-86-4) Canada. Saskatchewan OELs (Components Carbon Black (CAS 1333-86-4)	Occupational Health and Safety R Type	egulations, 1996, Table 21), as Value 7 mg/m3	
Carbon Black (CAS 1333-86-4) Canada. Saskatchewan OELs (Components Carbon Black (CAS 1333-86-4) ogical limit values propriate engineering trols	Occupational Health and Safety R Type 15 minute	egulations, 1996, Table 21), as Value 7 mg/m3 r the ingredient(s). sed. Ventilation rates should be i bocal exhaust ventilation, or other mended exposure limits. If expo	s amended matched to conditions. I engineering controls to sure limits have not bee
Carbon Black (CAS 1333-86-4) Canada. Saskatchewan OELs (Components Carbon Black (CAS 1333-86-4) ogical limit values ropriate engineering trols G widual protection measures, suc	Occupational Health and Safety R Type 15 minute o biological exposure limits noted fo good general ventilation should be us pplicable, use process enclosures, lo naintain airborne levels below recomm	egulations, 1996, Table 21), as Value 7 mg/m3 r the ingredient(s). sed. Ventilation rates should be in bocal exhaust ventilation, or other mended exposure limits. If expo to an acceptable level. Provide e ent	s amended matched to conditions. I engineering controls to sure limits have not bee
Carbon Black (CAS 1333-86-4) Canada. Saskatchewan OELs (Components Carbon Black (CAS 1333-86-4) ogical limit values propriate engineering trols components G trols components Carbon Black (CAS 1333-86-4) ogical limit values components components Carbon Black (CAS 1333-86-4) ogical limit values components carbon Black (CAS 1333-86-4) components compon	Occupational Health and Safety R Type 15 minute o biological exposure limits noted fo food general ventilation should be us pplicable, use process enclosures, lo naintain airborne levels below recommistablished, maintain airborne levels to ch as personal protective equipment	egulations, 1996, Table 21), as Value 7 mg/m3 r the ingredient(s). sed. Ventilation rates should be not ocal exhaust ventilation, or other mended exposure limits. If expo to an acceptable level. Provide e ent our cartridge and full facepiece.	s amended matched to conditions. I engineering controls to sure limits have not bee
Carbon Black (CAS 1333-86-4) Canada. Saskatchewan OELs (C Components Carbon Black (CAS 1333-86-4) ogical limit values N- propriate engineering G trols ap widual protection measures, suc Eye/face protection C Skin protection Hand protection W	Occupational Health and Safety R Type 15 minute to biological exposure limits noted for sood general ventilation should be us pplicable, use process enclosures, lo naintain airborne levels below recom- stablished, maintain airborne levels to ch as personal protective equipment hemical respirator with organic vapor	egulations, 1996, Table 21), as Value 7 mg/m3 r the ingredient(s). sed. Ventilation rates should be in bocal exhaust ventilation, or other mended exposure limits. If expo to an acceptable level. Provide e ent bur cartridge and full facepiece.	s amended matched to conditions. I engineering controls to sure limits have not bee eyewash station.
Carbon Black (CAS 1333-86-4) Canada. Saskatchewan OELs (C Components Carbon Black (CAS 1333-86-4) ogical limit values propriate engineering trols skin protection measures, succ Eye/face protection Hand protection W Other	Occupational Health and Safety R Type 15 minute o biological exposure limits noted for food general ventilation should be us pplicable, use process enclosures, lo iaintain airborne levels below recom- stablished, maintain airborne levels te ch as personal protective equipment hemical respirator with organic vapo	egulations, 1996, Table 21), as Value 7 mg/m3 r the ingredient(s). sed. Ventilation rates should be not bocal exhaust ventilation, or other mended exposure limits. If expo- to an acceptable level. Provide e ent our cartridge and full facepiece. gloves.	s amended matched to conditions. I engineering controls to sure limits have not bee eyewash station.

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

9. Filysical and chemical	properties
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	156.0 °C (312.8 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	0.00009 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.03 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.03 estimated
10. Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological inform	nation

Skin contact

Information on likely routes of exposure Inhalation

No adverse effects due to inhalation are expected. No adverse effects due to skin contact are expected.

Eye contact	Causes serious eye irritation.		
Ingestion	Harmful if swallowed.		
-	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred		
Symptoms related to the physical, chemical and toxicological characteristics	vision.		
Information on toxicological effe	ects		
Acute toxicity	Harmful if swallowed.		
Components	Species	Test Results	
Carbon Black (CAS 1333-86-4)			
Acute			
Oral			
LD50	Rat	> 8000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitisation	ı		
Canada - Alberta OELs: Irrit			
Carbon Black (CAS 1333	,	Irritant	
Respiratory sensitisation	Not a respiratory sensitiser.		
Skin sensitisation	This product is not expected		
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	product or any components present at greater than 0.1% are	
Carcinogenicity			
ACGIH Carcinogens			
Carbon Black (CAS 1333		A3 Confirmed animal carcinogen with unknown relevance to humans.	
Canada - Manitoba OELs: ca			
Carbon Black (CAS 1333 Canada - Quebec OELs: Car	cinogen category	Confirmed animal carcinogen with unknown relevance to humans.	
	Evaluation of Carcinogenicity	Detected carcinogenic effect in animals.	
Carbon Black (CAS 1333 US. National Toxicology Pro	-86-4) o <mark>gram (NTP) Report on Carc</mark> ir	2B Possibly carcinogenic to humans. nogens	
Carbon Black (CAS 1333	-86-4)	Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected	to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	May cause damage to organs	s through prolonged or repeated exposure.	
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	May cause damage to organs	s through prolonged or repeated exposure.	
12. Ecological information	1		
Ecotoxicity		as environmentally hazardous. However, this does not exclude the ent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability		egradability of any ingredients in the mixture.	
Bioaccumulative potential			
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideratio	ns		
Disposal instructions		e in sealed containers at licensed waste disposal site. Dispose of ance with local/regional/national/international regulations.	

Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14 Transport information	

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Inventory name

Taiwan Chemical Substance Inventory (TCSI)

Taiwan United States & Puerto Rico

o Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information	
Issue date	24-November-2021
Revision date	28-July-2023
Version No.	02
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Hazard identification: Disposal Hazard identification: Prevention Hazard identification: Response Hazard identification: Storage Hazard identification: Other hazards Hazard identification: Supplemental information Exposure controls/personal protection: Hand protection Stability and reactivity: Conditions to avoid Ecological information: Bioaccumulative potential Other information: References Other information: List of abbreviations