SAFETY DATA SHEET

Version #: 07

Issue date: 05-23-2019 Revision date: 07-28-2023 Supersedes date: 07-20-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® R-Flex® Hardener

Registration number

None. Synonyms SKU# 6933

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service Telephone Number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

Control Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® R-Flex® Hardener 6933 Version #: 07 Revision date: 07-28-2023 Issue date: 05-23-2019

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

available for the Emergency Service.)

113

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

Information Center Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral Category 4 H302 - Harmful if swallowed. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye irritation. Specific target organ toxicity - repeated Category 2

exposure

H373 - May cause damage to organs through prolonged or

repeated exposure.

Environmental hazards

Hazardous to the aquatic environment, acute Category 1 H400 - Very toxic to aquatic life.

aquatic hazard

Hazardous to the aquatic environment, Category 1 H410 - Very toxic to aquatic life

long-term aquatic hazard with long lasting effects.

2.2. Label elements

6933 Version #: 07 Revision date: 07-28-2023 Issue date: 05-23-2019

Material name: DEVCON® R-Flex® Hardener

Label according to Regulation (EC) No. 1272/2008 as amended

Austria: 8X20-2090-Y00K-ACWV Belgium: 8X20-2090-Y00K-ACWV Bulgaria: 8X20-2090-Y00K-ACWV Croatia: 8X20-2090-Y00K-ACWV Cyprus: 8X20-2090-Y00K-ACWV

Czech Republic: 8X20-2090-Y00K-ACWV Denmark: 8X20-2090-Y00K-ACWV Estonia: 8X20-2090-Y00K-ACWV EU: 8X20-2090-Y00K-ACWV Finland: 8X20-2090-Y00K-ACWV France: 8X20-2090-Y00K-ACWV Germany: 8X20-2090-Y00K-ACWV Greece: 8X20-2090-Y00K-ACWV Hungary: 8X20-2090-Y00K-ACWV Iceland: 8X20-2090-Y00K-ACWV Ireland: 8X20-2090-Y00K-ACWV

Italy: 8X20-2090-Y00K-ACWV Latvia: 8X20-2090-Y00K-ACWV Lithuania: 8X20-2090-Y00K-ACWV Luxembourg: 8X20-2090-Y00K-ACWV Malta: 8X20-2090-Y00K-ACWV Netherlands: 8X20-2090-Y00K-ACWV Norway: 8X20-2090-Y00K-ACWV Poland: 8X20-2090-Y00K-ACWV Portugal: 8X20-2090-Y00K-ACWV Romania: 8X20-2090-Y00K-ACWV

Slovakia: 8X20-2090-Y00K-ACWV Slovenia: 8X20-2090-Y00K-ACWV Spain: 8X20-2090-Y00K-ACWV Sweden: 8X20-2090-Y00K-ACWV

2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1] Contains:

2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2]

diethylmethylbenzenediamine [3]

Hazard pictograms







Signal word Warning

Hazard statements

Harmful if swallowed. H302 Causes serious eye irritation. H319

May cause damage to organs through prolonged or repeated exposure. H373

Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410

Precautionary statements

Prevention

P260 Do not breathe mist/vapors. Wash thoroughly after handling. P264

Do not eat, drink or smoke when using this product. P270

Avoid release to the environment. P273 Wear eye protection/face protection. P280

Response

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 + P312

Rinse mouth. P330

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell. P314 If eye irritation persists: Get medical advice/attention. P337 + P313

Collect spillage. P391 Not available. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediam ine; [1] 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediam ine; [2] diethylmethylbenzenediamine [3]	80 - < 90	68479-98-1 270-877-4	-	612-130-00-0	
1	mg/kg bw),		ng/kg bw), Acute Tox. 4;H31 FOT RE 2;H373, Aquatic Ac		
1	mg/kg bw),	Eye Irrit. 2;H319, S7			

10 - < 20 Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves. Show

this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion

Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.

delayed

immediate medical attention

4.3. Indication of any

and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk. Special fire fighting procedures

Material name: DEVCON® R-Flex® Hardener

6933 Version #: 07 Revision date: 07-28-2023 Issue date: 05-23-2019

SDS FII

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in

Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe mist/vapors. Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E1 Hazardous to the Aquatic Environment Acute (Lower-tier requirements = 100 tons; Upper-tier

requirements = 200 tons)

- E1 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 100 tons;

Upper-tier requirements = 200 tons)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -Chemical agents, as amended

Components	Туре	Value
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value
Oleic Acid (CAS 112-80-1)	TWA	10 mg/m3

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components		Туре	Value
Carbon Black 1333-86-4)	(CAS	MAC	3,5 mg/m3
		STEL	7 mg/m3

Cyprus. OELs. Control of factory at Components	Type	Value	ion, i i o i i/i o, as amended
Carbon Black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Czech Republic. Occupational expo 361/2007, Annex 2, Part A & Annex		vork (Decree on protect	ion of health at work,
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.
Denmark. Work Environment Autho Components	ority. Exposure Limits for Substand Type	ces & Materials, Annex 2 Value	2
Carbon Black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Finland. HTP-arvot, App 3., Binding Components	Limit Values, Social Affairs and M Type	linistry of Health Value	
Carbon Black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
France. Threshold Limit Values (VL Components	EP) for Occupational Exposure to Type	Chemicals in France, IN Value	IRS ED 984
Carbon Black (CAS 1333-86-4)	VME	3,5 mg/m3	
Regulatory status: Indicative	limit (VL)		
Germany. DFG MAK List (advisory in the Work Area (DFG), as updated		gation of Health Hazard	s of Chemical Compounds
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	4 mg/m3	Inhalable dust.
Germany. TRGS 900, Limit Values i Components	n the Ambient Air at the Workplace Type	e Value	Form
Carbon Black (CAS	AGW	10 mg/m3	Inhalable fraction.
1333-86-4)		1,25 mg/m3	Respirable fraction.
Greece. OELs, Presidential Decree Components	No. 307/1986, as amended Type	Value	
Carbon Black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Hungary. OELs. Decree on protecti Components	on of workers exposed to chemica Type	l agents (5/2020. (II.6)), Value	Annex 1&2, as amended Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable dust.
Iceland. OELs. Regulation 390/2009 Components	on Pollution Limits and Measures Type	to Reduce Pollution at Value	the Workplace, as amende
Carbon Black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Ireland. OELVs, Schedules 1 & 2, C Components	ode of Practice for Chemical Agen Type	ts and Carcinogens Reເ Value	gulations Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Italy. OELs (Legislative Decree n.81	l, 9 April 2008), as amended Type	Value	Form
Components	i ype	Value	. •

Material name: DEVCON® R-Flex® Hardener

SDS EU 6 / 13

	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	1358 on Measures and Limit Values for Phy plogical Factors, as amended	sical and Chemical Facto	rs in Work Environment
Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Poland. Maximum perm 1286/2018, Annex 1)	issible concentrations and intensities of har	mful factors in the work of	environment (Dz.U.Poz.
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	4 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm o Components	n occupational exposure to chemical agents Type	(NP 1796-2014) Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Fume.
Slovakia. OELs. Maximu Annex 1, Table 1, as am	um permissible exposure limits for chemical ended)	factors in workplace air (Regulation No 355/2006,
Components	Туре	Value	
Carbon Black (CAS 1333-86-4)	TWA	2 mg/m3	
	ational Exposure Limits of Chemicals at Wor Is at Work, Annex I), as amended	kplace (Reg. on Protection	on of Workers from Risks
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
=	nites de Exposición Profesional Para Agente		·
Spain. OELs. INSST, Lín (VLAs) Components	nites de Exposición Profesional Para Agente Type		·
(VLAs)	•	es Químicos, Table 1-Valo	·
(VLAs) Components Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1	Туре	Value 3,5 mg/m3	ores Límites Ambientales
(VLAs) Components Carbon Black (CAS 1333-86-4)	Type TWA	Value 3,5 mg/m3	ores Límites Ambientales
(VLAs) Components Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components Carbon Black (CAS	Type TWA 1). Work Environment Authority (AV), Occupa	Value 3,5 mg/m3 ational Exposure Limit Va	ores Límites Ambientales alues (AFS 2018:1), as Form
(VLAs) Components Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components	Type TWA 1). Work Environment Authority (AV), Occupa	Value 3,5 mg/m3 ational Exposure Limit Value	ores Límites Ambientales alues (AFS 2018:1), as Form
(VLAs) Components Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components Carbon Black (CAS 1333-86-4)	Type TWA 1). Work Environment Authority (AV), Occupa	Value 3,5 mg/m3 ational Exposure Limit Value 5 mg/m3 1 mg/m3	alues (AFS 2018:1), as Form Inhalable dusts and n
(VLAs) Components Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components Carbon Black (CAS 1333-86-4) Switzerland. SUVA Grer	Type TWA I). Work Environment Authority (AV), Occupa Type TWA TWA nzwerte am Arbeitsplatz: Aktuelle MAK-Werte	Value 3,5 mg/m3 ational Exposure Limit Va Value 5 mg/m3 1 mg/m3	alues (AFS 2018:1), as Form Inhalable dusts and n
(VLAs) Components Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components Carbon Black (CAS 1333-86-4) Switzerland. SUVA Grer Components Carbon Black (CAS	Type TWA 1). Work Environment Authority (AV), Occupa Type TWA TWA nzwerte am Arbeitsplatz: Aktuelle MAK-Werte	Value 3,5 mg/m3 ational Exposure Limit Value 5 mg/m3 1 mg/m3 Value Value	alues (AFS 2018:1), as Form Inhalable dusts and n Inhalable dust. Form
Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components Carbon Black (CAS 1333-86-4) Switzerland. SUVA Grer Components Carbon Black (CAS 1333-86-4)	Type TWA 1). Work Environment Authority (AV), Occupa Type TWA TWA nzwerte am Arbeitsplatz: Aktuelle MAK-Werte	Value 3,5 mg/m3 ational Exposure Limit Value 5 mg/m3 1 mg/m3 Value 3 mg/m3 10 mg/m3	alues (AFS 2018:1), as Form Inhalable dusts and n Inhalable dust. Form Respirable dust.
Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components Carbon Black (CAS 1333-86-4) Switzerland. SUVA Grer Components Carbon Black (CAS 1333-86-4) Carbon Black (CAS 1333-86-4)	Type TWA 1). Work Environment Authority (AV), Occupa Type TWA Twa Type TWA Type TWA Type TWA Type TWA	Value 3,5 mg/m3 ational Exposure Limit Value 5 mg/m3 1 mg/m3 Value 3 mg/m3 10 mg/m3 Edition 2020)), Table 1	alues (AFS 2018:1), as Form Inhalable dusts and n Inhalable dust. Form Respirable dust.
Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components Carbon Black (CAS 1333-86-4) Switzerland. SUVA Grer Components Carbon Black (CAS 1333-86-4) UK. OELs. Workplace E. Components Carbon Black (CAS 1333-86-4)	Type TWA I). Work Environment Authority (AV), Occupa Type TWA TWA Type TWA Type TWA TWA TWA TWA TWA TWA	Value 3,5 mg/m3 ational Exposure Limit Value 5 mg/m3 1 mg/m3 Value 3 mg/m3 10 mg/m3 Edition 2020)), Table 1 Value	alues (AFS 2018:1), as Form Inhalable dusts and m Inhalable dust. Form Respirable dust.
Carbon Black (CAS 1333-86-4) Sweden. OELs (Annex 1 amended Components Carbon Black (CAS 1333-86-4) Switzerland. SUVA Grer Components Carbon Black (CAS 1333-86-4) UK. OELs. Workplace E. Components Carbon Black (CAS 1333-86-4)	Type TWA 1). Work Environment Authority (AV), Occupation Type TWA Twa Type TWA Type TWA TWA TWA Type TWA TWA Type TWA STEL	Value 3,5 mg/m3 ational Exposure Limit Value 5 mg/m3 1 mg/m3 Value 3 mg/m3 10 mg/m3 Edition 2020)), Table 1 Value 7 mg/m3 3,5 mg/m3 3,5 mg/m3	alues (AFS 2018:1), as Form Inhalable dusts and m Inhalable dust. Form Respirable dust.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. Use of an impervious apron is recommended. - Other

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

levels

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid. Physical state **Form** Liquid. Color Black

Odor Ammoniacal.

61,34 °F (16,3 °C) estimated Melting point/freezing point

Boiling point or initial boiling

point and boiling range

Not available.

Not applicable. **Flammability**

Flash point 312,8 °F (156,0 °C) estimated 685,4 °F (363 °C) estimated Auto-ignition temperature

Decomposition temperature Not available.

> 7 - < 8 @ 5% solution pН

Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water) (log value)

<1 mm Hg @ 70 F Vapor pressure 0,00008 hPa estimated

Density and/or relative density

1.01 g/cm3 estimated Density

Not available Vapor density **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Material name: DEVCON® R-Flex® Hardener

1.01 estimated Specific gravity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous decomposition products No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Causes serious eye irritation. Eye contact

Ingestion Harmful if swallowed.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful if swallowed. Acute toxicity

Components **Test Results Species**

Carbon Black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 8000 mg/kg

Due to partial or complete lack of data the classification is not possible. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon Black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available

SECTION 12: Ecological information

Very toxic to aquatic life with long lasting effects. 12.1. Toxicity

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Material name: DEVCON® R-Flex® Hardener SDS FII

Not available. **Bioconcentration factor (BCF)**

No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. **Special precautions**

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned.

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions

for user

Not assigned.

RID

Not regulated as dangerous goods. 14.1. UN number

14.2. UN proper shipping

name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

IMDG

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant No.

Not assigned. **EmS** 14.6. Special precautions Not assigned.

for user

Not established. 14.7. Maritime transport in bulk

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Carbon Black (CAS 1333-86-4)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Material name: DEVCON® R-Flex® Hardener

UFI:

Austria: 8X20-2090-Y00K-ACWV Belgium: 8X20-2090-Y00K-ACWV Bulgaria: 8X20-2090-Y00K-ACWV Croatia: 8X20-2090-Y00K-ACWV Cyprus: 8X20-2090-Y00K-ACWV Czech Republic: 8X20-2090-Y00K-ACWV Denmark: 8X20-2090-Y00K-ACWV Estonia: 8X20-2090-Y00K-ACWV EU: 8X20-2090-Y00K-ACWV Finland: 8X20-2090-Y00K-ACWV France: 8X20-2090-Y00K-ACWV Germany: 8X20-2090-Y00K-ACWV Greece: 8X20-2090-Y00K-ACWV Hungary: 8X20-2090-Y00K-ACWV Iceland: 8X20-2090-Y00K-ACWV Ireland: 8X20-2090-Y00K-ACWV Italy: 8X20-2090-Y00K-ACWV Latvia: 8X20-2090-Y00K-ACWV Lithuania: 8X20-2090-Y00K-ACWV Luxembourg: 8X20-2090-Y00K-ACWV Malta: 8X20-2090-Y00K-ACWV Netherlands: 8X20-2090-Y00K-ACWV Norway: 8X20-2090-Y00K-ACWV

Poland: 8X20-2090-Y00K-ACWV Portugal: 8X20-2090-Y00K-ACWV Romania: 8X20-2090-Y00K-ACWV Slovakia: 8X20-2090-Y00K-ACWV Slovenia: 8X20-2090-Y00K-ACWV

Spain: 8X20-2090-Y00K-ACWV Sweden: 8X20-2090-Y00K-ACWV

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered 75

2,6-diamino-3,5-diethyltoluene;

4,6-diethyl-2-methyl-1,3-benzenediamine; [1]

2,4-diamino-3,5-diethyltoluene;

2,4-diethyl-6-methyl-1,3-benzenediamine; [2] diethylmethylbenzenediamine [3] (CAS 68479-98-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E1 Hazardous to the Aquatic Environment Acute - E1 Hazardous to the Aquatic Environment Chronic

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as **National regulations**

amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Carbon Black (CAS 1333-86-4) Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen

Gipsfasernund Wollastonitfasern)

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

UFI: 8X20-2090-Y00K-ACWV **Austria Belaium** UFI: 8X20-2090-Y00K-ACWV **Czech Republic** UFI: 8X20-2090-Y00K-ACWV UFI: 8X20-2090-Y00K-ACWV Denmark

Material name: DEVCON® R-Flex® Hardener

UFI: 8X20-2090-Y00K-ACWV **European Union Finland** UFI: 8X20-2090-Y00K-ACWV UFI: 8X20-2090-Y00K-ACWV France UFI: 8X20-2090-Y00K-ACWV Germany UFI: 8X20-2090-Y00K-ACWV Greece UFI: 8X20-2090-Y00K-ACWV Hungary UFI: 8X20-2090-Y00K-ACWV Italy UFI: 8X20-2090-Y00K-ACWV **Netherlands** Norway UFI: 8X20-2090-Y00K-ACWV UFI: 8X20-2090-Y00K-ACWV **Poland** UFI: 8X20-2090-Y00K-ACWV **Portugal** Slovakia UFI: 8X20-2090-Y00K-ACWV Slovenia UFI: 8X20-2090-Y00K-ACWV UFI: 8X20-2090-Y00K-ACWV Spain UFI: 8X20-2090-Y00K-ACWV Sweden **Switzerland** UFI: 8X20-2090-Y00K-ACWV

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision information Training information

Disclaimer

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® R-Flex® Hardener