SAFETY DATA SHEET

1. Identification

Product identifier	Chockfast Versaflow H	lardener	
Other means of identification			
SKU#	GP140H		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplie	er/Distributor information		
Manufacturer			
Company name Address	ITW Performance Polyr 130 Commerce Drive Montgomeryville, PA 18 United States		
Telephone	Customer Service	215-855-8450	
Website	www.itwperformancepo	lymers.com	
E-mail	Not available.		
Contact person	EHS Department		
Emergency phone number	CHEMTREC International	800-424-9300 703-527-3887	
2. Hazard(s) identification	n		
Bhusical haranda	Natalaasifiad		

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement		skin. Causes severe skin burns and eye damage. erious eye damage. Harmful to aquatic life with long
Precautionary statement		
Prevention		after handling. Do not eat, drink or smoke when g must not be allowed out of the workplace. Avoid loves/protective clothing/eye protection/face
Response	contaminated clothing. Rinse skin with water/s keep comfortable for breathing. If in eyes: Rins	o do. Continue rinsing. Immediately call a poison

Dispose of contents/container in accordance with local/regional/national/international regulations.

Store locked up.

Storage

Disposal

None known.

100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 18.7% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
POLY(OXYPROPYLENE)DIAM	IINE	9046-10-0	40 - 70
2,4,6-tris-(dimethylaminomethy enol	l)-ph	90-72-2	10 - 30
TRIETHYLENETETRAMINE	ТЕТА	112-24-3	7 - 13
Triethylolamine		102-71-6	1 - 5
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	
Skin contact	Remove contaminated clothing immediately a or poison control center immediately. Chemic contaminated clothing before reuse.	•	
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Cal		
Ingestion	Call a physician or poison control center imm vomiting occurs, keep head low so that stoma	-	•
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin dama include stinging, tearing, redness, swelling, a blindness could result.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre immediately. While flushing, remove clothes v ambulance. Continue flushing during transpo observation. Symptoms may be delayed.	which do not adhere to affecte	d area. Call an
General information	Ensure that medical personnel are aware of t protect themselves. Show this safety data sho clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxi	de (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and con	sider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions.	Keep unnecessary personnel away. Keep pe	ople away from and upwind of	spill/leak. Wear

Personal precautions,
protective equipment and
emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear
appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not
touch damaged containers or spilled material unless wearing appropriate protective clothing.
Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be
contained. For personal protection, see section 8 of the SDS.

Methods and materials for	Use water spray to reduce vapors or divert vapor cloud drift. Prevent product from entering drains.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGIH Threshold Limit		
Components	Туре	Value
Triethylolamine (CAS 102-71-6)	TWA	5 mg/m3
US. Workplace Environmen	tal Exposure Level (WEEL) Guides	
Components	Туре	Value
TRIETHYLENETETRAMIN E (CAS 112-24-3)	TWA	6 mg/m3
		1 ppm
Biological limit values	No biological exposure limits noted f	or the ingredient(s).
Exposure guidelines		
US WEEL Guides: Skin des	ignation	
TRIETHYLENETETRAM	INE (CAS 112-24-3) Can	be absorbed through the skin.
Appropriate engineering controls	applicable, use process enclosures, maintain airborne levels below recor	used. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to nmended exposure limits. If exposure limits have not been to an acceptable level. Eye wash facilities and emergency dling this product.
ndividual protection measures,	such as personal protective equipn	nent
Eye/face protection	Wear safety glasses with side shield recommended.	s (or goggles) and a face shield. Face shield is
Skin protection		
Hand protection	Wear appropriate chemical resistant	gloves.
Other	Wear appropriate chemical resistant	clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, we	ar suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.
General hygiene considerations	washing after handling the material a	ays observe good personal hygiene measures, such as and before eating, drinking, and/or smoking. Routinely wash ent to remove contaminants. Contaminated work clothing kplace.

9. Physical and chemical properties

9. Physical and chemical	properties
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Colorless to light yellow.
Odor	Ammoniacal.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	249.8 °F (121.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	1 % estimated
Flammability limit - upper (%)	9.5 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.01 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	561.2 °F (294 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.95 g/cm3
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	0.95
10 Stability and reactivity	

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.
Material is stable under normal conditions.
Hazardous polymerization does not occur.
Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Peroxides. Phenols.
No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure Inhalation May ca

May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact	Causes severe skin burns. Harmful in contact with s	kin. May cause an allergic skin reaction.
	Prolonged or repeated exposure may cause liver an been observed in humans.	d kidney damage. These effects have not
Eye contact	Causes serious eye damage.	
Ingestion	Causes digestive tract burns. Harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Ca include stinging, tearing, redness, swelling, and blur blindness could result.	uses serious eye damage. Symptoms may red vision. Permanent eye damage including
Information on toxicological effe	ects	
Acute toxicity	Harmful in contact with skin. Harmful if swallowed.	
Components	Species	Test Results
TRIETHYLENETETRAMINE (CAS	6 112-24-3)	
<u>Acute</u> Dermal <i>Liquid</i> LD50	Rat	1465 mg/kg
Oral	nat	1405 mg/kg
Liquid		
LD50	Rat	1716 mg/kg
Triethylolamine (CAS 102-71-6)		
<u>Acute</u> Dermal		
LD50	Rabbit	> 20000 mg/kg
Oral		0 //
LD50	Rat	8 g/kg
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization Respiratory sensitization	n Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any compon mutagenic or genotoxic.	ents present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Triethylolamine (CAS 102 OSHA Specifically Regulate Not listed.	2-71-6) 3 Not classifiable as ad Substances (29 CFR 1910.1001-1053)	to carcinogenicity to humans.
	ogram (NTP) Report on Carcinogens	
Reproductive toxicity	This product is not expected to cause reproductive of	or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful. May be harmf	ul if absorbed through skin.
	Prolonged or repeated exposure may cause liver an been observed in humans.	d kidney damage. These effects have not

12. Ecological informatio	n
Ecotoxicity	Harmful to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	
Partition coefficient n-octar Triethylolamine	nol / water (log Kow) -1
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideration	ons

-	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

|--|

DOT	
UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s. (TRIETHYLENETETRAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241
ΙΑΤΑ	
UN number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s. (TRIETHYLENETETRAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	8L
	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (TRIETHYLENETETRAMINE)
Transport hazard class(es)	
Class	8

Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	



IATA; IMDG



US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication
	Standard, 29 CFR 1910.1200.
Toxic Substances Control A	ct (TSCA)
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substar	nce List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency releas	se notification
Not regulated.	
OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-1053)
Not listed.	
Superfund Amendments and Rea	authorization Act of 1986 (SARA)
SARA 302 Extremely hazard	ous substance
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard	Acute toxicity (any route of exposure)
categories	Skin corrosion or irritation
	Serious eye damage or eye irritation Respiratory or skin sensitization
SARA 313 (TRI reporting)	······································

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

,	
Issue date	10-14-2019
Revision date	09-20-2022
Version #	04
HMIS® ratings	Health: 3 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 1 Instability: 0
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.