# SAFETY DATA SHEET

## 1. Identification

1. Identification		
Product identifier	PhillyClad # 8 Hardener	
Other means of identification		
SKU#	DM013H	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	r/Distributor information	
Manufacturer		
Company name	ITW Performance Polymers	
Address	130 Commerce Drive	
	Montgomeryville, PA 18936 United States	
Telephone	Customer Service 215-855-84	450
Website	www.itwperformancepolymers.com	
E-mail	Not available.	
Contact person	EHS Department	200
Emergency phone number	CHEMTREC 800-424-93   International 703-527-33	
2. Hazard(s) identification	1	
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 1A
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 1
	Specific target organ toxicity, single expe	osure Category 3 respiratory tract irritation
Environmental hazards	Hazardous to the aquatic environment, a hazard	acute Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		¥
Signal word	Danger	
Hazard statement	Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. May damage fertility or the unborn child. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.	
Precautionary statement		
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.	

Response	Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	34.38% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 39.36% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

# 3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Diethylenetriamine		111-40-0	15 - 40
TRIETHYLENETETRAMINE	ТЕТА	112-24-3	15 - 40
4,4'-Isopropylidenediphenol		80-05-7	10 - 30
Other components below reportable levels			15 - 40

# 4. First-aid measures

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Coughing.
Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Alcohol resistant foam. Powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Do not use water jet as an extinguisher, as this will spread the fire.
Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed.
Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## 6. Accidental release measures

6. Accidental release mea	Isures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent product from entering drains.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGIH Threshold Limit Components	t Values (TLV) Type	Value
Diethylenetriamine (CAS 111-40-0)	TWA	1 ppm
US. NIOSH: Pocket Guide t	o Chemical Hazards Recor	nmended Exposure Limits (REL)
Components	Туре	Value
Diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m3
		1 ppm
US. OARS. Workplace Envi	ironmental Exposure I evel	(WEEL) Guide
Components	Type	Value
TRIETHYLENETETRAMIN E (CAS 112-24-3)	TWA	6 mg/m3
		1 ppm
logical limit values	No biological exposure lin	nits noted for the ingredient(s).
oosure guidelines		
US - California OELs: Skin	designation	
Diethylenetriamine (CAS US - Minnesota Haz Subs:	,	Can be absorbed through the skin.
Diethylenetriamine (CAS US ACGIH Threshold Limit	,	Skin designation applies.
Diethylenetriamine (CAS	S 111-40-0)	Danger of cutaneous absorption
US NIOSH Pocket Guide to	Chemical Hazards: Skin d	esignation
	\$ 111-40-0)	Can be absorbed through the skin.

### US WEEL Guides: Skin designation

	3	
TRIETHYLENETETRAMI	NE (CAS 112-24-3) Can be absorbed through the skin.	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
<b>Respiratory protection</b>	Chemical respirator with organic vapor cartridge and full facepiece.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	

## 9. Physical and chemical properties

5. I hysical and chemical	
Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Black.
Odor	Mild. Amine-like.
Odor threshold	Not available.
рН	11.1
Melting point/freezing point	Not available.
Initial boiling point and boiling range	>450 °F (>232.22 °C)
Flash point	>200.0 °F (>93.3 °C)
Evaporation rate	<1 BuAc
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	<0.05 mm Hg
Vapor density	>1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	561.2 °F (294 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.83 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	1.06

10. Stability and reactivity		
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.	
Incompatible materials	Strong acids. Alkaline metals. Peroxides. Phenols.	
Hazardous decomposition products	No hazardous decomposition products are known.	
11. Toxicological information		
Information on likely routes of exposure		

Inhalation	May cause irritation to the respiratory system. Pro	longed inhalation may be harmful.
Skin contact	Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.	
Eye contact	Causes serious eye damage.	
Ingestion	Causes digestive tract burns. Harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Coughing.	
Information on toxicological eff	fects	
Acute toxicity	Harmful in contact with skin. Harmful if swallowed	
Components	Species	Test Results
4,4'-Isopropylidenediphenol (CAS	80-05-7)	
Acute		
Dermal		
LD50	Rabbit	3000 mg/kg
Diethylenetriamine (CAS 111-40-0	0)	
<u>Acute</u>		
<b>Dermal</b> LD50	Rabbit	1090 mg/kg
Oral	(dob)	
LD50	Rat	1080 mg/kg
TRIETHYLENETETRAMINE (CAS	S 112-24-3)	J. J
Acute		
Dermal		
Liquid		
LD50	Rat	1465 mg/kg
Oral		
Liquid	D-4	
LD50	Rat	1716 mg/kg
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitizatio		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
NI-4 Refer		

OSUA Specifically Pagulate	d Substances (20 CED 1010 1001 1052)
Not listed.	d Substances (29 CFR 1910.1001-1053)
	ogram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	May damage fertility or the unborn child.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological information	1
Ecotoxicity	Toxic to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	
Partition coefficient n-octan	
4,4'-Isopropylidenediphenol	3.32
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideratio	ns
Disposal instructions	Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH ≤2 or  =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	
DOT	
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s. (Triethylenetetraamine (TETA), Diethylenetriamine)
Transport hazard class(es)	
Class Subsidiary risk	8
Subsidiary risk	-

	Subsidialy lisk	-
	Label(s)	8
	Packing group	II
	Environmental hazards	
	Marine pollutant	No.
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	Special provisions	B2, IB2, T11, TP1, TP27
	Packaging exceptions	154
	Packaging non bulk	202
	Packaging bulk	242
IAT	Α	
	UN number	UN2735

UN proper shipping name	Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s. (Triethylenetetraamine (TETA), Diethylenetriamine)	
Transport hazard class(es)		
Class	8	
Subsidiary risk	-	
Packing group	I	
Environmental hazards	No.	
ERG Code	8L	
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.	
Passenger and cargo aircraft	Allowed with restrictions.	
Cargo aircraft only	Allowed with restrictions.	
IMDG		
UN number	UN2735	
UN proper shipping name	Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s. (Triethylenetetraamine (TETA), Diethylenetriamine)	
Transport hazard class(es)		
Class	8	
Subsidiary risk	-	
Label(s)	8	
Packing group	II	
Environmental hazards		
Marine pollutant	No.	
EmS	Not assigned.	
	Read safety instructions, SDS and emergency procedures before handling.	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.	
DOT		



IATA; IMDG



### 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

% 1.0

Listed.

#### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

4,4'-Isopropylidenediphenol (CAS 80-05-7)

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

4,4'-Isopropylidenediphenol (CAS 80-05-7)

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Ex	port Notification (40 CF	R 707, Subpt. D)			
Not regulated.	Diana Chamicala of C				
TSCA Chemical Action			Action Dian		
	liphenol (CAS 80-05-7)	Bisphenol A /	Action Plan		
CERCLA Hazardous Substa	•	•			
4,4'-Isopropylidenediphe SARA 304 Emergency relea	. ,	Listed.	Listed.		
Not regulated. OSHA Specifically Regulate Not listed.	ed Substances (29 CFR	1910.1001-1053)			
Superfund Amendments and Re	eauthorization Act of 19	986 (SARA)			
SARA 302 Extremely hazar Not listed.					
SARA 311/312 Hazardous chemical	Yes				
Classified hazard categories	Iassified hazard Acute toxicity (any route of exposure)				
SARA 313 (TRI reporting)					
Chemical name		CAS number	% by wt.		
4,4'-Isopropylidenediphe	nol	80-05-7	10 - 30		
Other federal regulations					
Clean Air Act (CAA) Section	n 112 Hazardous Air Po	llutants (HAPs) List			
Safe Drinking Water Act (SDWA) US state regulations		, .	Safe Drinking Water Act.		
US. California. Candidate C (a))		onsumer Products Re	gulations (Cal. Code Re	egs, tit. 22, 69502.3, subd.	
4,4'-Isopropylidenediphe	nol (CAS 80-05-7)				
California Proposition 65					
ar ar	<b>WARNING:</b> This product can expose you to Aniline, which is known to the State of California to cause cancer, and 4,4'-Isopropylidenediphenol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.				
California Proposition	65 - CRT: Listed date/C	arcinogenic substand	e		
Aniline (CAS 62-53-	3)	Listed: Janua	ry 1, 1990		
California Proposition	65 - CRT: Listed date/D	evelopmental toxin			
	iphenol (CAS 80-05-7)		nber 18, 2020		
California Proposition		•			
	iphenol (CAS 80-05-7)	Listed: May 1	1, 2015		
International Inventories					
Country(s) or region	Inventory name			On inventory (yes/no)	
Australia	-	f Industrial Chemicals (	AICIS)	Yes	
Canada	Domestic Substances	· · ·		Yes	
Canada	Non-Domestic Substa	· · · ·		No	
China		Chemical Substances in	,	Yes	
Europe	European Inventory of Substances (EINECS)	f Existing Commercial (	Chemical	No	
Europe		, ied Chemical Substanc	es (ELINCS)	No	
Japan		and New Chemical Substance		Yes	
Japan	inventory of Existing a				
 Material name: PhillyClad # 8 Harder	ner			SDS U	

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	03-03-2014
Revision date	07-27-2023
Version #	08
HMIS® ratings	Health: 3* Flammability: 1 Physical hazard: 1 Personal protection: X
NFPA ratings	Health: 3 Flammability: 1 Instability: 1
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	Physical & Chemical Properties: Multiple Properties