SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Expansion Joint Compound Hardener

Registration number

Product registration number UFI: F905-N140-W007-GCQH

Synonyms None.

SKU# DM015H
Issue date 15-July-2023

Version number 03

Revision date 02-September-2024 Supersedes date 04-August-2023

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheetCompany nameITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact person Customer Service
Telephone number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

Emergency phone number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General emergency 112 or 999 SDS/Product information may not be available for the Emergency

Service.

Non-emergency medical

helpline

111 SDS/Product information may not be available for the Emergency Service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral Category 4 H302 - Harmful if swallowed.

Acute toxicity, dermal Category 4
Skin corrosion/irritation Category 1B

H312 - Harmful in contact with skin. H314 - Causes severe skin burns

and eye damage.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

2-Piperazin-1-ylethy lamine, 2,4,6-tris(dimethylaminomethyl)phenol Contains:

Hazard pictograms



Signal word Danger

Hazard statements

H302 Harmful if swallowed. H312 Harmful in contact with skin.

Causes severe skin burns and eye damage. H314 May cause an allergic skin reaction. H317

H318 Causes serious eye damage.

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention

P260 Do not breathe vapour.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P330 Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water. P302 + P352

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304 + P340

P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

100 % of the mixture consists of component(s) of unknown acute hazards to the aquatic Supplemental label information

environment. 8 % of the mixture consists of component(s) of unknown long-term hazards to the

aquatic environment.

2:H319

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

> (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No	. REACH Registration No.	Index No.	Notes
2-Piperazin-1-ylethy lamine	60 - 100	140-31-8 205-411-0	01-2119471486-30-0003	612-105-00-4	
		_00 0			
Classification:			. 4;H312, Skin Corr. 1B;H314 quatic Chronic 3;H412	4, Eye Dam.	

Material name: Expansion Joint Compound Hardener

SDS GREAT BRITAIN DM015H Version #: 03 Revision date: 02-September-2024 Issue date: 15-July-2023

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated

clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns

must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema

or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained. Use personal

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

Material name: Expansion Joint Compound Hardener SDS GREAT BRITAIN

6.3. Methods and material for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe vapour. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.

Skin protection

- Hand protection

Wear appropriate chemical resistant gloves.

- Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Material name: Expansion Joint Compound Hardener SDS GREAT BRITAIN

Physical state Liquid.
Form Liquid.
Colour Amber
Odour fishy

Odour thresholdNot available.pH> 10.5 - < 11.5</th>Melting point/freezing pointNot available.

Initial boiling point and boiling

range

>221.11 °C (>430 °F)

Flash point >115.6 °C (>240.0 °F) Pensky-Martens Closed Cup

Evaporation rate <1 BuAc

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper Not available.

(%)

Vapour pressure <3 mm Hg

Vapour density >1

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 382 °C (719.6 °F) estimated

Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

Density 8.25 lb/gal Specific gravity 0.99

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Peroxides. Phenols.

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contactCauses severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on toxicological effects

Acute toxicity Harmful in contact with skin. Harmful if swallowed.

Material name: Expansion Joint Compound Hardener

SDS GREAT BRITAIN

DM015H Version #: 03 Revision date: 02-September-2024 Issue date: 15-July-2023

Test Results Components **Species**

2,4,6-tris(dimethylaminomethyl)phenol (CAS 90-72-2)

Dermal

LD50 Rat 1280 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

SECTION 12: Ecological information

Harmful to aquatic life with long lasting effects. 12.1. Toxicity

12.2. Persistence and No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

2-Piperazin-1-ylethy lamine -1.57

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number

14.2. UN proper shipping

Amines, liquid, corrosive, n.o.s. (2-Piperazin-1-ylethy lamine)

name

14.3. Transport hazard class(es) Class 8

Subsidiary hazard

```
Label(s)
                                  8
        Hazard No. (ADR)
                                  80
        Tunnel restriction code
                                 Ε
                                  Ш
    14.4. Packing group
    14.5. Environmental hazards No.
    14.6. Special precautions
                                  Read safety instructions, SDS and emergency procedures before handling.
    for user
RID
                                  UN2735
    14.1. UN number
                                  Amines, liquid, corrosive, n.o.s. (2-Piperazin-1-ylethy lamine)
    14.2. UN proper shipping
    name
    14.3. Transport hazard class(es)
        Class
                                  8
        Subsidiary hazard
                                  8
        Label(s)
                                  Ш
    14.4. Packing group
    14.5. Environmental hazards No.
                                  Read safety instructions, SDS and emergency procedures before handling.
    14.6. Special precautions
    for user
ADN
    14.1. UN number
                                  UN2735
                                  Amines, liquid, corrosive, n.o.s. (2-Piperazin-1-ylethy lamine)
    14.2. UN proper shipping
    name
    14.3. Transport hazard class(es)
                                  8
        Subsidiary hazard
                                  8
        Label(s)
    14.4. Packing group
                                  Ш
    14.5. Environmental hazards No.
                                  Read safety instructions, SDS and emergency procedures before handling.
    14.6. Special precautions
    for user
IATA
                                  UN2735
    14.1. UN number
    14.2. UN proper shipping
                                  Amines, liquid, corrosive, n.o.s. (2-piperazin-1-ylethylamine)
    14.3. Transport hazard class(es)
        Class
                                  8
        Subsidiary hazard
    14.4. Packing group
                                  Ш
    14.5. Environmental hazards No.
    ERG Code
    14.6. Special precautions
                                  Read safety instructions, SDS and emergency procedures before handling.
    for user
    Other information
        Passenger and cargo
                                  Allowed with restrictions.
        aircraft
        Cargo aircraft only
                                  Allowed with restrictions.
IMDG
                                  UN2735
    14.1. UN number
                                  Amines, liquid, corrosive, n.o.s. (2-piperazin-1-ylethylamine)
    14.2. UN proper shipping
    name
    14.3. Transport hazard class(es)
                                  8
        Class
        Subsidiary hazard
                                  8
        Label(s)
    14.4. Packing group
                                  Ш
    14.5. Environmental hazards
        Marine pollutant
                                  No.
    EmS
                                  Not assigned.
    14.6. Special precautions
                                  Read safety instructions, SDS and emergency procedures before handling.
    for user
```

Material name: Expansion Joint Compound Hardener

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

Material name: Expansion Joint Compound Hardener

- Hartimo Barigorodo Goodo.

SDS GREAT BRITAIN

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data. if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

Not available.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Revision information

SECTION 2: Hazards identification: Prevention SECTION 2: Hazards identification: Response

SECTION 2: Hazards identification: Supplemental label information

Composition / Information on Ingredients: Undisclosed Ingredient Statement SECTION 6: Accidental release measures: For non-emergency personnel SECTION 7: Handling and storage: 7.1. Precautions for safe handling

Physical & Chemical Properties: Multiple Properties

GHS: Classification

Training information

Disclaimer

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Expansion Joint Compound Hardener

SDS GREAT BRITAIN