SAFETY DATA SHEET

1. Identification			
Product identifier	Expansion Joint Compound Resin		
Other means of identification			
SKU#	DM015R, DM016R		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Company name	ITW Performance Polymers		
Address	35 Brownridge Road		
	Unit 1		
	Halton Hills, ON L7G 0C6		
Contact person	Customer Service		
Telephone number	215-855-8450		
Fax number	215-855-4688		
Emergency Number	800-424-9300 (CHEMTREC)		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2	
	Sensitization, skin	Category 1	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2	
	Hazardous to the aquatic environment, long-term hazard	Category 2	
Label elements			
Signal word	Warning		
Hazard statement	Causes skin irritation. May cause an allergic s aquatic life. Toxic to aquatic life with long lasti	kin reaction. Causes serious eye irritation. Toxic to ng effects.	
Precautionary statement		Ŭ	
Prevention	Avoid breathing mist/vapours. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.		
Response	IF ON SKIN: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Collect spillage.		
Storage	Not available.		
Disposal	Dispose of contents/container in accordance v	vith local/regional/national/international regulations.	
Supplemental information	20.01681 % of the mixture consists of compor	20.01681 % of the mixture consists of component(s) of unknown acute oral toxicity.	
	None known.		

3. Composition/information on ingredients

lixtures			
Chemical name	Common name and synonyms	CAS number	%
Blocked polyisocyanate		N/A	30 - 60
Talc		14807-96-6	10 - 30
Propane, 2,2-bis[p-(2,3-epoxypropox -, polymers	y)phenyl]	25085-99-8	10 - < 20
Butyrolactone		96-48-0	5 - 10
Nonylphenol		84852-15-3	1 - <3
Aromatic Hydrocarbon Solv	vents	64742-95-6	0.1 - 1
Titanium dioxide	Titanium dioxide	13463-67-7	0.1 - 1
SILICA, CRYSTALLINE, Q	UARTZ	14808-60-7	< 0.3
Other components below re	eportable levels		1 - 5

Other components below reportable levels

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

<u> </u>	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release meas	sures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do protective equipment and not touch damaged containers or spilled material unless wearing appropriate protective clothing. emergency procedures Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

ntainment and cleaning up	-	-	, basements or confined areas.	
	possible. Abs		II, if this is without risk. Dike the s and or earth and place into cont	
		Wipe up with absorbent ual contamination.	material (e.g. cloth, fleece). Cle	an surface thoroughly to
	Never return	spills to original contain	ers for re-use. For waste dispos	al, see section 13 of the SI
vironmental precautions	environmenta		form appropriate managerial or s her leakage or spillage if safe to ound.	
Handling and storage				
cautions for safe handling	exposure. Pro	ovide adequate ventilat	contact with eyes, skin, and clot on. Wear appropriate personal p good industrial hygiene practice	protective equipment. Avoid
nditions for safe storage, luding any incompatibilities	Store in tightly SDS).	y closed container. Sto	re away from incompatible mater	ials (see Section 10 of the
Exposure controls/pers	onal protec	tion		
cupational exposure limits				
US. ACGIH Threshold Limit Components	Values (TLV)	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)		TWA	0.025 mg/m3	Respirable fraction.
Talc (CAS 14807-96-6)		TWA	2 mg/m3	Respirable fraction.
Titanium dioxide (CAS 13463-67-7)		TWA	2.5 mg/m3	Respirable finescale particles
			0.2 mg/m3	Respirable nanoscale particles
Canada. Alberta OELs (Occu Components	upational Heal	th & Safety Code, Sch Type	0.2 mg/m3 edule 1, Table 2), as amended Value	particles
	ipational Heal		edule 1, Table 2), as amended	particles
Components SILICA, CRYSTALLINE,	upational Heal	Туре	edule 1, Table 2), as amended Value	particles Form
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	ıpational Heal	Type TWA	edule 1, Table 2), as amended Value 0.025 mg/m3	particles Form Respirable particles.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia O	ELs. (Occupat	Type TWA TWA TWA	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3	particles Form Respirable particles. Respirable particles.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7)	ELs. (Occupat	Type TWA TWA TWA	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3	particles Form Respirable particles. Respirable particles.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia Ol Safety Regulation 296/97, as	ELs. (Occupat	Type TWA TWA TWA ional Exposure Limits	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3 s for Chemical Substances, Oc	particles Form Respirable particles. Respirable particles.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia Ol Safety Regulation 296/97, as Components SILICA, CRYSTALLINE,	ELs. (Occupat	Type TWA TWA TWA ional Exposure Limits Type	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3 s for Chemical Substances, Oc Value	particles Form Respirable particles. Respirable particles. ccupational Health and Form
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia Ol Safety Regulation 296/97, as Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	ELs. (Occupat	Type TWA TWA TWA ional Exposure Limits Type TWA	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3 s for Chemical Substances, Oc Value 0.025 mg/m3	particles Form Respirable particles. Respirable particles. Cupational Health and Form Respirable fraction.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia Ol Safety Regulation 296/97, as Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS	ELs. (Occupat	Type TWA TWA TWA ional Exposure Limits Type TWA TWA	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3 5 for Chemical Substances, Oc Value 0.025 mg/m3 2 mg/m3	particles Form Respirable particles. Respirable particles. Cupational Health and Form Respirable fraction. Respirable.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia OI Safety Regulation 296/97, as Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7)	ELs. (Occupat amended)	Type TWA TWA TWA ional Exposure Limits Type TWA TWA TWA TWA	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3 5 for Chemical Substances, Oc Value 0.025 mg/m3 2 mg/m3 3 mg/m3	particles Form Respirable particles. Respirable particles. Respirable particles. Respirable fraction. Respirable fraction. Respirable fraction.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia Ol Safety Regulation 296/97, as Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Re	ELs. (Occupat amended)	Type TWA TWA TWA TWA Type TWA TWA TWA TWA TWA TWA	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3 s for Chemical Substances, Oc Value 0.025 mg/m3 2 mg/m3 3 mg/m3 10 mg/m3 And Health Act), as amended	particles Form Respirable particles. Respirable particles. Respirable particles. Respirable fraction. Respirable fraction. Respirable fraction. Total dust.
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia Ol Safety Regulation 296/97, as Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Re Components SILICA, CRYSTALLINE,	ELs. (Occupat amended)	Type TWA TWA TWA TWA ional Exposure Limits Type TWA TWA TWA TWA TWA TWA TWA TWA	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3 5 for Chemical Substances, Oc Value 0.025 mg/m3 2 mg/m3 3 mg/m3 10 mg/m3 And Health Act), as amended Value	particles Form Respirable particles. Respirable particles. Cupational Health and Form Respirable fraction. Respirable fraction. Total dust. Form
Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. British Columbia OI Safety Regulation 296/97, as Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Talc (CAS 14807-96-6) Titanium dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Re Components SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	ELs. (Occupat amended)	Type TWA TWA TWA TWA Type TWA TWA TWA TWA TWA TWA TWA	edule 1, Table 2), as amended Value 0.025 mg/m3 2 mg/m3 10 mg/m3 3 for Chemical Substances, Oc Value 0.025 mg/m3 2 mg/m3 3 mg/m3 10 mg/m3 And Health Act), as amended Value 0.025 mg/m3	particles Form Respirable particles. Respirable particles. Respirable particles. recupational Health and Form Respirable fraction. Respirable fraction. Respirable fraction. Total dust. Form Respirable fraction.

Components		Туре	Value	Form
Talc (CAS 14807-96-6)		TWA	2 mg/m3	Respirable fibers.
Titanium dioxide (CAS 13463-67-7)		TWA	10 mg/m3	
Canada. Ontario OELs. (Co Components	ontrol of Exposu	ıre to Biological or Cher Type	nical Agents), as amende Value	d Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)		TWA	0.1 mg/m3	Respirable fraction.
Talc (CAS 14807-96-6)		TWA	2 fibers/cc	
			2 mg/m3	Respirable fraction.
Titanium dioxide (CAS 13463-67-7)		TWA	10 mg/m3	
Canada. Quebec OELs. (Mi Components	nistry of Labor	- Regulation respecting Type	occupational health and Value	safety), as amended Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)		TWA	0.1 mg/m3	Respirable dust.
Talc (CAS 14807-96-6)		TWA	2 mg/m3	Respirable dust.
Titanium dioxide (CAS 13463-67-7)		TWA	10 mg/m3	Total dust.
Canada. Saskatchewan OE Components	Ls (Occupation	al Health and Safety Re Type	gulations, 1996, Table 21) Value	, as amended Form
Talc (CAS 14807-96-6)		15 minute	6 mg/m3	Respirable fraction.
			20 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)		15 minute	20 mg/m3	
logical limit values	No biological	exposure limits noted for	the ingredient(s).	
propriate engineering trols	applicable, us maintain airbe	e process enclosures, loo orne levels below recomm	al exhaust ventilation, or of ended exposure limits. If ex	be matched to conditions. If ther engineering controls to kposure limits have not beer de eyewash station and safe
vidual protection measures Eye/face protection			nt or goggles). Face shield is	recommended.
Skin protection Hand protection	Wear approp	riate chemical resistant gl	oves.	
Other	Wear approp	riate chemical resistant cl	othing. Use of an imperviou	s apron is recommended.
Respiratory protection			suitable respiratory equipm	
Thermal hazards		riate thermal protective cl		
neral hygiene siderations	Always obser and before ea	ve good personal hygiene ating, drinking, and/or smo	e measures, such as washir king. Routinely wash work	ng after handling the materia clothing and protective hould not be allowed out of
Physical and chemical	properties			
sical state	Liquid.			
m	Liquid.			
our	Red or Gray			
bur	Slight.			
ting point/freezing point	Not available.			

>204.44 °C (>400 °F)

Boiling point or initial boiling point and boiling range

Flammability	Not applicable.		
Upper/lower flammability or exp	olosive limits		
Explosive limit - lower (%)	Not available.		
Explosive limit – upper (%)	16 % estimated		
Flash point	>204.4 °C (>400.0 °F) Pensky-Martens Closed Cup		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
рН	Not available.		
Kinematic viscosity	Not available.		
Solubility			
Solubility (water)	Not available.		
Partition coefficient (n-octanol/water) (log value)	Not available.		
Vapour pressure	3 mm Hg		
Density and/or relative density			
Density	10.16 lb/gal		
Vapour density	Not available.		
Particle characteristics	Not available.		
Other information			
Evaporation rate	<1 BuAc		
Explosive properties	Not explosive.		
Flammability class	Combustible IIIB estimated		
Oxidising properties	Not oxidising.		
Specific gravity	1.22		

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure Inhalation Prolonged inhalation may be harmful. Skin contact Causes skin irritation. May cause an allergic skin reaction. Eye contact Causes serious eye irritation. Ingestion Expected to be a low ingestion hazard. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Symptoms related to the vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. physical, chemical and Dermatitis. Rash. toxicological characteristics Information on toxicological effects Acute toxicity Not known

Acute toxicity		
Components	Species	Test Results
Butyrolactone (CAS 96-48-0)		
Acute		
Dermal		
LD50	Guinea pig	5640 mg/kg

Components	Species	Test Results
Inhalation LC50	Rat	> 2680 mg/m3, 4 Hours
Oral		0
LD50	Rat	1540 mg/kg
Nonylphenol (CAS 84852-15-3)		
Acute		
Dermal		
LD50	Rabbit	2140 mg/kg
Oral		
LD50	Rat	1600 mg/kg
Titanium dioxide (CAS 13463-67-	-7)	
<u>Acute</u>		
Dermal	Llomotor	>= 10000 malles
LD50	Hamster	>= 10000 mg/kg
Oral LD50	Rat	> 10000 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitisatio		
Canada - Alberta OELs: Irri	itant	1
Talc (CAS 14807-96-6) Titanium dioxide (CAS 1	3463-67-7)	Irritant Irritant
Respiratory sensitisation	Not a respiratory sensitiser.	
Skin sensitisation	May cause an allergic skin re	
Germ cell mutagenicity No data available to indicate mutagenic or genotoxic.		product or any components present at greater than 0.1% are
Carcinogenicity	Risk of cancer cannot be exc	luded with prolonged exposure.
ACGIH Carcinogens		
	, QUARTZ (CAS 14808-60-7)	A2 Suspected human carcinogen.
Talc (CAS 14807-96-6)		A1 Confirmed human carcinogen. A4 Not classifiable as a human carcinogen.
Titanium dioxide (CAS 1	3463-67-7)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Canada - Alberta OELs: Ca	• • •	
SILICA, CRYSTALLINE Canada - Manitoba OELs:	, QUARTZ (CAS 14808-60-7) carcinogenicity	Suspected human carcinogen.
	, QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.
Talc (CAS 14807-96-6)		Confirmed human carcinogen. Not classifiable as a human carcinogen.
Titanium dioxide (CAS 13463-67-7) Canada - Quebec OELs: Carcinogen category		Confirmed animal carcinogen with unknown relevance to humans
	, QUARTZ (CAS 14808-60-7)	Suspected carcinogenic effect in humans.
Talc (CAS 14807-96-6)	Evaluation of Carcinogenicity	Detected carcinogenic effect in humans.
Aromatic Hydrocarbon S	Solvents (CAS 64742-95-6)	3 Not classifiable as to carcinogenicity to humans.
Butyrolactone (CAS 96-		3 Not classifiable as to carcinogenicity to humans.
Talc (CAS 14807-96-6)	, QUARTZ (CAS 14808-60-7)	1 Carcinogenic to humans. 2B Possibly carcinogenic to humans.
		3 Not classifiable as to carcinogenicity to humans.
Titanium dioxide (CAS 1		2B Possibly carcinogenic to humans.
	rogram (NTP) Report on Carcin	
	, QUARTZ (CAS 14808-60-7)	Known To Be Human Carcinogen. to cause reproductive or developmental effects.
Reproductive toxicity	This product is not expected	to daugo reproductive or developmental effects.

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.
12. Ecological information	n
Ecotoxicity	Toxic to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	
Partition coefficient n-octar Butyrolactone Nonylphenol	nol / water (log Kow) -0.64 5.71
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideratio	ins
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	
TDG	
Not regulated as dangerous g	joods.

ΙΑΤΑ

IAIA	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin))
Transport hazard class(es	s)
Class	9
Subsidiary hazard	-
Packing group	III
Environmental hazards	No.
ERG Code	9L
Special precautions for us	ser Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)), MARINE POLLUTANT
Transport hazard class(es	
Class	9
Subsidiary hazard	-
Packing group	III


Environmental hazards

Marine pollutant EmS

Yes F-A, S-F Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory informati		
Canadian regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.	
Controlled Drugs and Sub	stances Act	
Not regulated.		
Export Control List (CEPA	1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Regulat		
Butyrolactone (CAS 96-	48-0) Class A	
nternational regulations		
Stockholm Convention		
Not applicable.		
Rotterdam Convention		
Not applicable.		
Kyoto Protocol		
Not applicable.		
Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
nternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no
Australia	Australian Inventory of Industrial Chemicals (AICIS)	N
Canada	Domestic Substances List (DSL)	Ν

Country(s) or region	Inventory name On inven	tory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing count	rv(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information	
Issue date	06-April-2019
Revision date	02-September-2024
Version No.	07
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.