SAFETY DATA SHEET

Version #: 14 Issue date: 10-21-2015 Revision date: 07-27-2023 Supersedes date: 07-16-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	of the substance/mixture and of the company/undertaking
1.1. Product identifier Trade name or designation of the mixture	Phillymastic TG-7B Liquid Hardener
Registration number	-
Synonyms	None.
SKU#	DM030H
1.2. Relevant identified uses of t Identified uses	he substance or mixture and uses advised against Not available.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company Name	ITW Performance Polymers
Address	Bay 150
	Shannon Industrial Estate
	Co. Clare
	Ireland
	V14 DF82
Contact Person	Customer Service
Telephone Number	353(61)771500
Freedl	353(61)471285
Email	customerservice.shannon@itwpp.com 44(0) 1235 239 670 (24 hours)
Emergency Phone Number	
1.4. Emergency telephone numb General in EU	ner 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Center	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Center	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number		
Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Latvia Emergency medical aid	113	
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)	
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)	
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)	
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)	
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Acute toxicity, dermal	Category 4	H312 - Harmful in contact with skin.
Skin corrosion/irritation	Category 1B	H314 - Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.
Environmental hazards Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended UFI:

Austria: FQ25-T1F4-G002-0X1A Belgium: FQ25-T1F4-G002-0X1A Bulgaria: FQ25-T1F4-G002-0X1A Croatia: FQ25-T1F4-G002-0X1A Cyprus: FQ25-T1F4-G002-0X1A Czech Republic: FQ25-T1F4-G002-0X1A Denmark: FQ25-T1F4-G002-0X1A Estonia: FQ25-T1F4-G002-0X1A EU: FQ25-T1F4-G002-0X1A Finland: FQ25-T1F4-G002-0X1A France: FQ25-T1F4-G002-0X1A Germany: FQ25-T1F4-G002-0X1A Greece: FQ25-T1F4-G002-0X1A Hungary: FQ25-T1F4-G002-0X1A Iceland: FQ25-T1F4-G002-0X1A Ireland: FQ25-T1F4-G002-0X1A Italy: FQ25-T1F4-G002-0X1A Latvia: FQ25-T1F4-G002-0X1A Lithuania: FQ25-T1F4-G002-0X1A Luxembourg: FQ25-T1F4-G002-0X1A Malta: FQ25-T1F4-G002-0X1A Netherlands: FQ25-T1F4-G002-0X1A Norway: FQ25-T1F4-G002-0X1A Poland: FQ25-T1F4-G002-0X1A Portugal: FQ25-T1F4-G002-0X1A Romania: FQ25-T1F4-G002-0X1A Slovakia: FQ25-T1F4-G002-0X1A Slovenia: FQ25-T1F4-G002-0X1A Spain: FQ25-T1F4-G002-0X1A Sweden: FQ25-T1F4-G002-0X1A

Contains:

Hazard pictograms

3,6-diazaoctanethylenediamin; triethylenetetramine, PINE OIL



Signal word

Hazard statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention	
P260	Do not breathe vapor.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P330	Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a PÓISON CENTER/doctor if you feel unwell.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Storage	
P405	Store locked up.
Disposal	

Dispose of contents/container in accordance with local/regional/national/international regulations. P501 Supplemental label information 100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 25% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. 2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight. SECTION 3: Composition/information on ingredients 3.2. Mixtures **General information** % **Chemical name** CAS-No. / EC No. REACH Registration No. Index No. Notes 3,6-diazaoctanethylenediamin; 112-24-3 01-2119487919-13-0000 612-059-00-5 60 - 100 203-950-6 triethylenetetramine Classification: Acute Tox. 4;H302;(ATE: 1716 mg/kg bw), Acute Tox. 4;H312;(ATE: 1100 mg/kg bw), Skin Corr. 1B;H314, Eye Dam. 1;H318, Skin Sens. 1;H317, Aquatic Chronic 3;H412 **PINE OIL** 10 - 30 8002-09-3 _ -Classification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1;H317, Muta. 2;H341, Carc. 2;H351, Asp. Tox. 1;H304, Aquatic Acute 1;H400, Aquatic Chronic 1;H410 List of abbreviations and symbols that may be used above ATE: Acute toxicity estimate. M: M-factor vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance. #: This substance has been assigned Union workplace exposure limit(s). All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. **Composition comments** The full text for all H-statements is displayed in section 16. SECTION 4: First aid measures **General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. 4.1. Description of first aid measures Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

SECTION 5: Firefighting measures

Eye contact

4.3. Indication of any

4.2. Most important symptoms and effects, both acute and

immediate medical attention

and special treatment needed

Ingestion

delayed

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.

present and easy to do. Continue rinsing. Get medical attention immediately.

doesn't get into the lungs. Get medical advice/attention if you feel unwell.

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content

Burning pain and severe corrosive skin damage. Causes serious eve damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water

immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under

blindness could result.

observation. Symptoms may be delayed.

5.3. Advice for firefighters Special protective	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
equipment for firefighters		
Special fire fighting procedures	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
SECTION 6: Accidental release measures		

SECTION 6: Accidental release measures

For non-emergency personnel	ctive equipment and emergency procedures Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for	Prevent entry into waterways, sewer, basements or confined areas.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	12 mg/m3
	TWA	6 mg/m3
		1 ppm
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	Type TWA	asures to Reduce Pollution at the Workplace, as amended Value 6 mg/m3
(0/(0/112/21/0))		1 ppm
Lithuania. OELs. Occupational Ex V-824/A1-389), as amended	posure Limit Values for Chen	nical Substances (Hygiene Norm HN 23:2011; Order No.
Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine	STEL	12 mg/m3

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Components	Туре	Value
		2 ppm
	TWA	6 mg/m3
		1 ppm
Norway. Regulation No. 13 Infection Groups for Biolog		Physical and Chemical Factors in Work Environment ar
Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	TLV	6 mg/m3
		1 ppm
1286/2018, Annex 1)		harmful factors in the work environment (Dz.U.Poz.
Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	3 mg/m3
	TWA	1 mg/m3
Romania. OELs. Limit Valu	ies of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as
amended)	_	
Components	Туре	Value
3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	STEL	20 mg/m3
()		3,3 ppm
	TWA	10 mg/m3
		1,7 ppm
	Mark Environment Authority (A)() Oc	
Sweden OFLs (Anney 1) \		(1)
Sweden. OELs (Annex 1). V amended	work Environment Authority (AV), Occ	upational Exposure Limit Values (AFS 2018:1), as
	Type	upational Exposure Limit Values (AFS 2018:1), as Value
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine		
amended Components 3,6-diazaoctanethylenedia	Туре	Value
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine	Туре	Value 12 mg/m3
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine	Type STEL	Value 12 mg/m3 2 ppm
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	Type STEL TWA	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values	Type STEL TWA No biological exposure limits noted fo	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s).
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3)	Type STEL TWA	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s).
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values ommended monitoring	Type STEL TWA No biological exposure limits noted fo	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s).
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values ommended monitoring cedures ved no effect levels	Type STEL TWA No biological exposure limits noted fo Follow standard monitoring procedure	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s).
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values ommended monitoring cedures ved no effect levels ELs) dicted no effect	Type STEL TWA No biological exposure limits noted fo Follow standard monitoring procedure Not available.	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s).
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values ommended monitoring cedures ved no effect levels ELs) dicted no effect centrations (PNECs)	Type STEL TWA No biological exposure limits noted fo Follow standard monitoring procedure Not available. Not available. Sood general ventilation should be us	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s). rs.
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values ommended monitoring cedures ved no effect levels ELs) dicted no effect centrations (PNECs) Exposure controls	Type STEL TWA No biological exposure limits noted fo Follow standard monitoring procedure Not available. Not available. Not available. Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s). rss.
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values ommended monitoring cedures ved no effect levels ELs) dicted no effect centrations (PNECs) Exposure controls ropriate engineering trols	Type STEL TWA No biological exposure limits noted fo Follow standard monitoring procedure Not available. Not available. Not available. Good general ventilation should be us applicable, use process enclosures, la maintain airborne levels below recom established, maintain airborne levels shower must be available when hand s, such as personal protective equipme	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s). rss.
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values ommended monitoring cedures ved no effect levels ELs) dicted no effect centrations (PNECs) Exposure controls ropriate engineering trols	Type STEL TWA No biological exposure limits noted fo Follow standard monitoring procedure Not available. Not available. Not available. Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom established, maintain airborne levels shower must be available when hand s, such as personal protective equipment as	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s). rss.
amended Components 3,6-diazaoctanethylenedia min; triethylenetetramine (CAS 112-24-3) ogical limit values ommended monitoring cedures ved no effect levels ELs) dicted no effect centrations (PNECs) Exposure controls ropriate engineering trols	Type STEL TWA No biological exposure limits noted fo Follow standard monitoring procedure Not available. Not available. Not available. Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom established, maintain airborne levels shower must be available when hand s, such as personal protective equipment as according to the CEN standards and i equipment.	Value 12 mg/m3 2 ppm 6 mg/m3 1 ppm r the ingredient(s). ss.

- Hand protection	Wear appropriate chemical resistant gloves.
- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	Liquid.	
Form	Liquid.	
Color	Colorless to light yellow.	
Odor	Ammoniacal.	
Melting point/freezing point	Not available.	
Boiling point or initial boiling point and boiling range	392 °F (200 °C) estimated	
Flammability	Not applicable.	
Upper/lower flammability or exp	losive limits	
Explosive limit - lower (%)	1 % estimated	
Explosive limit - upper (%)	9,5 % estimated	
Flash point	298,4 °F (148,0 °C) estimated	
Auto-ignition temperature	561,2 °F (294 °C) estimated	
Decomposition temperature	Not available.	
рН	Not available.	
Kinematic viscosity	Not available.	
Solubility		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water) (log value)	Not available.	
Vapor pressure	0,01 hPa estimated	
Density and/or relative density		
Density	0,96 g/cm3 estimated	
Vapor density	Not available.	
Particle characteristics	Not available.	
9.2. Other information		
9.2.1. Information with regard to physical hazard classes		
9.2.2. Other safety characteristics		
Specific gravity	0,96 estimated	
SECTION 10: Stability and reactivity		

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use. reactions	
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Peroxides. Phenols.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	nation Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes of exposure		
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.	
Skin contact	Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.	
Eye contact	Causes serious eye damage.	
Ingestion	Causes digestive tract burns. Harmful if swallowed.	
Symptoms	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	ute toxicity Harmful in contact with skin. Harmful if swallowed.		
Components	Species	Test Results	
3,6-diazaoctanethylenediamin; triethylenetetramine (CAS 112-24-3)			
<u>Acute</u> Dermal Liquid			
LD50	Rat	1465 mg/kg	
Oral <i>Liquid</i> LD50	Rat	1716 mg/kg	
PINE OIL (CAS 8002-09-3)		in to mg/ng	
<u>Acute</u> Dermal LD50	Rat	> 2000 mg/kg	
Oral	Nat	2000 mg/kg	
LD50	Rat	3200 mg/kg	
Skin corrosion/irritation	Causes severe skin burns and eye damage.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.		
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.		
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.		
Mixture versus substance information	No information available.		
11.2. Information on other hazar	ds		
Endocrine disrupting properties	This mixture does not contain any substances have to human health as assessed in accordance with the 1907/2006, (EU) No 2017/2100 and (EU) 2018/605 0.1% by weight.	ne criteria set out in Regulations (EC) No	
Other information	Not available.		
SECTION 12: Ecological in	nformation		
12.1. Toxicity	Harmful to aquatic life with long lasting effects. Due to partial or complete lack of data the classification for hazardous to the aquatic environment, acute hazard, is not possible.		
12.2. Persistence and degradability	No data is available on the degradability of any ing	redients in the mixture.	
12.3. Bioaccumulative potential	No data available.		
Material name: Phillymeetic TC 7P Li			

Partition coefficient n-octanol/water (log Kow)	Not available.	
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.	
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.	
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
12.8. Additional information		
Estonia Dangerous substances in soil Data		
PINE OIL (CAS 8002-09-	 Chemical pesticides (As the total sum of the active substances) 0,5 MG/KG 	

Chemical pesticides (As the total sum of the active substances) 20 MG/KG Chemical pesticides (As the total sum of the active substances) 5

MG/KG

SECTION 13: Disposal considerations

13.1. Waste treatment methods		
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Special precautions	Dispose in accordance with all applicable regulations.	

SECTION 14: Transport information

ADR		
14.1. UN number	UN1760	
14.2. UN proper shipping	CORROSIVE LIQUID, N.O.S. (3,6-diazaoctanethylenediamin; triethylenetetramine)	
name		
14.3. Transport hazard class(es)		
Class	8	
Subsidiary risk	-	
Label(s)	8	
Hazard No. (ADR)	80	
Tunnel restriction code	Not assigned.	
14.4. Packing group	II	
14.5. Environmental hazards No.		
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
RID		
14.1. UN number	UN1760	
14.2. UN proper shipping	CORROSIVE LIQUID, N.O.S. (3,6-diazaoctanethylenediamin; triethylenetetramine)	
name		
14.3. Transport hazard class	es)	
Class	8	
Subsidiary risk	-	
Label(s)	8	
14.4. Packing group		
14.5. Environmental hazards		
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	

ADN		
14.1. UN number	UN1760	
14.2. UN proper shipping name	Corrosive Liquid, N.o.s. (3,6-diazaoctanethylenediamin; triethylenetetramine)	
14.3. Transport hazard class	s(es)	
Class	8	
Subsidiary risk	-	
Label(s)	8	
14.4. Packing group	I	
14.5. Environmental hazards		
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
ΙΑΤΑ		
14.1. UN number	UN1760	
14.2. UN proper shipping	Corrosive liquid, n.o.s. (3,6-diazaoctanethylenediamin; triethylenetetramine)	
name		
14.3. Transport hazard class	(es)	
Class	8	
Subsidiary risk	-	
14.4. Packing group		
14.5. Environmental hazards		
ERG Code	8L	
14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.		
for user		
Other information		
Passenger and cargo aircraft	Allowed with restrictions.	
Cargo aircraft only	Allowed with restrictions.	
IMDG		
14.1. UN number	UN1760	
14.2. UN proper shipping	CORROSIVE LIQUID, N.O.S. (3,6-diazaoctanethylenediamin; triethylenetetramine), MARINE	
name	POLLUTANT	
14.3. Transport hazard class		
Class	8	
Subsidiary risk	-	
14.4. Packing group	II	
14.5. Environmental hazards		
Marine pollutant	Yes	
	EmS F-A, S-B	
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
14.7. Maritime transport in bulk according to IMO instruments	Not established.	
ADN: ADR: IATA: IMDG: RID		

ADN; ADR; IATA; IMDG; RID



Marine pollutant



IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

General information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: FQ25-T1F4-G002-0X1A Belgium: FQ25-T1F4-G002-0X1A Bulgaria: FQ25-T1F4-G002-0X1A Croatia: FQ25-T1F4-G002-0X1A Cyprus: FQ25-T1F4-G002-0X1A Czech Republic: FQ25-T1F4-G002-0X1A Denmark: FQ25-T1F4-G002-0X1A Estonia: FQ25-T1F4-G002-0X1A EU: FQ25-T1F4-G002-0X1A Finland: FQ25-T1F4-G002-0X1A France: FQ25-T1F4-G002-0X1A Germany: FQ25-T1F4-G002-0X1A Greece: FQ25-T1F4-G002-0X1A Hungary: FQ25-T1F4-G002-0X1A Iceland: FQ25-T1F4-G002-0X1A Ireland: FQ25-T1F4-G002-0X1A Italy: FQ25-T1F4-G002-0X1A Latvia: FQ25-T1F4-G002-0X1A Lithuania: FQ25-T1F4-G002-0X1A Luxembourg: FQ25-T1F4-G002-0X1A Malta: FQ25-T1F4-G002-0X1A Netherlands: FQ25-T1F4-G002-0X1A Norway: FQ25-T1F4-G002-0X1A Poland: FQ25-T1F4-G002-0X1A Portugal: FQ25-T1F4-G002-0X1A Romania: FQ25-T1F4-G002-0X1A Slovakia: FQ25-T1F4-G002-0X1A Slovenia: FQ25-T1F4-G002-0X1A Spain: FQ25-T1F4-G002-0X1A Sweden: FQ25-T1F4-G002-0X1A

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

	0	
	Austria	UFI: FQ25-T1F4-G002-0X1A
	Belgium	UFI: FQ25-T1F4-G002-0X1A
	Czech Republic	UFI: FQ25-T1F4-G002-0X1A
	Denmark	UFI: FQ25-T1F4-G002-0X1A
	European Union	UFI: FQ25-T1F4-G002-0X1A
	Finland	UFI: FQ25-T1F4-G002-0X1A
	France	UFI: FQ25-T1F4-G002-0X1A
	Germany	UFI: FQ25-T1F4-G002-0X1A
	Greece	UFI: FQ25-T1F4-G002-0X1A
	Hungary	UFI: FQ25-T1F4-G002-0X1A
	Italy	UFI: FQ25-T1F4-G002-0X1A
	Netherlands	UFI: FQ25-T1F4-G002-0X1A
	Norway	UFI: FQ25-T1F4-G002-0X1A
	Poland	UFI: FQ25-T1F4-G002-0X1A
	Portugal	UFI: FQ25-T1F4-G002-0X1A
	Slovakia	UFI: FQ25-T1F4-G002-0X1A
	Slovenia	UFI: FQ25-T1F4-G002-0X1A
	Spain	UFI: FQ25-T1F4-G002-0X1A
	Sweden	UFI: FQ25-T1F4-G002-0X1A
	Switzerland	UFI: FQ25-T1F4-G002-0X1A
15.	2. Chemical safety	No Chemical Safety Assessment has been carried out.
	sessment	-

SECTION 16: Other information

List of abbreviations ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative. References Not available Information on evaluation The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15	 H226 Flammable liquid and vapor. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.