SAFETY DATA SHEET

Version #: 05

Issue date: 04-15-2019 Revision date: 07-26-2023 Supersedes date: 06-24-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® 2 Ton® Epoxy Hardener

Registration number

Synonyms None

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service 353(61)771500 **Telephone Number** 353(61)471285

Fmail customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National Toxicological Information

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Center **Croatia Poisons**

Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® 2 Ton® Epoxy Hardener 3252 Version #: 05 Revision date: 07-26-2023 Issue date: 04-15-2019

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

Latvia Poison and Drug +371 67 Information Center +371 67

113

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC) NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Switzerland Tox Info

145 (Available 24 hours a day. SDS/Product information may not be available for

Suisse the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral Category 4 H302 - Harmful if swallowed.

Acute toxicity, dermal Category 4 H312 - Harmful in contact with skin.

Acute toxicity, dermal Category 4 H312 - Harmful in contact with ski Skin corrosion/irritation Category 1B H314 - Causes severe skin burns

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

child) fertility. Suspected of damaging the

unborn child.

Environmental hazards

Hazardous to the aquatic environment, acute Category 1 H400 - Very toxic to aquatic life.

aquatic hazard

Hazardous to the aquatic environment, Category 1 H410 - Very toxic to aquatic life long-term aquatic hazard with long lasting effects.

2.2. Label elements

Material name: DEVCON® 2 Ton® Epoxy Hardener

3252 Version #: 05 Revision date: 07-26-2023 Issue date: 04-15-2019

and eye damage.

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: 5P50-80CQ-S00E-G9JX Belgium: 5P50-80CQ-S00E-G9JX Bulgaria: 5P50-80CQ-S00E-G9JX Croatia: 5P50-80CQ-S00E-G9JX Cyprus: 5P50-80CQ-S00E-G9JX

Czech Republic: 5P50-80CQ-S00E-G9JX Denmark: 5P50-80CQ-S00E-G9JX Estonia: 5P50-80CQ-S00E-G9JX EU: 5P50-80CQ-S00E-G9JX Finland: 5P50-80CQ-S00E-G9JX France: 5P50-80CQ-S00E-G9JX Germany: 5P50-80CQ-S00E-G9JX Greece: 5P50-80CQ-S00E-G9JX Hungary: 5P50-80CQ-S00E-G9JX Iceland: 5P50-80CQ-S00E-G9JX Ireland: 5P50-80CQ-S00E-G9JX Italy: 5P50-80CQ-S00E-G9JX Latvia: 5P50-80CQ-S00E-G9JX Lithuania: 5P50-80CQ-S00E-G9JX Luxembourg: 5P50-80CQ-S00E-G9JX Malta: 5P50-80CQ-S00E-G9JX Netherlands: 5P50-80CQ-S00E-G9JX Norway: 5P50-80CQ-S00E-G9JX

Netherlands: 5P50-80CQ-S00E-G9JX Norway: 5P50-80CQ-S00E-G9JX Poland: 5P50-80CQ-S00E-G9JX Portugal: 5P50-80CQ-S00E-G9JX Romania: 5P50-80CQ-S00E-G9JX Slovakia: 5P50-80CQ-S00E-G9JX Slovenia: 5P50-80CQ-S00E-G9JX Spain: 5P50-80CQ-S00E-G9JX Sweden: 5P50-80CQ-S00E-G9JX

Contains: N-Aminoethylpiperazine, nonylphenol; [1] 4-nonylphenol, branched [2]

Hazard pictograms









Signal word Danger

Hazard statements

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe vapor.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P330 Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
N-Aminoethylpiperazine	30 - 60	140-31-8 205-411-0	-	612-105-00-4	
Classification: Acute Tox. 4;H302;(ATE: 500 mg/kg bw), Acute Tox. 4;H312;(ATE: 1100 mg/kg bw), Skin Corr. 1B;H314, Eye Dam. 1;H318, Skin Sens. 1;H317, Aquatic Chronic 3;H412					
nonylphenol; [1] 4-nonylphenol, branched [2]	30 - 60	84852-15-3 284-325-5	=	601-053-00-8	ED
Classificatio			ng/kg bw), Skin Corr. 1B;H3 [.] c Acute 1;H400, Aquatic Ch		

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. Call a physician Skin contact

or poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

Material name: DEVCON® 2 Ton® Epoxy Hardener

3252 Version #: 05 Revision date: 07-26-2023 Issue date: 04-15-2019

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E1 Hazardous to the Aquatic Environment Acute (Lower-tier requirements = 100 tons; Upper-tier requirements = 200 tons)

- E1 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 100 tons; Upper-tier requirements = 200 tons)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Follow standard monitoring procedures.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Not available.

Derived no effect levels (DNELs)

Predicted no effect

Not available.

concentrations (PNECs) 8.2. Exposure controls

Material name: DEVCON® 2 Ton® Epoxy Hardener

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Observe any medical surveillance requirements. Keep away from food and drink. Always observe

> good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid. Physical state Liquid. **Form** Color Amber Odor fishy

Melting point/freezing point

Boiling point or initial boiling

point and boiling range

14 °F (-10 °C) estimated

428 °F (220 °C) estimated

Flammability Not applicable.

Flash point 213,8 °F (101,0 °C) estimated

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. pН Not available. Kinematic viscosity

Solubility

Solubility (water) Not available. Not available. **Partition coefficient**

(n-octanol/water) (log value)

3,71 hPa estimated Vapor pressure

Density and/or relative density

0,97 g/cm3 estimated **Density**

Not available. Vapor density Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

0,97 estimated Specific gravity VOC 100 % Solids 55 % estimated

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid Alkaline metals. Peroxides. Phenols. 10.5. Incompatible materials

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects. General information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful in contact with skin. Harmful if swallowed. Acute toxicity

Test Results Components **Species**

nonylphenol; [1] 4-nonylphenol, branched [2] (CAS 84852-15-3)

Acute Dermal

LD50 Rabbit 2140 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work

(as amended)

nonylphenol; [1] 4-nonylphenol, branched [2] (CAS 84852-15-3)

Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

Very toxic to aquatic life with long lasting effects. 12.1. Toxicity

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Material name: DEVCON® 2 Ton® Epoxy Hardener 3252 Version #: 05 Revision date: 07-26-2023 Issue date: 04-15-2019 **Partition coefficient** n-octanol/water (log Kow)

> N-Aminoethylpiperazine -1,57nonylphenol; [1] 4-nonylphenol, branched [2] 5,71

Bioconcentration factor (BCF) Not available. No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

UN3267 14.1. UN number

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (N-Aminoethylpiperazine, nonylphenol; [1] 14.2. UN proper shipping

4-nonylphenol, branched [2]) name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) 80 Hazard No. (ADR) Ε **Tunnel restriction code** Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user RID

14.1. UN number

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

8 Class Subsidiary risk 8 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number

14.2. UN proper shipping CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk

3252 Version #: 05 Revision date: 07-26-2023 Issue date: 04-15-2019

Label(s) 8 Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

UN3267 14.1. UN number

14.2. UN proper shipping Corrosive liquid, basic, organic, n.o.s. (N-Aminoethylpiperazine, nonylphenol; [1] 4-nonylphenol,

branched [2]), Limited Quantity name

14.3. Transport hazard class(es)

8 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards No. **ERG Code** 8L

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Allowed with restrictions. Cargo aircraft only

IMDG

14.1. UN number UN3267

14.2. UN proper shipping CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (N-Aminoethylpiperazine, nonylphenol; [1]

name 4-nonylphenol, branched [2]), Limited Quantity

Not established.

14.3. Transport hazard class(es)

8 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant No.

EmS F-A, S-B

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Maritime transport in bulk according to IMO instruments

ADN; ADR; RID








Material name: DEVCON® 2 Ton® Epoxy Hardener

IMDG



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended nonylphenol; [1] 4-nonylphenol, branched [2] (CAS 84852-15-3)

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended nonylphenol; [1] 4-nonylphenol, branched [2] (CAS 84852-15-3)

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA nonylphenol; [1] 4-nonylphenol, branched [2] (CAS 84852-15-3)

UFI:

Austria: 5P50-80CQ-S00E-G9JX Belgium: 5P50-80CQ-S00E-G9JX Bulgaria: 5P50-80CQ-S00E-G9JX Croatia: 5P50-80CQ-S00E-G9JX Cyprus: 5P50-80CQ-S00E-G9JX

Czech Republic: 5P50-80CQ-S00E-G9JX Denmark: 5P50-80CQ-S00E-G9JX Estonia: 5P50-80CQ-S00E-G9JX EU: 5P50-80CQ-S00E-G9JX Finland: 5P50-80CQ-S00E-G9JX France: 5P50-80CQ-S00E-G9JX Germany: 5P50-80CQ-S00E-G9JX Greece: 5P50-80CQ-S00E-G9JX Hungary: 5P50-80CQ-S00E-G9JX Iceland: 5P50-80CQ-S00E-G9JX Ireland: 5P50-80CQ-S00E-G9JX Italy: 5P50-80CQ-S00E-G9JX Latvia: 5P50-80CQ-S00E-G9JX Lithuania: 5P50-80CQ-S00E-G9JX Luxembourg: 5P50-80CQ-S00E-G9JX Malta: 5P50-80CQ-S00E-G9JX Netherlands: 5P50-80CQ-S00E-G9JX

Malta: 5P50-80CQ-S00E-G9JX Netherlands: 5P50-80CQ-S00E-G9JX Poland: 5P50-80CQ-S00E-G9JX Portugal: 5P50-80CQ-S00E-G9JX Romania: 5P50-80CQ-S00E-G9JX Slovakia: 5P50-80CQ-S00E-G9JX Slovenia: 5P50-80CQ-S00E-G9JX Spain: 5P50-80CQ-S00E-G9JX Sweden: 5P50-80CQ-S00E-G9JX

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

nonylphenol; [1] 4-nonylphenol, branched [2] (CAS 84852-15-3)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

E1 Hazardous to the Aquatic Environment AcuteE1 Hazardous to the Aquatic Environment Chronic

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations According to Directive 92/85/EEC as amended, pregnant women should not work with the product,

if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

UFI: 5P50-80CQ-S00E-G9JX **Austria Belgium** UFI: 5P50-80CQ-S00E-G9JX **Czech Republic** UFI: 5P50-80CQ-S00E-G9JX **Denmark** UFI: 5P50-80CQ-S00E-G9JX **European Union** UFI: 5P50-80CQ-S00E-G9JX **Finland** UFI: 5P50-80CQ-S00E-G9JX UFI: 5P50-80CQ-S00E-G9JX France UFI: 5P50-80CQ-S00E-G9JX Germany UFI: 5P50-80CQ-S00E-G9JX Greece Hungary UFI: 5P50-80CQ-S00E-G9JX Italy UFI: 5P50-80CQ-S00E-G9JX **Netherlands** UFI: 5P50-80CQ-S00E-G9JX UFI: 5P50-80CQ-S00E-G9JX Norway **Poland** UFI: 5P50-80CQ-S00E-G9JX **Portugal** UFI: 5P50-80CQ-S00E-G9JX UFI: 5P50-80CQ-S00E-G9JX Slovakia UFI: 5P50-80CQ-S00E-G9JX Slovenia Spain UFI: 5P50-80CQ-S00E-G9JX Sweden UFI: 5P50-80CQ-S00E-G9JX **Switzerland** UFI: 5P50-80CQ-S00E-G9JX

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average.

Material name: DEVCON® 2 Ton® Epoxy Hardener

SDS EU

VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

None. Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is

the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® 2 Ton® Epoxy Hardener

3252 Version #: 05 Revision date: 07-26-2023 Issue date: 04-15-2019