# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation DEVCON® 5 Minute® Epoxy Resin

of the mixture

Registration number

UFI: YV00-W0QG-M00Q-E5XA **Product registration number** 

**Synonyms** None. Issue date 26-July-2023

02 Version number

**Revision date** 22-August-2024 Supersedes date 26-July-2023

1.2. Relevant identified uses of the substance or mixture and uses advised against

Not available. Identified uses Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

Company name **ITW Performance Polymers** 

**Address** Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact person **Customer Service** Telephone number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Email** 44(0) 1235 239 670 (24 hours) **Emergency phone number** 

1.4. Emergency telephone number

112 or 999 SDS/Product information may not be available for the Emergency **General emergency** 

Service.

Non-emergency medical

helpline

111 SDS/Product information may not be available for the Emergency Service.

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

# Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

## 2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Epoxy Resin: reaction product of bisphenol A and epichlorohydrin (refer to epichlorohydrin)

**Hazard pictograms** 

Signal word Warning

**Hazard statements** 

H315 Causes skin irritation.

Material name: DEVCON® 5 Minute® Epoxy Resin SDS GREAT BRITAIN H319 Causes serious eye irritation.

#### **Precautionary statements**

Prevention

P264 Wash thoroughly after handling.
P280 Wear eye protection/face protection.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal Not available.

Supplemental label information None.

**2.3. Other hazards**This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **General information**

Chemical name % CAS-No. / EC No. REACH Registration No. Index No. Notes

Epoxy Resin: reaction product of bisphenol A and epichlorohydrin (refer to epichlorohydrin)

Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319

## List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## **SECTION 4: First aid measures**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Material name: DEVCON® 5 Minute® Epoxy Resin SDS GREAT BRITAIN

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Do not touch or walk through spilled material.

Avoid discharge into drains, water courses or onto the ground.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in

Section 8 of the SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

Observe industrial sector guidance on best practices. 7.3. Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower

### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. - Hand protection - Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Material name: DEVCON® 5 Minute® Epoxy Resin

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Viscous. Liquid. **Appearance** 

Physical state Liquid.

Viscous. Liquid **Form** 

Colour Colourless to light yellow.

Slight. Odour

**Odour threshold** Not available. Not available. рH Melting point/freezing point Not available.

Initial boiling point and boiling

range

320 °C (608 °F) estimated

129.4 °C (265.0 °F) estimated Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapour pressure Vapour density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available. Not explosive. **Explosive properties** Not oxidising. Oxidising properties

9.2. Other information

**Density** 1.16 g/cm3 estimated Specific gravity 1.16 estimated

## **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Material name: DEVCON® 5 Minute® Epoxy Resin SDS GREAT BRITAIN

Causes skin irritation. May cause an allergic skin reaction. Skin contact

Causes serious eye irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms** 

vision. Skin irritation. May cause redness and pain.

### 11.1. Information on toxicological effects

Due to partial or complete lack of data the classification is not possible. **Acute toxicity** 

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure **Aspiration hazard** 

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

May cause allergic respiratory and skin reactions. Other information

## **SECTION 12: Ecological information**

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

No data available. 12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** Not available

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage

> sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

## **SECTION 14: Transport information**

#### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

Material name: DEVCON® 5 Minute® Epoxy Resin SDS GREAT BRITAIN

#### RID

**14.1. UN number** UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

**ADN** 

**14.1. UN number** UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Ye

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

**IATA** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 


14.1. - 14.6.: Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of**Not established.


MARPOL 73/78 and the IBC

Code

ADN; RID



# Marine pollutant



## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed

#### Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

## **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full

under sections 2 to 15 H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Revision information**SECTION 2: Hazards identification: Hazard statements
SECTION 2: Hazards identification: Response

SECTION 13: Disposal considerations: Disposal methods/information Transport Information: Product Shipping Name/Packing Group

**Training information** Follow training instructions when handling this material.

Material name: DEVCON® 5 Minute® Epoxy Resin

SDS GREAT BRITAIN

#### Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® 5 Minute® Epoxy Resin

SDS GREAT BRITAIN 3251 Version #: 02 Revision date: 22-August-2024 Issue date: 26-July-2023