# **SAFETY DATA SHEET**

## 1. Identification

Product identifier DEVCON® Floor Grip™ Granules

Other means of identification None.

Recommended use Not available.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name ITW Performance Polymers

Address 35 Brownridge Rd

Unit 1

Halton Hills, ON L7G 0C6

Contact personCustomer ServiceTelephone number978-777-1100

Fax E-mail

**Emergency telephone** 

800-424-9300

number

Supplier Not available.

# 2. Hazard identification

Physical hazards Not classified.

Health hazardsCarcinogenicityCategory 1Specific target organ toxicity followingCategory 1

repeated exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer. Causes damage to organs through prolonged or repeated exposure.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist/vapours. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face

protection.

**Response** IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental information** 100 % of the mixture consists of component(s) of unknown acute inhalation toxicity.

Other hazards None known.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical nameCommon name and synonymsCAS number%Silicon Carbide (sic)409-21-290 - 100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Material name: DEVCON® Floor Grip™ Granules

SDS CANADA

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s)

Coughing. Prolonged exposure may cause chronic effects.

involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from** During fire, gases hazardous to health may be formed. **the chemical** 

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods
Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards
No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapours. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. ACGIH Threshold Limit Values (TLV)

Silicon Carbide (sic) (CAS TWA 0.1 fibers/cm3		Components
409-21-2)	Fiber.	Silicon Carbide (sic) (CAS

Material name: DEVCON® Floor Grip™ Granules
4029 Version #: 04 Revision date: 01-August-2023 Issue date: 29-May-2019

<b>US. ACGIH</b>	<b>Threshold</b>	Limit Values	(TLV)
------------------	------------------	--------------	-------

Components	Туре	Value	Form
		3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occupation Components	nal Health & Safety Code, Sch Type	edule 1, Table 2), as amended Value	Form
Silicon Carbide (sic) (CAS 409-21-2)	TWA	0.1 fibers/cm3	Fiber.
,		3 mg/m3	Respirable particles.
		10 mg/m3	Total particulate.
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amen		for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Silicon Carbide (sic) (CAS 409-21-2)	TWA	0.1 fibers/cm3	Fiber.
		3 mg/m3	Respirable.
		10 mg/m3	Inhalable
Canada. Manitoba OELs (Reg. 217/ Components	/2006, The Workplace Safety / Type	And Health Act), as amended Value	Form
Silicon Carbide (sic) (CAS 409-21-2)	TWA	0.1 fibers/cm3	Fiber.
,		3 mg/m3	Respirable fraction.
,		3 mg/m3 10 mg/m3	Respirable fraction.  Inhalable fraction.
,	reshold Limit Values (TLVs) F	10 mg/m3	Inhalable fraction.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul		10 mg/m3	Inhalable fraction.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul		10 mg/m3	Inhalable fraction.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components Silicon Carbide (sic) (CAS	lation 91-191)	10 mg/m3  Based on the 1991 and 1997 AC	Inhalable fraction.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components Silicon Carbide (sic) (CAS 409-21-2)	Type TWA	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3	Inhalable fraction.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Ontario OELs. (Control of	Type TWA	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3	Inhalable fraction.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Ontario OELs. (Control of Components Silicon Carbide (sic) (CAS	lation 91-191) Type  TWA  Exposure to Biological or Ch	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  emical Agents), as amended	Inhalable fraction.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Ontario OELs. (Control of Components Silicon Carbide (sic) (CAS	lation 91-191) Type  TWA  Exposure to Biological or Ch Type	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  Demical Agents), as amended Value	Inhalable fraction. CGIH TLVs and BEIs Form
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Ontario OELs. (Control of Components Silicon Carbide (sic) (CAS	lation 91-191) Type  TWA  Exposure to Biological or Ch Type	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  Demical Agents), as amended Value  0.1 fibers/cc	Inhalable fraction. CGIH TLVs and BEIs Form Respirable.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components Silicon Carbide (sic) (CAS 409-21-2) Canada. Ontario OELs. (Control of Components Silicon Carbide (sic) (CAS	lation 91-191) Type  TWA  Exposure to Biological or Ch Type	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  Bemical Agents), as amended Value  0.1 fibers/cc  0.1 fibers/cc	Inhalable fraction.  CGIH TLVs and BEIs  Form  Respirable.  Fiber.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Ontario OELs. (Control of Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Quebec OELs. (Ministry o	lation 91-191) Type TWA Exposure to Biological or Ch Type TWA	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  Demical Agents), as amended Value  0.1 fibers/cc  0.1 fibers/cc  3 mg/m3 10 mg/m3	Form Respirable. Fiber. Respirable fraction. Inhalable fraction.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Ontario OELs. (Control of Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Quebec OELs. (Ministry o Components  Silicon Carbide (sic) (CAS	Iation 91-191) Type TWA Exposure to Biological or Ch Type TWA  TWA	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  Demical Agents), as amended Value  0.1 fibers/cc  0.1 fibers/cc  3 mg/m3 10 mg/m3  ng occupational health and saf	Form Respirable. Fiber. Respirable fraction. Inhalable fraction. Inhalable fraction. Fety), as amended
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Ontario OELs. (Control of Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Quebec OELs. (Ministry o Components  Silicon Carbide (sic) (CAS	Iation 91-191) Type TWA Exposure to Biological or Ch Type TWA  f Labor - Regulation respectin	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  Demical Agents), as amended Value  0.1 fibers/cc  0.1 fibers/cc  3 mg/m3 10 mg/m3 ng occupational health and saf Value  3 mg/m3	Form Respirable. Fiber. Respirable fraction. Inhalable fraction. Inhalable fraction. Sety), as amended Form
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Ontario OELs. (Control of Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Quebec OELs. (Ministry of Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Saskatchewan OELs (Occ	Type TWA  Exposure to Biological or Ch Type TWA  TWA  f Labor - Regulation respectin Type TWA  TWA	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  Demical Agents), as amended Value  0.1 fibers/cc  0.1 fibers/cc  3 mg/m3 10 mg/m3  ng occupational health and saf Value  3 mg/m3 10 mg/m3	Form Respirable. Fiber. Respirable fraction. Inhalable fraction. Interpretation. Total dust. Inhalable dust.
Canada. New Brunswick OELs: Th Publication (New Brunswick Regul Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Ontario OELs. (Control of Components  Silicon Carbide (sic) (CAS 409-21-2)  Canada. Quebec OELs. (Ministry of Components	Type TWA  Exposure to Biological or Ch Type TWA  TWA  f Labor - Regulation respectin Type TWA	10 mg/m3  Based on the 1991 and 1997 AC  Value  10 mg/m3  Bemical Agents), as amended Value  0.1 fibers/cc  0.1 fibers/cc  3 mg/m3 10 mg/m3  ng occupational health and saf Value  3 mg/m3 10 mg/m3  10 mg/m3  Regulations, 1996, Table 21), as	Form Respirable. Fiber. Respirable fraction. Inhalable fraction. Interport of the state of the s

Material name: DEVCON® Floor Grip™ Granules

SDS CANADA 4029 Version #: 04 Revision date: 01-August-2023 Issue date: 29-May-2019

# Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapour cartridge and full facepiece.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapour cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Granular.

Physical state Liquid.

Form Liquid. Granular.

Colour Black
Odour None.

Odour threshold Not available. pH Not available.

Melting point/freezing point 2600 °C (4712 °F) estimated

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit – upper

Not available.

(%)

Vapour pressure 13238.9 hPa estimated

Vapour density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 3.23 g/cm3 estimated

Explosive properties Not explosive.

Oxidising properties Not oxidising.

Specific gravity 3.23 estimated

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Material name: DEVCON® Floor Grip™ Granules
4029 Version #: 04 Revision date: 01-August-2023 Issue date: 29-May-2019

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidising agents.

Hazardous decomposition products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Coughing.

#### Information on toxicological effects

Acute toxicity Not known.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

#### Respiratory or skin sensitisation

Canada - Alberta OELs: Irritant

Silicon Carbide (sic) (CAS 409-21-2) Irritant

**Respiratory sensitisation** Not a respiratory sensitiser.

**Skin sensitisation** This product is not expected to cause skin sensitisation.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

**ACGIH Carcinogens** 

Silicon Carbide (sic) (CAS 409-21-2)

A2 Suspected human carcinogen.

Canada - Alberta OELs: Carcinogen category

Silicon Carbide (sic) (CAS 409-21-2)

Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Silicon Carbide (sic) (CAS 409-21-2)

Suspected human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silicon Carbide (sic) (CAS 409-21-2)

2A Probably carcinogenic to humans.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated

exposure. Prolonged exposure may cause chronic effects.

## 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

#### **TDG**

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

# 15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### **Greenhouse Gases**

Not listed.

#### **Precursor Control Regulations**

Not regulated.

#### International regulations

## **Stockholm Convention**

Not applicable.

# **Rotterdam Convention**

Not applicable.

#### **Kyoto Protocol**

Not applicable.

# **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

Korea Existing Chemicals List (ECL)

New Zealand

New Zealand Inventory

Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information

Issue date29-May-2019Revision date01-August-2023

Version No. 04

**Disclaimer** ITW Performance Polymers cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance

for safe handling, use, processing, storage, transportation, disposal and release.

Material name: DEVCON® Floor Grip™ Granules SDS CANADA