SAFETY DATA SHEET

Version #: 04

Issue date: 05-29-2019 Revision date: 08-01-2023 Supersedes date: 06-25-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Floor Grip™ Granules

Registration number

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service 353(61)771500 **Telephone Number**

353(61)471285

customerservice.shannon@itwpp.com **Email**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

1401 (Available 24 hours a day. SDS/Product information may not be available **Cyprus Poison Center**

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons

Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® Floor Grip™ Granules 4029 Version #: 04 Revision date: 08-01-2023 Issue date: 05-29-2019

1.4. Emergency telephone number

Greece Poison Information

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National

Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

113

Latvia Emergency medical

aid

Latvia Poison and Drug Information Center

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Center**

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Carcinogenicity Category 1B H350 - May cause cancer.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) Contains:

Hazard pictograms



Signal word

Hazard statements

H350 May cause cancer.

Precautionary statements

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P280

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

100% of the mixture consists of component(s) of unknown acute inhalation toxicity.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

> (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1)	90 - 100	409-21-2 206-991-8	-	014-048-00-5	
Classification:	Water-Rea	ct 3:H261 Carc 1B	·H350i		

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware

of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delaved

Coughing.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

4029 Version #: 04 Revision date: 08-01-2023 Issue date: 05-29-2019

Material name: DEVCON® Floor Grip™ Granules

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be

advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled

containers.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), Components	BGBI. II, no. 184/2001, as amended Type	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio	MAK	5 mg/m3	Respirable fraction.
≥ 3:1) (CAS 409-21-2)	STEL	10 mg/m3	Respirable fraction.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -Chemical agents, as amended

Components	Туре	Value
silicon carbide fibres (with diameter < 3 .mu.m, length	TWA	10 mg/m3

> 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)

≥ 3:1) (CAS 409-21-2)

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length	TWA	5 mg/m3	Inhalable fraction.
> 5 mum and aspect ratio			

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	MAC	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.

Material name: DEVCON® Floor Grip™ Granules 4029 Version #: 04 Revision date: 08-01-2023 Issue date: 05-29-2019

Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TLV	5 mg/m3	Respirable dust.
		10 mg/m3	Dust.
		0,5 mg/m3	Respirable quartz fraction.
Components	ure Limits of Hazardous Substances (l Type	Value	2001, Annex), as amend Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	5 mg/m3	Fine dust, respiratory fraction
		10 mg/m3	Respirable fraction.
Finland. HTP-arvot, App 3., Binding Components	Limit Values, Social Affairs and Minist Type	try of Health Value	
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	0,1 fibers/cm3	
France. Threshold Limit Values (VLE Components	EP) for Occupational Exposure to Che Type	micals in France, INI Value	RS ED 984
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio	VME	10 mg/m3	
, ,	imit (VL)		
Regulatory status: Indicative li Germany. DFG MAK List (advisory C in the Work Area (DFG), as updated	imit (VL) DELs). Commission for the Investigation Type	on of Health Hazards Value	of Chemical Compoun
Regulatory status: Indicative li Germany. DFG MAK List (advisory C in the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio	DELs). Commission for the Investigation		-
Regulatory status: Indicative li Germany. DFG MAK List (advisory C in the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in	DELs). Commission for the Investigation Type TWA	Value	Form
Germany. DFG MAK List (advisory Cin the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio	Type TWA The Ambient Air at the Workplace	Value 4 mg/m3	Form Inhalable dust.
Regulatory status: Indicative li Germany. DFG MAK List (advisory C in the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio	Type TWA The Ambient Air at the Workplace Type	Value 4 mg/m3 Value	Form Inhalable dust. Form
Regulatory status: Indicative li Germany. DFG MAK List (advisory C in the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in Components silicon carbide fibres (with diameter < 3 .mu.m, length	Type TWA The Ambient Air at the Workplace Type AGW	Value 4 mg/m3 Value 10 mg/m3	Form Inhalable dust. Form Inhalable fraction.
Regulatory status: Indicative li Germany. DFG MAK List (advisory C in the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Greece. OELs, Presidential Decree N	Type TWA The Ambient Air at the Workplace Type AGW	Value 4 mg/m3 Value 10 mg/m3	Form Inhalable dust. Form Inhalable fraction. Respirable fraction.
Regulatory status: Indicative li Germany. DFG MAK List (advisory C in the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Greece. OELs, Presidential Decree N Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio	Type TWA The Ambient Air at the Workplace Type AGW No. 307/1986, as amended Type	Value 4 mg/m3 Value 10 mg/m3 1,25 mg/m3 Value	Form Inhalable dust. Form Inhalable fraction. Respirable fraction. Form
Regulatory status: Indicative li Germany. DFG MAK List (advisory C in the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Greece. OELs, Presidential Decree N Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	Type TWA The Ambient Air at the Workplace Type AGW No. 307/1986, as amended Type	Value 4 mg/m3 Value 10 mg/m3 1,25 mg/m3 Value 5 mg/m3	Form Inhalable dust. Form Inhalable fraction. Respirable fraction. Form Respirable.
Regulatory status: Indicative li Germany. DFG MAK List (advisory Cin the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Greece. OELs, Presidential Decree Nomponents silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Ireland. OELVs, Schedules 1 & 2, Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	Type TWA The Ambient Air at the Workplace Type AGW No. 307/1986, as amended Type TWA	Value 4 mg/m3 Value 10 mg/m3 1,25 mg/m3 Value 5 mg/m3 10 mg/m3 and Carcinogens Regulation	Form Inhalable dust. Form Inhalable fraction. Respirable fraction. Form Respirable. Inhalable
Regulatory status: Indicative li Germany. DFG MAK List (advisory Cin the Work Area (DFG), as updated Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Germany. TRGS 900, Limit Values in Components silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Greece. OELs, Presidential Decree Nomponents silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) Ireland. OELVs, Schedules 1 & 2, Components	Type TWA The Ambient Air at the Workplace Type AGW No. 307/1986, as amended Type TWA TWA TWA	Value 4 mg/m3 Value 10 mg/m3 1,25 mg/m3 Value 5 mg/m3 10 mg/m3 nd Carcinogens Regivalue	Form Inhalable dust. Form Inhalable fraction. Respirable fraction. Form Respirable. Inhalable ulations Form

Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	0,1 fibers/cm3	Fiber.
, ,		3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational Exposi 1), as amended			325/ 2007, L.V. 80, Annex
Components	Type	Value	
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	6 mg/m3	
Lithuania. OELs. Occupational Exp V-824/A1-389), as amended	osure Limit Values for Chem	nical Substances (Hygiene Norr	m HN 23:2011; Order No.
Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Norway. Regulation No. 1358 on Mo Infection Groups for Biological Fac		Physical and Chemical Factor	s in Work Environment and
Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TLV	0,1 fibers/cm3	Fiber.
, (3.12 1.22 _ 1 ,		0,5 mg/m3	Respirable dust.
Poland. Maximum permissible cond 1286/2018, Annex 1)	centrations and intensities o	f harmful factors in the work er	nvironment (Dz.U.Poz.
Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	10 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupatio Components	nal exposure to chemical aç Type	gents (NP 1796-2014) Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	0,1 fibers/cm3	Respirable fibers.
= 0) (00 1.00 ==)		3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Romania. OELs. Limit Values of Ch amended)	emical Agents at Workplace	(Regulation 1.218/2006, M.O 84	45, Annex 1, 3&4, as
Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	10 mg/m3	Inhalable fraction.
Slovakia. OELs. Maximum permiss Annex 1, Table 1, as amended)	ible exposure limits for chen	nical factors in workplace air (F	Regulation No 355/2006,
Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio	TWA	4 mg/m3	Inhalable fraction.

Components	Туре	Value	Form
		1,5 mg/m3	Respirable fraction.

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Туре	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales

(VLAs) Components	Type	Value	Form
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components	Туре	Value	
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	0,2 fibers/ml	

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Туре	Value	Form	
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	3 mg/m3	Respirable dust.	
		10 mg/m3	Inhalable dust.	

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Туре	Value	Form	
silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)	TWA	4 mg/m3	Respirable.	
		10 mg/m3	Inhalable	

Biological limit values No biological exposure limits noted for the ingredient(s).

_	
Recommended monitoring	Follow standard monitoring procedures.
procedures	

Derived no effect levels	Not available.	
(DNELs)		

Predicted no effect	Not available
concentrations (PNECs)	

8.2. Exposure controls

Appropriate engineering	Good general ventilation should be used. Ventilation rates should be matched to conditions. If
controls	applicable, use process enclosures, local exhaust ventilation, or other engineering controls to
	maintain airborne levels below recommended exposure limits. If exposure limits have not been
	established, maintain airborne levels to an acceptable level.

In

ndividual protection measure	es, such as personal protective equipment
General information	Use personal protective equipment as required. Personal protection equipment should be chosen
	according to the CEN standards and in discussion with the supplier of the personal protective
	equipment.

Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.
Skin protection	

Material name: DEVCON® Floor Grip™ Granules

- Hand protection Wear appropriate chemical resistant gloves.

- Other Use of an impervious apron is recommended.

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Observe any medical surveillance requirements. Always observe good personal hygiene Hygiene measures

> measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Liquid. Granular.

Color Black Odor None.

Melting point/freezing point 4712 °F (2600 °C) estimated

Boiling point or initial boiling

point and boiling range

Not available.

Not applicable. **Flammability** Flash point Not available. Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. pН Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

13238,9 hPa estimated Vapor pressure

Density and/or relative density

Density 3,23 g/cm3 estimated

Not available Vapor density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

3.23 estimated Specific gravity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

reactions

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Material name: DEVCON® Floor Grip™ Granules

4029 Version #: 04 Revision date: 08-01-2023 Issue date: 05-29-2019

Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Coughing.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Due to partial or complete lack of data the classification is not possible. **Acute toxicity** Due to partial or complete lack of data the classification is not possible. Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

irritation

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitization Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity May cause cancer.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)

IARC Monographs. Overall Evaluation of Carcinogenicity

silicon carbide fibres (with diameter < 3 .mu.m, length > 5 2A Probably carcinogenic to humans. .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)

Reproductive toxicity

Specific target organ toxicity single exposure

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Due to partial or complete lack of data the classification for hazardous to the aquatic environment,

is not possible.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. Not available. Partition coefficient

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

4029 Version #: 04 Revision date: 08-01-2023 Issue date: 05-29-2019

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods. 14.1. UN number

14.2. UN proper shipping

Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned.

14.4. Packing group 14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

RID

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

IATA

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods.

14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group

Material name: DEVCON® Floor Grip™ Granules

SDS FU

14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

silicon carbide fibres (with diameter < 3 .mu.m, length > 5 .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations According to Directive 92/85/EEC as amended, pregnant women should not work with the product,

if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation on the protection of workers from the risks of exposure to carcinogens and mutagens at work in accordance with Directive 2004/27/EC as amended.

work, in accordance with Directive 2004/37/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

silicon carbide fibres (with diameter < 3 .mu.m, length > 5 Faserstäube, anorganische (außer Asbest), Künstlich hergestellte .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) anorganische einkristalline Fasern (Whisker) aus Siliziumkarbid

France regulations

France INRS Table of Occupational Diseases

silicon carbide fibres (with diameter < 3 .mu.m, length > 5 Affections respiratoires dues aux poussières de carbures .mu.m and aspect ratio ≥ 3:1) (CAS 409-21-2) métalliques frittés ou fondus contenant du cobalt 70 bis

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

Material name: DEVCON® Floor Grip™ Granules

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

Not available

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H261 In contact with water releases flammable gas.

H350i May cause cancer by inhalation.

None.

Revision information

Training information

Disclaimer

References

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.