SAFETY DATA SHEET

Version #: 04

Issue date: 05-28-2019 Revision date: 08-01-2023 Supersedes date: 06-25-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Floor Patch™ Sand

Registration number

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

 Contact Person
 Customer Service

 Telephone Number
 353(61)771500

 353(61)471285

customerservice.shannon@itwpp.com

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Center +431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

Email

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+,

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® Floor Patch™ Sand 4030 Version #: 04 Revision date: 08-01-2023 Issue date: 05-28-2019 1.4. Emergency telephone number

Greece Poison Information

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National

Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be **Iceland Poison Center**

113

available for the Emergency Service.)

Latvia Emergency medical

aid

Latvia Poison and Drug

Information Center

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Center**

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service + 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Carcinogenicity H350 - May cause cancer. Category 1A

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Quartz Contains:

Hazard pictograms



Signal word

Hazard statements

H350 May cause cancer.

Precautionary statements

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P280

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards

98,83% of the mixture consists of component(s) of unknown acute inhalation toxicity.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Quartz	90 - 100	14808-60-7 238-878-4	-	-	#

Classification: Carc. 1A;H350

Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware **General information**

of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Coughing.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

5.2. Special hazards arising

During fire, gases hazardous to health may be formed.

from the substance or mixture 5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Material name: DEVCON® Floor Patch™ Sand

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be

advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

recovery, nasir area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled

containers.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

7.3. Specific end use(s)Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance Components	ria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended ponents Type Value Form				
Quartz (CAS 14808-60-7)	MAK	0,05 mg/m3	Respirable dust.		
Belgium, OFL, Exposure Limit Va	lues to Chemical Substances	at Work. Code of Well-being at	t work. Book VI. Title 1 -		

Chemical agents, as amended

Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.

Bulgaria. OEL values of carcinogens and mutagens at work (Reg. 10/2003 on prot. from carcinogens and mutagens at work. Ann. 1), as amended

Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction and

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

 Components
 Type
 Value

 Quartz (CAS 14808-60-7)
 MAC
 0,1 mg/m3

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Туре	Value	Form	
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.	
Denmark. Work Environment Auth	nority. Exposure Limits for Sເ	ıbstances & Materials, Annex 2		
Components	Туре	Value	Form	

 Quartz (CAS 14808-60-7)
 TLV
 0,3 mg/m3
 Total

 0,1 mg/m3
 Respirable.

4030 Version #: 04 Revision date: 08-01-2023 Issue date: 05-28-2019

Estonia. OELs. Occupational Exp Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Fine dust, respiratory fraction
Finland. HTP-arvot, App 3., Bindi Components	ng Limit Values, Social Affairs Type	and Ministry of Health Value	Form
Quartz (CAS 14808-60-7)	TWA	0,05 mg/m3	Respirable.
France. OELs. Occupational Expo Components	osure Limits as Prescribed by Type	Art. R.4412-149 of Labor Code Value	as amended Form
Quartz (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable dust.
France. Threshold Limit Values (\ Components	/LEP) for Occupational Expos Type	ure to Chemicals in France, IN Value	RS ED 984 Form
Quartz (CAS 14808-60-7)	VME	0,1 mg/m3	Respirable fraction.
Regulatory status: Regulate	ory binding (VRC)		
Hungary. OELs. Decree on protec Components	ction of workers exposed to ch Type	nemical agents (5/2020. (II.6)), A Value	Annex 1&2, as amended Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Iceland. OELs. Regulation 390/20 Components	09 on Pollution Limits and Mea	asures to Reduce Pollution at t Value	he Workplace, as amende Form
Quartz (CAS 14808-60-7)	TWA	0,3 mg/m3	Total dust.
		0,1 mg/m3	Respirable dust.
reland. OELVs, Schedules 1 & 2, Components	Code of Practice for Chemical Type	I Agents and Carcinogens Reg Value	ulations Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
ltaly. OELs (Legislative Decree n. Components	81, 9 April 2008), as amended Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
Latvia. OELs. Occupational Expo 1), as amended	sure Limits of Chemical Subst	ances at Workplace (Reg. No.	325/ 2007, L.V. 80, Annex
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Lithuania. OELs. Occupational Ex V-824/A1-389), as amended	cposure Limit Values for Chem	nical Substances (Hygiene Nor	m HN 23:2011; Order No.
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
Luxembourg. Chemical Substanc 235/2016, as amended			
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Netherlands. OELs per Annex XIII amended	-	•	
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,075 mg/m3	Respirable dust.
Norway. Regulation No. 1358 on I Infection Groups for Biological Fa	actors, as amended	-	
Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TLV	0,3 mg/m3	Total dust.
		0,05 mg/m3	Respirable dust.

1286/2018, Annex 1) Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on o Components	ccupational exposure to chemical ag Type	ents (NP 1796-2014) Value	Form
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m3	Respirable fraction.
amended	gens and mutagens. Regulation No. 3	356/2006 on carcinogenic and	_
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction.
	es de Exposición Profesional Para Ag	entes Químicos, Table 1-Valo	res Límites Ambientales
(VLAs) Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,05 mg/m3	Respirable fraction.
,		, ,	·
amended (Annex 1). V	Nork Environment Authority (AV), Oc	cupauonai Exposure Limit Va	iiues (AFS 2018:1), as
Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable dust.
Switzerland. SUVA Grenzw Components	verte am Arbeitsplatz: Aktuelle MAK-V Type	Verte Value	Form
Quartz (CAS 14808-60-7)	TWA	0,15 mg/m3	Respirable fraction.
UK. OELs. Workplace Expo	osure Limits (WELs) (EH40/2005 (Fou Type	rth Edition 2020)), Table 1 Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable.
,	7/EC on carcinogen and mutagens fro	, 3	·
Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m3	Respirable fraction and dust
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
commended monitoring cedures	Follow standard monitoring procedur	es.	
ived no effect levels IELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
Exposure controls propriate engineering strols	Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recom established, maintain airborne levels	local exhaust ventilation, or othe nmended exposure limits. If exp	er engineering controls to
	s, such as personal protective equipm		
General information	Use personal protective equipment a according to the CEN standards and equipment.		
Eye/face protection	Chemical respirator with organic vap	or cartridge and full facepiece.	
Skin protection			
- Hand protection	Wear appropriate chemical resistant	gloves.	
- Other	Use of an impervious apron is recom	mended.	
Respiratory protection	Chemical respirator with organic vap	or cartridge and full facepiece.	
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
jiene measures	Observe any medical surveillance re	guirements. Always observe go	od personal hygiene

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Liquid. Granular. Color Light brown None. Odor Melting point/freezing point Not available.

Boiling point or initial boiling

Not available.

point and boiling range **Flammability**

Not applicable.

Not available. Flash point Not available. **Auto-ignition temperature** Not available **Decomposition temperature** Not available. Kinematic viscosity Not available.

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure -0,01 hPa estimated

Density and/or relative density

2,65 g/cm3 Density Not available Vapor density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics 2.65 Specific gravity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

10.6. Hazardous

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Powerful oxidizers. Chlorine.

decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Coughing

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Material name: DEVCON® Floor Patch™ Sand

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

4030 Version #: 04 Revision date: 08-01-2023 Issue date: 05-28-2019

Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure

Mixture versus substance

Due to partial or complete lack of data the classification is not possible.

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

Aspiration hazard

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Due to partial or complete lack of data the classification for hazardous to the aquatic environment,

is not possible.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

No data available. Not available

Partition coefficient

n-octanol/water (log Kow) **Bioconcentration factor (BCF)**

Not available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

Material name: DEVCON® Floor Patch™ Sand 4030 Version #: 04 Revision date: 08-01-2023 Issue date: 05-28-2019

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned.
Tunnel restriction code Not assigned.

14.4. Packing group - **14.5. Environmental hazards** No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards
Marine pollutant No

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Quartz (CAS 14808-60-7)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

According to Directive 92/85/EEC as amended, pregnant women should not work with the product,

if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation on the protection of workers from the risks of exposure to carcinogens and mutagens at

work, in accordance with Directive 2004/37/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Quartz (CAS 14808-60-7)

Affections consécutives à l'inhalation de poussières minérales renfermant de la silicecristalline (quartz, cristobalite, tridymite), des silicates cristallins (kaolin, talc), du graphite ou de la houille 25

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

Material name: DEVCON® Floor Patch™ Sand

SDS FU

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

Revision information

Training information

Disclaimer

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H350 May cause cancer.

None.

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

4030 Version #: 04 Revision date: 08-01-2023 Issue date: 05-28-2019

Material name: DEVCON® Floor Patch™ Sand