SAFETY DATA SHEET

Version # 01

Issue date: 10-02-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Densit Curing Compound

of the mixture

Registration number

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

ITW Performance Polymers Company name

Address Rordalsvei 44

9220 Aalborg, Denmark

Division

Telephone +45 9816 7011

e-mail customerservice.aalborg@itwpp.com

Contact person Not available.

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons **Information Center** +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

1401 (Available 24 hours a day. SDS/Product information may not be available **Cyprus Poison Center**

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons

Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Greece Poison Information

Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Densit Curing Compound 4502 Version #: 01 Issue date: 10-02-2023 1.4. Emergency telephone number

Hungary National Emergency Phone Number

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department

 $2545\,4030$ (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison

Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Center 800 250 250 (Available 24 hours a day. SDS/Product information may not be

113

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Not available.

Environmental hazards

long-term aquatic hazard

Hazardous to the aquatic environment,

Category 3

H412 - Harmful to aquatic life with

long lasting effects.

Not available

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2,2'-(C16-18 (EVENNUMBERED, C18 UNSATURATED) ALKYL IMINO) DIETHANOL,

ALCOHOLS, C16-18, ETHOXYLATED (>1 <2,5 MOL EO), reaction mass of:

5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC

no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.

247-500-7]and 2-methyl-4-isothiazolin-3-one [EC no. 220-

Hazard pictograms None.

Signal word None.

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response Not available.

Storage Not available.

Material name: Densit Curing Compound 4502 Version #: 01 Issue date: 10-02-2023

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name % CAS-No. / EC No. REACH Registration No. Index No. **Notes** 2,2'-(C16-18 (EVENNUMBERED, C18 >=0,5-<1 1218787-32-6 UNSATURATED) ALKYL IMINO) **DIETHANOL** Classification: -ALCOHOLS, C16-18, >=0,25-<0 68439-49-6 ETHOXYLATED (>1 <2.5 MOL EO) ,5 500-212-8 Classification: Aquatic Acute 1;H400, Aquatic Chronic 3;H412 reaction mass of: >=0,0002-55965-84-9 613-167-00-5 5-chloro-2-methyl-4-isothiazolin-3-one <0,0015 [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3-one [EC no.

Classification: Acute Tox. 3;H301;(ATE: 100 mg/kg bw), Acute Tox. 2;H310;(ATE: 50

mg/kg bw), Acute Tox. 2;H330;(ATE: 0,5 mg/l), Skin Corr. 1C;H314, Eye Dam. 1;H318, Skin Sens. 1A;H317, Aquatic Acute 1;H400(M=100),

Aquatic Chronic 1;H410(M=100)

Supplemental Hazard EUH071

Statement(s):

Specific Concentration Limits: Skin Corr. 1C;H314: C ≥ 0.6 %, Skin Irrit. 2;H315: 0.06 % ≤ C < 0.6 %,

Eye Dam. 1;H318: C ≥ 0.6 %, Eye Irrit. 2;H319: 0.06 % ≤ C < 0.6 %, Skin

Sens. 1A;H317: C ≥ 0.0015 %

Other components below reportable

levels

220-

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

Exposure may cause temporary irritation, redness, or discomfort.

delayed

4.3. Indication of anyTreat symptomatically.

immediate medical attention and special treatment needed

nd special treatment needed

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

Prevent product from entering drains.

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

6.2. Environmental precautions

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Туре	Value
------------	------	-------

reaction mass of:

5-chloro-2-methyl-4-isothiaz

olin-3-one [EC no.

247-500-71and

2-methyl-2H-isothiazol-3-on

e [EC no. 220-239-6] (3:1);

reaction mass of:

5-chloro-2-methyl-4-isothiaz

olin-3-one [EC no.

247-500-7]and

2-methyl-4-isothiazolin-3-on

e [EC no. 220- (CAS

55965-84-9)

MAK

0,05 mg/m3

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Components	Туре	Value	Form
reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-on e [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3-on e [EC no. 220- (CAS 55965-84-9)	TWA	0,2 mg/m3	Inhalable fraction.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Туре	Value	Form	
reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-on e [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiaz olin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3-on e [EC no. 220- (CAS 55965-84-9)	STEL	0,4 mg/m3	Inhalable fraction.	_
	TWA	0,2 mg/m3	Inhalable fraction.	

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Use eye protection conforming to EN 166, designed to protect against liquid splashes. Eye/face protection Skin protection

- Hand protection

Select suitable chemical resistant protective nitrile gloves (EN 374) with a protective index 6 (>480min permeation time).

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColorWhiteOdorOdorless.Melting point/freezing pointNot available.Boiling point or initial boilingNot available.

point and boiling range

Flammability
Not applicable.

Flash point
Not available.

Auto-ignition temperature
Not available.

Not available.

pH 5

Kinematic viscosity <6,9 mm²/s

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure 23 hPa

Density and/or relative density

Density0,99 g/cm³Vapor densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard No relevant additional information available.

to physical hazard classes 9.2.2. Other safety characteristics

> **Dynamic viscosity** <10 mPa.s **Specific gravity** 0,99

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity No data available.

Skin corrosion/irritationBased on available data, the classification criteria are not met. **Serious eye damage/eye**Based on available data, the classification criteria are not met.

irritation

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization

Due to partial or complete lack of data the classification is not possible. Skin sensitization

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Carcinogenicity

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information May cause allergic respiratory and skin reactions.

SECTION 12: Ecological information

Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria 12.1. Toxicity

are not met for hazardous to the aquatic environment, acute hazard.

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. Not available.

Partition coefficient n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. UN number

Not regulated as dangerous goods. Not regulated as dangerous goods.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk Material name: Densit Curing Compound Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned.

14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Material name: Densit Curing Compound 4502 Version #: 01 Issue date: 10-02-2023

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full

under sections 2 to 15 H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

Material name: Densit Curing Compound

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

None.

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Densit Curing Compound 4502 Version #: 01 Issue date: 10-02-2023