SAFETY DATA SHEET

Version #: 07

Issue date: 03-17-2014 Revision date: 08-05-2023 Supersedes date: 07-01-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Synonyms SKU#

Insulcast 116 FR - Part B

Registration number

None. IF123H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service Telephone Number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

Control Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: Insulcast 116 FR - Part B

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

Latvia Poison and Drug Information Center

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center

800 250 250 (Available 24 hours a day. SDS/Product information may not be

113

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, dermal Category 4 H312 - Harmful in contact with skin. Skin corrosion/irritation Category 2 H315 - Causes skin irritation. H319 - Causes serious eye Serious eye damage/eye irritation Category 2

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment, H412 - Harmful to aquatic life with Category 3

long-term aquatic hazard long lasting effects.

2.2. Label elements

Material name: Insulcast 116 FR - Part B IE123H Version #: 07 Revision date: 08-05-2023 Issue date: 03-17-2014

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: KG15-Q1SK-6005-R4VE Belgium: KG15-Q1SK-6005-R4VE Bulgaria: KG15-Q1SK-6005-R4VE Croatia: KG15-Q1SK-6005-R4VE Cyprus: KG15-Q1SK-6005-R4VE

Czech Republic: KG15-Q1SK-6005-R4VE
Denmark: KG15-Q1SK-6005-R4VE
Estonia: KG15-Q1SK-6005-R4VE
EU: KG15-Q1SK-6005-R4VE
Finland: KG15-Q1SK-6005-R4VE
France: KG15-Q1SK-6005-R4VE
Germany: KG15-Q1SK-6005-R4VE
Greece: KG15-Q1SK-6005-R4VE
Hungary: KG15-Q1SK-6005-R4VE
Iceland: KG15-Q1SK-6005-R4VE

Hungary: KG15-Q1SK-6005-R4VE Iceland: KG15-Q1SK-6005-R4VE Ireland: KG15-Q1SK-6005-R4VE Italy: KG15-Q1SK-6005-R4VE Latvia: KG15-Q1SK-6005-R4VE Lithuania: KG15-Q1SK-6005-R4VE Luxembourg: KG15-Q1SK-6005-R4VE Malta: KG15-Q1SK-6005-R4VE Netherlands: KG15-Q1SK-6005-R4VE Norway: KG15-Q1SK-6005-R4VE Poland: KG15-Q1SK-6005-R4VE

Poland: KG15-Q15K-6005-R4VE Portugal: KG15-Q15K-6005-R4VE Romania: KG15-Q15K-6005-R4VE Slovakia: KG15-Q15K-6005-R4VE Slovenia: KG15-Q15K-6005-R4VE Spain: KG15-Q15K-6005-R4VE Sweden: KG15-Q15K-6005-R4VE

Contains: 3,6,9-triazaundecamethylenediamine; tetraethylenepentamine, POLYAMINES AND FATTY

ACIDS REACTANT

Hazard pictograms



Signal word Warning

Hazard statements

H312 Harmful in contact with skin.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P261 Avoid breathing dust.
P261 Avoid breathing mist/vapors.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.
P280 Wear eye protection/face protection.
P280 Wear protective gloves/protective clothing.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

IE123H Version #: 07 Revision date: 08-05-2023 Issue date: 03-17-2014

Supplemental label information

59,24% of the mixture consists of component(s) of unknown acute inhalation toxicity. 99,09% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 93,83% of the mixture consists of component(s) of unknown long-term hazards to the aquatic

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|---|---------|-------------------------|------------------------|--------------|-------|
| POLYAMINES AND FATTY ACIDS REACTANT | 30 - 60 | 68953-36-6 273-201-6 | - | - | |
| Classification: - | | | | | |
| 3,6,9-triazaundecamethylenediamine; tetraethylenepentamine | 3 - 7 | 112-57-2 203-986-2 | - | 612-060-00-0 | |
| Classification: Acute Tox. 4;H302;(ATE: 500 mg/kg bw), Acute Tox. 4;H312;(ATE: 1100 mg/kg bw), Skin Corr. 1B;H314, Eye Dam. 1;H318, Skin Sens. 1;H317, Aquatic Chronic 2;H411 | | | | | |

Other components below reportable

3 - 7

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical

attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

Rinse mouth. Get medical advice/attention if you feel unwell. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

IE123H Version #: 07 Revision date: 08-05-2023 Issue date: 03-17-2014

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Material name: Insulcast 116 FR - Part B

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Avoid inhalation of dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Avoid inhalation of dust. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Minimize dust generation and accumulation. Prevent product from entering drains. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended | | | | |
|--|------|----------|----------------------|--|
| Components | Туре | Value | Form | |
| Alumina Trihydrate (CAS 21645-51-2) | MAK | 5 mg/m3 | Respirable fraction. | |
| | | 10 mg/m3 | Inhalable fraction. | |
| | STEL | 20 mg/m3 | Inhalable fraction. | |
| | | 10 mg/m3 | Respirable fraction. | |

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

| Components | Type | Value | Form |
|-------------------------------------|------|----------|----------------------|
| Alumina Trihydrate (CAS 21645-51-2) | TWA | 3 mg/m3 | Respirable fraction. |
| | | 10 mg/m3 | Inhalable fraction. |

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Type Value Form

Alumina Trihydrate (CAS VME 4 mg/m3 Total dust. 21645-51-2)

Regulatory status: Regulatory binding (VRC)

Material name: Insulcast 116 FR - Part B

IE123H Version #: 07 Revision date: 08-05-2023 Issue date: 03-17-2014 5 /

| Components | Туре | Value | NRS ED 984 Form |
|---|--|--|---|
| | | 0,9 mg/m3 | Respirable dust. |
| Regulatory status: Regulate | ory binding (VRC) | | |
| Germany. DFG MAK List (advisor n the Work Area (DFG), as updat | | nvestigation of Health Hazard | ds of Chemical Compound |
| Components | Туре | Value | Form |
| Alumina Trihydrate (CAS 21645-51-2) | TWA | 4 mg/m3 | Inhalable dust. |
| | | 1,5 mg/m3 | Respirable dust. |
| Germany. TRGS 900, Limit Values Components | s in the Ambient Air at the Wor Type | kplace Value | Form |
| Alumina Trihydrate (CAS | AGW | 10 mg/m3 | Inhalable fraction. |
| 21645-51-2) | | 1,25 mg/m3 | Respirable fraction. |
| celand. OELs. Regulation 390/20 | | | |
| Components | Туре | Value | Form |
| Alumina Trihydrate (CAS 21645-51-2) | TWA | 5 mg/m3 | Respirable dust. |
| | | 10 mg/m3 | Total dust. |
| reland. OELVs, Schedules 1 & 2, Components | Code of Practice for Chemical Type | Agents and Carcinogens Re | gulations Form |
| Alumina Trihydrate (CAS 21645-51-2) | TWA | 4 mg/m3 | Respirable dust. |
| | | 10 mg/m3 | Total inhalable dust. |
| Latvia. OELs. Occupational Expo | sure Limits of Chemical Substa | ances at Workplace (Reg. No. | . 325/ 2007, L.V. 80, Annex |
| 1), as amended | Tune | Value | |
| Components | Туре | | |
| Alumina Trihydrate (CAS | TWA | 6 mg/m3 | |
| 21645-51-2) | | | |
| Lithuania. OELs. Occupational Ex | cposure Limit Values for Chem | ical Substances (Hygiene No | rm HN 23:2011; Order No. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended | | ical Substances (Hygiene No Value | rm HN 23:2011; Order No. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS | rposure Limit Values for Chem Type TWA | | rm HN 23:2011; Order No. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible co | Type TWA | Value 6 mg/m3 | |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible co 1286/2018, Annex 1) | Type TWA ncentrations and intensities of | Value 6 mg/m3 f harmful factors in the work of | environment (Dz.U.Poz. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible co 1286/2018, Annex 1) Components | Type TWA | Value 6 mg/m3 harmful factors in the work of Value | |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible co 1286/2018, Annex 1) Components Alumina Trihydrate (CAS | Type TWA ncentrations and intensities of | Value 6 mg/m3 f harmful factors in the work of Value 2,5 mg/m3 | environment (Dz.U.Poz. Form Inhalable fraction. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible co 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) | Type TWA ncentrations and intensities of Type TWA | Value 6 mg/m3 F harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 | environment (Dz.U.Poz. Form |
| Lithuania. OELs. Occupational Ex- V-824/A1-389), as amended Components Alumina Trihydrate (CAS- 21645-51-2) Poland. Maximum permissible contents Alumina Trihydrate (CAS- 21645-51-2) Alumina Trihydrate (CAS- 21645-51-2) Portugal. VLEs. Norm on occupations | Type TWA ncentrations and intensities of Type TWA | Value 6 mg/m3 F harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 | environment (Dz.U.Poz. Form Inhalable fraction. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible con 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Portugal. VLEs. Norm on occupate Components Alumina Trihydrate (CAS | Type TWA Incentrations and intensities of Type TWA TWA | Value 6 mg/m3 f harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 ents (NP 1796-2014) | environment (Dz.U.Poz. Form Inhalable fraction. Respirable fraction. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible con 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Portugal. VLEs. Norm on occupate Components Alumina Trihydrate (CAS 21645-51-2) Slovakia. OELs. Maximum permis | Type TWA Incentrations and intensities of Type TWA Itional exposure to chemical ag Type TWA | Value 6 mg/m3 f harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 | environment (Dz.U.Poz. Form Inhalable fraction. Respirable fraction. Form Respirable fraction. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible con 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Portugal. VLEs. Norm on occupate Components Alumina Trihydrate (CAS 21645-51-2) Slovakia. OELs. Maximum permis Annex 1, Table 1, as amended) | Type TWA Incentrations and intensities of Type TWA Itional exposure to chemical ag Type TWA | Value 6 mg/m3 f harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 | environment (Dz.U.Poz. Form Inhalable fraction. Respirable fraction. Form Respirable fraction. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible con 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Portugal. VLEs. Norm on occupate Components Alumina Trihydrate (CAS 21645-51-2) Slovakia. OELs. Maximum permis Annex 1, Table 1, as amended) Components Alumina Trihydrate (CAS | Type TWA Incentrations and intensities of Type TWA Itional exposure to chemical ag Type TWA TWA Saible exposure limits for chemical agent age | Value 6 mg/m3 F harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 sical factors in workplace air | environment (Dz.U.Poz. Form Inhalable fraction. Respirable fraction. Form Respirable fraction. (Regulation No 355/2006, |
| Lithuania. OELs. Occupational Exv-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible contents Alumina Trihydrate (CAS 21645-51-2) Portugal. VLEs. Norm on occupate Components Alumina Trihydrate (CAS 21645-51-2) Slovakia. OELs. Maximum permissible CAS 21645-51-2) Slovakia. OELs. Maximum permissible Components Alumina Trihydrate (CAS 21645-51-2) Slovakia. OELs. Maximum permissible Components Alumina Trihydrate (CAS 21645-51-2) | Type TWA Incentrations and intensities of Type TWA Twa Twa Type TWA Twa Type TWA Saible exposure limits for chemical Type | Value 6 mg/m3 f harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 sical factors in workplace air of Value | environment (Dz.U.Poz. Form Inhalable fraction. Respirable fraction. Form Respirable fraction. (Regulation No 355/2006, Form |
| Lithuania. OELs. Occupational Exv-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible contents Alumina Trihydrate (CAS 21645-51-2) Portugal. VLEs. Norm on occupate Components Alumina Trihydrate (CAS 21645-51-2) Slovakia. OELs. Maximum permis Annex 1, Table 1, as amended) Components Alumina Trihydrate (CAS 21645-51-2) Slovakia. OELs. Maximum permis Annex 1, Table 1, as amended) Components Alumina Trihydrate (CAS 21645-51-2) | Type TWA Incentrations and intensities of Type TWA Itional exposure to chemical ag Type TWA Sible exposure limits for chem Type TWA Type TWA Posure Limits of Chemicals at | Value 6 mg/m3 f harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 sical factors in workplace air of Value 4 mg/m3 1,5 mg/m3 | environment (Dz.U.Poz. Form Inhalable fraction. Respirable fraction. Form Respirable fraction. (Regulation No 355/2006, Form Inhalable fraction. Respirable fraction. |
| Lithuania. OELs. Occupational Ex V-824/A1-389), as amended Components Alumina Trihydrate (CAS 21645-51-2) Poland. Maximum permissible con 1286/2018, Annex 1) Components Alumina Trihydrate (CAS 21645-51-2) Portugal. VLEs. Norm on occupate Components Alumina Trihydrate (CAS 21645-51-2) | Type TWA Incentrations and intensities of Type TWA Itional exposure to chemical ag Type TWA Sible exposure limits for chem Type TWA Type TWA Posure Limits of Chemicals at | Value 6 mg/m3 f harmful factors in the work of Value 2,5 mg/m3 1,2 mg/m3 ents (NP 1796-2014) Value 1 mg/m3 sical factors in workplace air of Value 4 mg/m3 1,5 mg/m3 | environment (Dz.U.Poz. Form Inhalable fraction. Respirable fraction. Form Respirable fraction. (Regulation No 355/2006, Form Inhalable fraction. Respirable fraction. |

Material name: Insulcast 116 FR - Part B

IE123H Version #: 07 Revision date: 08-05-2023 Issue date: 03-17-2014

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

| Components | Туре | Value | Form |
|-------------------------------------|-------------------------------|-----------------------------|----------------------|
| | | 1,25 mg/m3 | Respirable fraction. |
| Switzerland. SUVA Grenzwerte am | n Arbeitsplatz: Aktuelle MAK- | Werte | |
| Components | Туре | Value | Form |
| Alumina Trihydrate (CAS 21645-51-2) | TWA | 3 mg/m3 | Respirable fraction. |
| UK. OELs. Workplace Exposure L | imits (WELs) (EH40/2005 (Fou | rth Edition 2020)), Table 1 | |
| Components | Туре | Value | Form |
| Alumina Trihydrate (CAS 21645-51-2) | TWA | 4 mg/m3 | Respirable dust. |
| | | 10 mg/m3 | Inhalable dust. |

Biological limit values

| Hungary. BELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 3&4, as amended | | | | |
|---|----------------|-------------|---------------------|---------------|
| Components | Value | Determinant | Specimen | Sampling Time |
| Alumina Trihydrate (CAS 21645-51-2) | 0,25 µmol/mmol | Aluminum | Creatinine in urine | * |
| | 0,06 mg/g | Aluminum | Creatinine in urine | * |

^{* -} For sampling details, please see the source document.

| Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle BAT-Werte | | | | |
|--|---------|-------------|---------------------|---------------|
| Components | Value | Determinant | Specimen | Sampling Time |
| Alumina Trihydrate (CAS 21645-51-2) | 50 μg/g | Aluminium | Creatinine in urine | * |

^{* -} For sampling details, please see the source document.

| Recommended monitoring procedures | Follow standard monitoring procedures. |
|-----------------------------------|--|
| Derived no effect levels (DNELs) | Not available. |

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

Dust mask. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Color Grey

Ammoniacal. Odor Melting point/freezing point Not available. **Boiling point or initial boiling** Not available.

point and boiling range

Not applicable. **Flammability**

>300,0 °F (>148,9 °C) Flash point

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. На Kinematic viscosity Not available.

Solubility

Solubility (water) Not available. Not available. **Partition coefficient**

(n-octanol/water) (log value)

Vapor pressure 5,1 mm Hg

Density and/or relative density

Density 12,50 lb/gal

Vapor density 3,6

Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard No relevant additional information available.

to physical hazard classes 9.2.2. Other safety characteristics

> **Evaporation rate** 0,7 Specific gravity 1.5

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Peroxides. Phenols.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness

and pain. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful in contact with skin. Acute toxicity

Skin corrosion/irritation Causes skin irritation.

Material name: Insulcast 116 FR - Part B IE123H Version #: 07 Revision date: 08-05-2023 Issue date: 03-17-2014 Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

No information available.

information

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Not available. Other information

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria

are not met for hazardous to the aquatic environment, acute hazard.

No data is available on the degradability of any ingredients in the mixture.

12.2. Persistence and

degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

> 3,6,9-triazaundecamethylenediamine; tetraethylenepentamine 1.503

> > Not available.

Bioconcentration factor (BCF)

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

Material name: Insulcast 116 FR - Part B

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. Not assigned. **Tunnel restriction code**

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant

Not assigned. **EmS** 14.6. Special precautions Not assigned.

for user

Not established. 14.7. Maritime transport in bulk

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Material name: Insulcast 116 FR - Part B

IE123H Version #: 07 Revision date: 08-05-2023 Issue date: 03-17-2014

SDS FU

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: KG15-Q1SK-6005-R4VE Belgium: KG15-Q1SK-6005-R4VE Bulgaria: KG15-Q1SK-6005-R4VE Croatia: KG15-Q1SK-6005-R4VE Cyprus: KG15-Q1SK-6005-R4VE

Czech Republic: KG15-Q1SK-6005-R4VE Denmark: KG15-Q1SK-6005-R4VE Estonia: KG15-Q1SK-6005-R4VE EU: KG15-Q1SK-6005-R4VE Finland: KG15-Q1SK-6005-R4VE France: KG15-Q1SK-6005-R4VE Germany: KG15-Q1SK-6005-R4VE Greece: KG15-Q1SK-6005-R4VE Hungary: KG15-Q1SK-6005-R4VE Iceland: KG15-Q1SK-6005-R4VE Ireland: KG15-Q1SK-6005-R4VE Italy: KG15-Q1SK-6005-R4VE Latvia: KG15-Q1SK-6005-R4VE Lithuania: KG15-Q1SK-6005-R4VE Luxembourg: KG15-Q1SK-6005-R4VE Malta: KG15-Q1SK-6005-R4VE Netherlands: KG15-Q1SK-6005-R4VE Norway: KG15-Q1SK-6005-R4VE Poland: KG15-Q1SK-6005-R4VE Portugal: KG15-Q1SK-6005-R4VE Romania: KG15-Q1SK-6005-R4VE Slovakia: KG15-Q1SK-6005-R4VE Slovenia: KG15-Q1SK-6005-R4VE

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Spain: KG15-Q1SK-6005-R4VE Sweden: KG15-Q1SK-6005-R4VE

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Young people under 18 years old are not allowed to work with this product according to EU **National regulations**

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Not regulated.

Product registration number

Austria UFI: KG15-Q1SK-6005-R4VE

Material name: Insulcast 116 FR - Part B

SDS FIL IE123H Version #: 07 Revision date: 08-05-2023 Issue date: 03-17-2014

UFI: KG15-Q1SK-6005-R4VE **Belgium Czech Republic** UFI: KG15-Q1SK-6005-R4VE **Denmark** UFI: KG15-Q1SK-6005-R4VE **European Union** UFI: KG15-Q1SK-6005-R4VE UFI: KG15-Q1SK-6005-R4VE **Finland France** UFI: KG15-Q1SK-6005-R4VE UFI: KG15-Q1SK-6005-R4VE Germany Greece UFI: KG15-Q1SK-6005-R4VE UFI: KG15-Q1SK-6005-R4VE Hungary UFI: KG15-Q1SK-6005-R4VE Italy UFI: KG15-Q1SK-6005-R4VE Netherlands **Norway** UFI: KG15-Q1SK-6005-R4VE **Poland** UFI: KG15-Q1SK-6005-R4VE UFI: KG15-Q1SK-6005-R4VE **Portugal** UFI: KG15-Q1SK-6005-R4VE Slovakia Slovenia UFI: KG15-Q1SK-6005-R4VE UFI: KG15-Q1SK-6005-R4VE Spain Sweden UFI: KG15-Q1SK-6005-R4VE UFI: KG15-Q1SK-6005-R4VE Switzerland

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.
Physical & Chemical Properties: Multiple Properties

Revision information Training information

Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Insulcast 116 FR - Part B

SDS EU