SAFETY DATA SHEET

Version #: 04 Issue date: 02-01-2019 Revision date: 08-07-2023 Supersedes date: 08-04-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	of the substance/mixture and of the company/undertaking
1.1. Product identifier Trade name or designation of the mixture	Insulcast 333 Black - Part A
Registration number	_
Synonyms	None.
SKU#	IE156R
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Identified uses	Not available.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company Name	ITW Performance Polymers
Address	Bay 150
	Shannon Industrial Estate
	Co. Clare
	Ireland
	V14 DF82
Contact Person	Customer Service
Telephone Number	353(61)771500
	353(61)471285
Email	customerservice.shannon@itwpp.com
Emergency Phone Number	44(0) 1235 239 670 (24 hours)
1.4. Emergency telephone numb General in EU	per 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Center	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Center	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Center	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Center	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Center	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Center	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone numb	er
Greece Poison Information Centre	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Center	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Center	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Center	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Center	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.
Environmental hazards Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended UFI:

UFI:	
Contains: Hazard pictograms	Austria: VR15-71US-300N-R5MM Belgium: VR15-71US-300N-R5MM Croatia: VR15-71US-300N-R5MM Czech Republic: VR15-71US-300N-R5MM Denmark: VR15-71US-300N-R5MM Estonia: VR15-71US-300N-R5MM Eti: VR15-71US-300N-R5MM Eu: VR15-71US-300N-R5MM France: VR15-71US-300N-R5MM Germany: VR15-71US-300N-R5MM Gereacy: VR15-71US-300N-R5MM Hungary: VR15-71US-300N-R5MM Iceland: VR15-71US-300N-R5MM Iteland: VR15-71US-300N-R5MM Iteland: VR15-71US-300N-R5MM Hungary: VR15-71US-300N-R5MM Bertead: VR15-71US-300N-R5MM Hungary: VR15-71US-300N-R5MM Hungary: VR15-71US-300N-R5MM Iteland: VR15-71US-300N-R5MM Bertead: VR15-71US-300N-R5MM Latvia: VR15-71US-300N-R5MM Latvia: VR15-71US-300N-R5MM Poland: VR15-71US-300N-R5MM Poland: VR15-71US-300N-R5MM Slovenia: VR15-71US-300N-R5MM Slovenia: VR15-71US-300N-R5MM Slovenia: VR15-71US-300N-R5MM Autima Trihydrate, oxirane, mono[(C12-14-alkyloxy)methyl] derivs., Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)
Circuit word	Warning
Signal word	Warning
Hazard statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction. Causes serious eye irritation.
H319 H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P261	Avoid breathing mist/vapors.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear eye protection/face protection.
P280	Wear protective gloves.
Response	
P302 + P352 P305 + P351 + P338	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 P337 + P313 P362 + P364	If skin irritation or rash occurs: Ğet medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Not available.
-	
Disposal P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	98,23% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 73,34% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information				
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No. Notes
Alumina Trihydrate	30 - 60	21645-51-2 244-492-7	-	-
Class	ification: -			
reaction product: bisphenol-A-(epichlorhydrin) resin (number average mole weight ≤ 700)		25068-38-6 500-033-5	-	603-074-00-8
Class	ification: Skin Irrit. 2 Chronic 2		319, Skin Sens. 1;H317, Aqı	uatic
Specific Concentration	n Limits: Skin Irrit. 2	2;H315: C ≥ 5 %, Eye	Irrit. 2;H319: C ≥ 5 %	
oxirane, mono[(C12-14-alkyloxy)metl derivs.	10 - 30 nyl]	68609-97-2 271-846-8	-	603-103-00-4
Class	ification: Skin Irrit. 2	2;H315, Skin Sens. 1	H317	
Propane, 2,2-bis[p-(2,3-epoxypropoxy polymers	10 - < 20)phenyl]-,	25085-99-8 -	-	-
Class	ification: Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1;H317	
Antimony Trioxide	< 1	1309-64-4 215-175-0	-	051-005-00-X
Class	ification: Acute Tox Chronic 2		ng/kg bw), Carc. 2;H351, Aq	uatic
Glycerine	< 0,2	56-81-5 200-289-5	-	-
Class	ification: Acute Tox	. 1;H330;(ATE: 0,285	i mg/l)	
Other components below rep levels	oortable 1 - < 3			
ist of abbreviations and symbols ATE: Acute toxicity estimate M: M-factor vPvB: very persistent and very PBT: persistent, bioaccumul #: This substance has been All concentrations are in per- composition comments	ry bioaccumulative s ative and toxic subst assigned Union work cent by weight unles	substance. ance. kplace exposure limit(Gas concentrations are in pe	ercent by volume.
SECTION 4: First aid me	asures			
eneral information			are of the material(s) involve	ed, and take precautions to
.1. Description of first aid mea	•		5	
Inhalation	Move to fresh air	. Call a physician if sy	mptoms develop or persist.	
Skin contact	eczema or other	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Was contaminated clothing before reuse.		
Eye contact			vater for at least 15 minutes. ng. Get medical attention if i	. Remove contact lenses, if rritation develops and persist
Ingestion	Rinse mouth. Ge	t medical attention if s	symptoms occur.	
.2. Most important symptoms nd effects, both acute and elayed	Severe eye irritat vision. Skin irritat Rash.	ion. Symptoms may i ion. May cause redne	nclude stinging, tearing, red ess and pain. May cause an	ness, swelling, and blurred allergic skin reaction. Derma
-				

 4.3. Indication of any
 Provide general supportive measures and treat symptomatically. Keep victim under observation.

 immediate medical attention
 Symptoms may be delayed.

 and special treatment needed
 Symptoms may be delayed.

SECTION 5: Firefighting m	neasures		
General fire hazards	No unusual fire or explosion hazards noted.		
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.		
5.3. Advice for firefighters			
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Special fire fighting procedures	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
SECTION 6: Accidental re	lease measures		
6.1. Personal precautions, protect	ctive equipment and emergency procedures		
For non-emergency personnel	Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.		
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.		
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.		
6.3. Methods and material for	Prevent entry into waterways, sewer, basements or confined areas.		
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use.		
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.		
SECTION 7: Handling and	storage		
7.1. Precautions for safe handling	Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.		
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		
7.3. Specific end use(s)	Observe industrial sector guidance on best practices.		
SECTION 8: Exposure cor	ntrols/personal protection		

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	МАК	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.
Glycerine (CAS 56-81-5)	MAK	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.

Chemical agents, as amended Components	Туре	Value	Form
Numina Trihydrate (CAS 1645-51-2)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Inhalable fraction.
ntimony trioxide (CAS 309-64-4)	TWA	0,5 mg/m3	
Glycerine (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Bulgaria. OELs. Ordinance No 13	on protection of workers again	nst risks of exposure to chen	nical agents at work, as
mended components	Туре	Value	
ntimony trioxide (CAS 309-64-4)	TWA	0,5 mg/m3	
Croatia. OELs (GVI). Regulation o Biological Limit Values, Annex I (I		st Exposure to Dangerous C	hemicals at Work, OELs a
Components	Туре	Value	
ntimony trioxide (CAS 309-64-4)	MAC	0,5 mg/m3	
Glycerine (CAS 56-81-5)	MAC	10 mg/m3	
Cyprus. OELs. Control of factory Components	atmosphere and dangerous su Type	bstances in factories regula Value	tion, PI 311/73, as amende Form
ntimony trioxide (CAS 309-64-4)	TWA	0,5 mg/m3	
Glycerine (CAS 56-81-5)	TWA	2 mg/m3	Dust.
Czech Republic. Occupational ex∣ 61/2007, Annex 2, Part A & Anne Components		ls at work (Decree on protec Value	tion of health at work, Form
antimony trioxide (CAS	Ceiling	0,2 mg/m3	
309-64-4)	TWA	0,1 mg/m3	
Blycerine (CAS 56-81-5)	Ceiling	15 mg/m3	Mist.
	TWA	10 mg/m3	Mist.
Denmark. Work Environment Autl	nority. Exposure Limits for Sul	ostances & Materials, Annex	2
Components	Туре	Value	Form
ntimony trioxide (CAS 309-64-4)	TLV	0,5 mg/m3	
Glycerine (CAS 56-81-5)	TLV	3 mg/m3	Total dust.
Estonia. OELs. Occupational Exp Components	osure Limits of Hazardous Sul Type	ostances (Regulation No. 105 Value	5/2001, Annex), as amende
ntimony trioxide (CAS 309-64-4)	TWA	0,5 mg/m3	
Glycerine (CAS 56-81-5)	TWA	10 mg/m3	
Finland. HTP-arvot, App 3., Bindir Components	ng Limit Values, Social Affairs Type	and Ministry of Health Value	
ntimony trioxide (CAS 309-64-4)	TWA	0,5 mg/m3	
Glycerine (CAS 56-81-5)	TWA	20 mg/m3	
rance. Threshold Limit Values (\ Components	LEP) for Occupational Exposı Type	ure to Chemicals in France, II Value	NRS ED 984 Form
- Alumina Trihydrate (CAS 21645-51-2)	VME	4 mg/m3	Total dust.
	ory binding (VRC)		
	,	0,9 mg/m3	Respirable dust.

Regulatory status: Regulatory binding (VRC)

France. Threshold Limit Components	Values (VLEP) for Occupational Exposure Type	e to Chemicals in France, IN Value	RS ED 984 Form
antimony trioxide (CAS 1309-64-4)	VME	0,5 mg/m3	
Regulatory status:	Indicative limit (VL)		
Blycerine (CAS 56-81-5)	VME	10 mg/m3	Aerosol.
Regulatory status:	Indicative limit (VL)		
n the Work Area (DFG),	-	restigation of Health Hazard	-
Components	Туре	Value	Form
Iumina Trihydrate (CAS 1645-51-2)	TWA	4 mg/m3	Inhalable dust.
		1,5 mg/m3	Respirable dust.
Blycerine (CAS 56-81-5)	TWA	200 mg/m3	Inhalable fraction.
	nit Values in the Ambient Air at the Workp		_
components	Туре	Value	Form
Alumina Trihydrate (CAS 1645-51-2)	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
antimony trioxide (CAS 1309-64-4)	AGW	0,006 mg/m3	Respirable fraction.
Blycerine (CAS 56-81-5)	AGW	200 mg/m3	Inhalable fraction.
Greece. OELs, President Components	tial Decree No. 307/1986, as amended Type	Value	
ntimony trioxide (CAS 309-64-4)	TWA	0,5 mg/m3	
Blycerine (CAS 56-81-5)	TWA	10 mg/m3	
lungary. OELs. Decree (Components	on protection of workers exposed to chen Type	nical agents (5/2020. (II.6)), A Value	Annex 1&2, as amended
antimony trioxide (CAS	TWA	0,5 mg/m3	
1309-64-4)			
celand. OELs. Regulatio Components	on 390/2009 on Pollution Limits and Meas Type	ures to Reduce Pollution at Value	the Workplace, as amende Form
Alumina Trihydrate (CAS 1645-51-2)	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
ntimony trioxide (CAS	TWA	0,5 mg/m3	Dust.
309-64-4)			
reiand. OELVS, Schedul Components	es 1 & 2, Code of Practice for Chemical A Type	Value	Form
•			
Iumina Trihydrate (CAS 1645-51-2)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
Glycerine (CAS 56-81-5)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
taly. OELs (Legislative I Components	Decree n.81, 9 April 2008), as amended Type	Value	Form
Intimony trioxide (CAS	TWA	0,02 mg/m3	Inhalable fraction.
309-64-4)		0,02 119/113	
	nal Exposure Limits of Chemical Substan	ces at Workplace (Reg. No.	325/ 2007, L.V. 80, Annex
), as amended Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	6 mg/m3	
antimony trioxide (CAS	TWA	1 mg/m3	Dust.
1309-64-4)			

Material name: Insulcast 333 Black - Part A - ITWPP - Montgomeryville IE156R Version #: 04 Revision date: 08-07-2023 Issue date: 02-01-2019

V-824/A1-389), as amended Components	Туре	Value	Form	
Alumina Trihydrate (CAS 1645-51-2)	TWA	6 mg/m3		
ntimony trioxide (CAS 309-64-4)	TWA	0,5 mg/m3		
Glycerine (CAS 56-81-5)	TWA	5 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
letherlands. OELs per Annex XIII	of Working Conditions Regulat	tion (Staatscourant no. 252,	29 December 2006), as	
imended Components	Тиро	Value		
-	Type TWA			
antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m3		
Norway. Regulation No. 1358 on N nfection Groups for Biological Fa		Physical and Chemical Facto	rs in Work Environment a	
Components	Type	Value	Form	
antimony trioxide (CAS	TLV	0,5 mg/m3		
1309-64-4)				
Glycerine (CAS 56-81-5)	TLV	5 mg/m3	Total dust.	
Poland. Maximum permissible cor	ncentrations and intensities of	harmful factors in the work o	environment (Dz.U.Poz.	
I286/2018, Annex 1) Components	Туре	Value	Form	
Alumina Trihydrate (CAS	TWA	2,5 mg/m3	Inhalable fraction.	
21645-51-2)		2,0 119/110		
		1,2 mg/m3	Respirable fraction.	
ntimony trioxide (CAS 309-64-4)	TWA	0,5 mg/m3		
Glycerine (CAS 56-81-5)	TWA	10 mg/m3	Inhalable fraction.	
Portugal. VLEs. Norm on occupati Components	onal exposure to chemical age Type	nts (NP 1796-2014) Value	Form	
Alumina Trihydrate (CAS	TWA	1 mg/m3	Respirable fraction.	
21645-51-2)		· ·	,	
antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m3		
Glycerine (CAS 56-81-5)	TWA	10 mg/m3		
Slovakia. OELs. Maximum permis	sible exposure limits for chemi	cal factors in workplace air	Regulation No 355/2006.	
Annex 1, Table 1, as amended)	-			
Components	Туре	Value	Form	
Alumina Trihydrate (CAS 21645-51-2)	TWA	4 mg/m3	Inhalable fraction.	
		1,5 mg/m3	Respirable fraction.	
antimony trioxide (CAS	TWA	0,5 mg/m3		
1309-64-4)				
Glycerine (CAS 56-81-5)	TWA	10 mg/m3		
Slovenia. OELs. Occupational Exp		Vorkplace (Reg. on Protection	on of Workers from Risks	
due to Exp. to Chemicals at Work, Components	Annex I), as amended Type	Value	Form	
Alumina Trihydrate (CAS	TWA	10 mg/m3	Inhalable fraction.	
21645-51-2)		io ing/ino		
		1,25 mg/m3	Respirable fraction.	
	TWA	200 mg/m3	Inhalable fraction.	
Glycerine (CAS 56-81-5)	IWA			
Spain. OELs. INSST, Límites de Ex		entes Químicos, Table 1-Valo	ores Límites Ambientales	
Glycerine (CAS 56-81-5) Spain. OELs. INSST, Límites de Ex (VLAs) Components		entes Químicos, Table 1-Valo Value	ores Límites Ambientales Form	

Components	Туре		V	alue	Form
Glycerine (CAS 56-81-5)	TWA		1() mg/m3	Mist.
Sweden. OELs (Annex 1). amended	. Work Environment Au	thority (AV), Occ	upational Expo	sure Limit Va	lues (AFS 2018:1), as
Components	Туре		V	alue	Form
antimony trioxide (CAS 1309-64-4)	TWA		0,	25 mg/m3	Inhalable dust.
Switzerland. SUVA Grenz Components	zwerte am Arbeitsplatz: Type			alue	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA		3	mg/m3	Respirable fraction.
antimony trioxide (CAS 1309-64-4)	TWA		0,	1 mg/m3	Inhalable fraction.
Glycerine (CAS 56-81-5)	STEL	-)0 mg/m3	Inhalable fraction.
	TWA		50) mg/m3	Inhalable fraction.
UK. OELs. Workplace Exp Components	posure Limits (WELs) (I Type	-), Table 1 alue	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA		4	mg/m3	Respirable dust.
			10) mg/m3	Inhalable dust.
antimony trioxide (CAS 1309-64-4)	TWA		0,	5 mg/m3	
Glycerine (CAS 56-81-5)	TWA		1() mg/m3	Mist.
logical limit values					
Hungary. BELs. Decree o Components	on protection of workers Value	s exposed to cher Determinant	nical agents (5 Specimen	/2020. (II.6)), / Sampling	
Alumina Trihydrate (CAS 21645-51-2)	0,25 µmol/mmol	Aluminum	Creatinine in urine	*	
	0,06 mg/g	Aluminum	Creatinine in urine	*	
* - For sampling details, ple	ease see the source docu				
		Althualla DAT Ma	rto		
Switzerland. SUVA Grenz Components	zwerte am Arbeitsplatz: Value	Determinant	Specimen	Sampling	Time
	-				Time
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple	Value 50 μg/g ease see the source docu	Determinant Aluminium ument.	Specimen Creatinine in urine		Time
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring cedures	Value 50 μg/g ease see the source docu Follow standard mo	Determinant Aluminium ument.	Specimen Creatinine in urine		Time
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring	Value 50 μg/g ease see the source docu	Determinant Aluminium ument.	Specimen Creatinine in urine		Time
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring cedures ived no effect levels	Value 50 μg/g ease see the source docu Follow standard mo	Determinant Aluminium ument.	Specimen Creatinine in urine		Time
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring cedures vived no effect levels IELs) dicted no effect	Value 50 μg/g ease see the source docu Follow standard mo Not available.	Determinant Aluminium ument.	Specimen Creatinine in urine		Time
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring cedures rived no effect levels IELs) dicted no effect iccentrations (PNECs)	Value 50 μg/g ease see the source docu Follow standard mo Not available. Not available. Sood general ventili applicable, use proc maintain airborne le	Determinant Aluminium ument. nitoring procedure: ation should be us cess enclosures, lo vels below recomm	Specimen Creatinine in urine S.	ates should be tilation, or othe re limits. If exp	Time e matched to conditions. If er engineering controls to osure limits have not beer eyewash station and safe
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring cedures ived no effect levels IELS) dicted no effect icentrations (PNECs) Exposure controls propriate engineering itrols	Value 50 μg/g ease see the source docu Follow standard mo Not available. Not available. Not available. Good general ventili applicable, use proo maintain airborne le established, maintai shower.	Determinant Aluminium ument. nitoring procedure: ation should be usives enclosures, lo vels below recomm in airborne levels to	Specimen Creatinine in urine cal exhaust ven bended exposu o an acceptable	ates should be tilation, or othe re limits. If exp	e matched to conditions. If er engineering controls to osure limits have not beer
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring cedures ived no effect levels ELS) dicted no effect centrations (PNECs) Exposure controls propriate engineering trols	Value 50 μg/g ease see the source docu Follow standard mo Not available. Not available. Not available. Good general ventili applicable, use proc maintain airborne le established, maintai shower. es, such as personal protect according to the CE	Determinant Aluminium ument. nitoring procedure: ess enclosures, lo vels below recomm n airborne levels to otective equipment as	Specimen Creatinine in urine s. ed. Ventilation r cal exhaust ven hended exposur o an acceptable nt required. Perso	ates should be tilation, or othe e limits. If exp level. Provide nal protection	e matched to conditions. If er engineering controls to osure limits have not beer eyewash station and safe
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring cedures ived no effect levels IELS) dicted no effect centrations (PNECs) Exposure controls propriate engineering trols	Value 50 μg/g ease see the source docu Follow standard mo Not available. Not available. Not available. Good general ventili applicable, use proc maintain airborne le established, maintai shower. es, such as personal protect according to the CE equipment.	Determinant Aluminium ument. nitoring procedures east enclosures, lo vels below recomm in airborne levels to otective equipment stive equipment as N standards and in	Specimen Creatinine in urine cal exhaust ven bended exposu o an acceptable nt required. Perso discussion with	ates should be tilation, or othe re limits. If exp level. Provide	e matched to conditions. If er engineering controls to osure limits have not beer eyewash station and safe equipment should be chos of the personal protective
Components Alumina Trihydrate (CAS 21645-51-2) * - For sampling details, ple commended monitoring cedures ived no effect levels IELS) dicted no effect centrations (PNECs) Exposure controls propriate engineering itrols	Value 50 μg/g ease see the source docu Follow standard mo Not available. Not available. Not available. Good general ventili applicable, use proc maintain airborne le established, maintai shower. es, such as personal protect according to the CE	Determinant Aluminium ument. nitoring procedures east enclosures, lo vels below recomm in airborne levels to otective equipment stive equipment as N standards and in	Specimen Creatinine in urine cal exhaust ven bended exposu o an acceptable nt required. Perso discussion with	ates should be tilation, or othe re limits. If exp level. Provide	e matched to conditions. If er engineering controls to osure limits have not beer eyewash station and safe equipment should be chos of the personal protective

- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Color	Black.
Odor	Slight.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not applicable.
Flash point	>200,0 °F (>93,3 °C)
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapor pressure	Not available.
Density and/or relative density	
Density	12,92 lb/gal
Vapor density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristic	S
Specific gravity	1,55

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.
SECTION 11: Toxicological information	

General information Occupational exposure to the substance or mixture may cause adverse effects. Information on likely routes of exposure Prolonged inhalation may be harmful. Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact	Causes serious eye irritation	
Ingestion	May cause discomfort if swa occupational exposure.	llowed. However, ingestion is not likely to be a primary route of
Symptoms		oms may include stinging, tearing, redness, swelling, and blurred use redness and pain. May cause an allergic skin reaction.
11.1. Information on hazard class	sses as defined in Regulation	(EC) No 1272/2008
Acute toxicity	Not known.	
Components	Species	Test Results
Alumina Trihydrate (CAS 21645-5	1-2)	
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
Antimony Trioxide (CAS 1309-64-	4)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Glycerine (CAS 56-81-5)		
<u>Acute</u>		
Inhalation		
LC50	Rat	> 570 mg/m3, 1 Hours
Oral		
LD50	Rat	5,57000000000003 g/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation	
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
Hungary. 26/2000 EüM Ordi (as amended)	nance on protection against	and preventing risk relating to exposure to carcinogens at work
Antimony Trioxide (CAS		
	Evaluation of Carcinogenicity	
Antimony Trioxide (CAS	,	2B Possibly carcinogenic to humans.
Reproductive toxicity		ck of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete la	ck of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete la	ck of data the classification is not possible.
Aspiration hazard	Due to partial or complete la	ck of data the classification is not possible.
Mixture versus substance information	No information available.	
11.2. Information on other haza	rds	
Endocrine disrupting properties	to human health as assessed	n any substances having endocrine disrupting properties with respect d in accordance with the criteria set out in Regulations (EC) No 00 and (EU) 2018/605, at a concentration equal to or greater than
Other information	Not available.	
SECTION 12: Ecological i	information	
12.1. Toxicity	Harmful to aquatic life with lo	ng lasting effects. Based on available data, the classification criteria the aquatic environment, acute hazard.
	No data is available on the d	•

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow) Glycerine	-1,76
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
12.8. Additional information	
Estonia Dangerous substan	ces in soil Data

Antimony (Sb) 10 MG/KG Antimony (Sb) 100 MG/KG Antimony (Sb) 20 MG/KG

SECTION 13: Disposal considerations


13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

AD	n		
	14.1. UN number	UN3082	
	14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product:	
	name	bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700))	
	14.3. Transport hazard class	(es)	
	Class	9	
	Subsidiary risk	-	
	Label(s)	9	
	Hazard No. (ADR)	90	
	Tunnel restriction code	E	
	14.4. Packing group	III	
	14.5. Environmental hazards	Yes	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	for user		
RID			
	14.1. UN number	UN3082	
	14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700))	
	14.3. Transport hazard class(es)		
	Class	9	
	Subsidiary risk	-	
	Label(s)	9	
	14.4. Packing group		
	14.5. Environmental hazards	Yes	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	for user		
AD	N		
	14.1. UN number	UN3082	

	14.2. UN proper shipping	Environmentally Hazardous Liquid, N.o.s. (reaction product: bisphenol-A-(epichlorhydrin); epoxy	
	name	resin (number average molecular weight ≤ 700))	
	14.3. Transport hazard class(es)		
	Class	9	
	Subsidiary risk	-	
	Label(s)	9	
	14.4. Packing group		
	14.5. Environmental hazards	Yes	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	for user		
IAT	Α		
	14.1. UN number	UN3082	
	14.2. UN proper shipping	Environmentally hazardous substance, liquid, n.o.s. (reaction product:	
	name	bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700))	
	14.3. Transport hazard class((es)	
	Class	9	
	Subsidiary risk	-	
	14.4. Packing group	III	
	14.5. Environmental hazards	Yes	
	ERG Code	9L	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	for user		
	Other information		
	Passenger and cargo	Allowed with restrictions.	
	aircraft		
	Cargo aircraft only	Allowed with restrictions.	
IMD	G		
	14.1. UN number	UN3082	
	14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product:	
	name	bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)), MARINE	
		POLLUTANT	
	14.3. Transport hazard class(
	Class	9	
	Subsidiary risk	-	
	14.4. Packing group	III	
	14.5. Environmental hazards		
	Marine pollutant	Yes	
	EmS	F-A, S-F	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	for user		
	'. Maritime transport in bulk ording to IMO instruments	Not established.	
	•		
AD	N; ADR; IATA; IMDG; RID		



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Alumina Trihydrate (CAS 21645-51-2)

Glycerine (CAS 56-81-5)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

NOL

UFI:

Austria: VR15-71US-300N-R5MM Belgium: VR15-71US-300N-R5MM Bulgaria: VR15-71US-300N-R5MM Croatia: VR15-71US-300N-R5MM Cyprus: VR15-71US-300N-R5MM Czech Republic: VR15-71US-300N-R5MM Denmark: VR15-71US-300N-R5MM Estonia: VR15-71US-300N-R5MM EU: VR15-71US-300N-R5MM Finland: VR15-71US-300N-R5MM France: VR15-71US-300N-R5MM Germany: VR15-71US-300N-R5MM Greece: VR15-71US-300N-R5MM Hungary: VR15-71US-300N-R5MM Iceland: VR15-71US-300N-R5MM Ireland: VR15-71US-300N-R5MM Italy: VR15-71US-300N-R5MM Latvia: VR15-71US-300N-R5MM Lithuania: VR15-71US-300N-R5MM Luxembourg: VR15-71US-300N-R5MM Malta: VR15-71US-300N-R5MM Netherlands: VR15-71US-300N-R5MM Norway: VR15-71US-300N-R5MM Poland: VR15-71US-300N-R5MM Portugal: VR15-71US-300N-R5MM Romania: VR15-71US-300N-R5MM Slovakia: VR15-71US-300N-R5MM Slovenia: VR15-71US-300N-R5MM Spain: VR15-71US-300N-R5MM Sweden: VR15-71US-300N-R5MM

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations	Directive 94/33/EC on the prote	old are not allowed to work with this product according to EU ection of young people at work, as amended. Follow national cal agents in accordance with Directive 98/24/EC, as amended.
Contains a substance whi toxic substances	ch is included on the TRGS 905	list of carcinogenic, germ cell mutagenic and reproductive
Alumina Trihydrate (CA	NS 21645-51-2)	Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)
Glycerine (CAS 56-81-	5)	Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)
France regulations		
France INRS Table of Occ	upational Diseases	
Antimony Trioxide (CAS	S 1309-64-4)	Maladies professionnelles causées par l'antimoine et ses dérivés 73
Propane, 2,2-bis[p-(2,3 (CAS 25085-99-8)	-epoxypropoxy)phenyl]-, polymers	Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51
	enol-A-(epichlorhydrin); epoxy molecular weight ≤ 700)	Maladies professionnelles provoquées par les résines époxydiques et leurs constituants 51
Product registration number		
Austria	UFI: VR15-71US-300N-R5MM	
Belgium	UFI: VR15-71US-300N-R5MM	
Czech Republic	UFI: VR15-71US-300N-R5MM	
Denmark	UFI: VR15-71US-300N-R5MM	
European Union	UFI: VR15-71US-300N-R5MM	
Finland	UFI: VR15-71US-300N-R5MM	
France	UFI: VR15-71US-300N-R5MM	
Germany	UFI: VR15-71US-300N-R5MM	
Greece	UFI: VR15-71US-300N-R5MM	
Hungary	UFI: VR15-71US-300N-R5MM	
Italy	UFI: VR15-71US-300N-R5MM	
Netherlands	UFI: VR15-71US-300N-R5MM	
Norway	UFI: VR15-71US-300N-R5MM	
Poland	UFI: VR15-71US-300N-R5MM	
Portugal	UFI: VR15-71US-300N-R5MM	
Slovakia	UFI: VR15-71US-300N-R5MM	
Slovenia	UFI: VR15-71US-300N-R5MM	
Spain	UFI: VR15-71US-300N-R5MM	
Sweden	UFI: VR15-71US-300N-R5MM	
Switzerland	UFI: VR15-71US-300N-R5MM	
15.2. Chemical safety assessment	No Chemical Safety Assessme	ent has been carried out.
SECTION 16: Other info	rmation	

List of abbreviations

	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
	AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
	CAS: Chemical Abstract Service.
	CEN: European Committee for Standardization.
	IATA: International Air Transport Association.
	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
	IMDG: International Maritime Dangerous Goods.
	MAC: Maximum Allowed Concentration.
	MARPOL: International Convention for the Prevention of Pollution from Ships.
	PBT: Persistent, bioaccumulative and toxic.
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
	STEL: Short term exposure limit.
	TLV: Threshold Limit Value.
	TWA: Time Weighted Average.
	VLE: Exposure Limit Value.
	VME: Exposure Average Value.
	vPvB: Very persistent and very bioaccumulative.
References	Not available.

Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full under sections 2 to 15	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H330 Fatal if inhaled. H351 Suspected of causing cancer. H411 Toxic to aquatic life with long lasting effects.
Revision information	Product and Company Identification: EU Poison Centre Physical & Chemical Properties: Multiple Properties
Training information	Follow training instructions when handling this material.
Disclaimer	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.