

# SAFETY DATA SHEET

Version #: 09

Issue date: 06-27-2014

Revision date: 08-04-2023

Supersedes date: 07-15-2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name or designation of the mixture** Insulcure 20 - Part B

**Registration number** -

**Synonyms** None.

**SKU#** IE313H

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Not available.

**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

**Company Name** ITW Performance Polymers

**Address** Bay 150  
Shannon Industrial Estate  
Co. Clare  
Ireland  
V14 DF82

**Contact Person** Customer Service

**Telephone Number** 353(61)771500  
353(61)471285

**Email** customerservice.shannon@itwpp.com

**Emergency Phone Number** 44(0) 1235 239 670 (24 hours)

### 1.4. Emergency telephone number

**General in EU** 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Austria National Poisons Information Center** +431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Belgium National Poisons Control Center** 070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Bulgaria National Toxicological Information Center** +359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Croatia Poisons Information Center** +385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Cyprus Poison Center** 1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Czech Republic National Poisons Information Center** +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons Control Center** +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Estonia National Poisons Information Center** 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

**Finland National Poison Information Center** (09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons Control Center** ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

#### 1.4. Emergency telephone number

<b>Greece Poison Information Centre</b>	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Hungary National Emergency Phone Number</b>	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Iceland Poison Center</b>	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Latvia Emergency medical aid</b>	113
<b>Latvia Poison and Drug Information Center</b>	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Lithuania Neatidėliotina informacija apsinuodijus</b>	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
<b>Malta Accident and Emergency Department</b>	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
<b>Netherlands National Poisons Information Center (NVIC)</b>	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
<b>Norway Norwegian Poison Information Center</b>	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Portugal Poison Center</b>	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Romania Biroul RSI si Informare Toxicologica</b>	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
<b>Slovakia National Toxicological Information Center</b>	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Spain Toxicology Information Service</b>	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Sweden National Poison Information Center</b>	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
<b>Switzerland Tox Info Suisse</b>	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

##### Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Acute toxicity, dermal	Category 4	H312 - Harmful in contact with skin.
Acute toxicity, inhalation	Category 3	
Skin corrosion/irritation	Category 1B	H314 - Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.
Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.
Reproductive toxicity (fertility)	Category 1B	H360F - May damage fertility.

##### Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.
--	------------	---

#### 2.2. Label elements

**UFI:**

Austria: 4X15-817J-Q00M-2USR  
 Belgium: 4X15-817J-Q00M-2USR  
 Bulgaria: 4X15-817J-Q00M-2USR  
 Croatia: 4X15-817J-Q00M-2USR  
 Cyprus: 4X15-817J-Q00M-2USR  
 Czech Republic: 4X15-817J-Q00M-2USR  
 Denmark: 4X15-817J-Q00M-2USR  
 Estonia: 4X15-817J-Q00M-2USR  
 EU: 4X15-817J-Q00M-2USR  
 Finland: 4X15-817J-Q00M-2USR  
 France: 4X15-817J-Q00M-2USR  
 Germany: 4X15-817J-Q00M-2USR  
 Greece: 4X15-817J-Q00M-2USR  
 Hungary: 4X15-817J-Q00M-2USR  
 Iceland: 4X15-817J-Q00M-2USR  
 Ireland: 4X15-817J-Q00M-2USR  
 Italy: 4X15-817J-Q00M-2USR  
 Latvia: 4X15-817J-Q00M-2USR  
 Lithuania: 4X15-817J-Q00M-2USR  
 Luxembourg: 4X15-817J-Q00M-2USR  
 Malta: 4X15-817J-Q00M-2USR  
 Netherlands: 4X15-817J-Q00M-2USR  
 Norway: 4X15-817J-Q00M-2USR  
 Poland: 4X15-817J-Q00M-2USR  
 Portugal: 4X15-817J-Q00M-2USR  
 Romania: 4X15-817J-Q00M-2USR  
 Slovakia: 4X15-817J-Q00M-2USR  
 Slovenia: 4X15-817J-Q00M-2USR  
 Spain: 4X15-817J-Q00M-2USR  
 Sweden: 4X15-817J-Q00M-2USR

**Contains:**

2,2'-iminodiethylamine; diethylenetriamine, 3,6,9-triazaundecamethylenediamine; tetraethylenepentamine, bisphenol A; 4,4'-isopropylidenediphenol, POLYAMINES AND FATTY ACIDS REACTANT

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H360F	May damage fertility.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

**Prevention**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist/vapors.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

**Response**

P330	Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364	Take off contaminated clothing and wash it before reuse.
<b>Storage</b>	
P405	Store locked up.
<b>Disposal</b>	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Supplemental label information</b>	72,5% of the mixture consists of component(s) of unknown acute oral toxicity. 72,5% of the mixture consists of component(s) of unknown acute dermal toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 87,5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
<b>2.3. Other hazards</b>	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
POLYAMINES AND FATTY ACIDS REACTANT	70 - < 80	68953-36-6 273-201-6	-	-	
<b>Classification:</b> -					
3,6,9-triazaundecamethylenediamine; tetraethylenepentamine	5 - 10	112-57-2 203-986-2	-	612-060-00-0	
<b>Classification:</b> Acute Tox. 4;H302;(ATE: 500 mg/kg bw), Acute Tox. 4;H312;(ATE: 1100 mg/kg bw), Skin Corr. 1B;H314, Eye Dam. 1;H318, Skin Sens. 1;H317, Aquatic Chronic 2;H411					
bisphenol A; 4,4'-isopropylidenediphenol	5 - 10	80-05-7 201-245-8	01-2119457856-23-0000	604-030-00-0	#
<b>Classification:</b> Eye Dam. 1;H318, Skin Sens. 1;H317, Repr. 1B;H360F, STOT SE 3;H335, Aquatic Chronic 2;H411					
2,2'-iminodiethylamine; diethylenetriamine	1 - 5	111-40-0 203-865-4	01-2119473793-27-0000	612-058-00-X	
<b>Classification:</b> Acute Tox. 4;H302;(ATE: 500 mg/kg bw), Acute Tox. 4;H312;(ATE: 1100 mg/kg bw), Skin Corr. 1B;H314, Eye Dam. 1;H318, Skin Sens. 1;H317					

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

**General information** IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**4.2. Most important symptoms and effects, both acute and delayed** Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

**4.3. Indication of any immediate medical attention and special treatment needed**

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

**General fire hazards**

No unusual fire or explosion hazards noted.

**5.1. Extinguishing media**

**Suitable extinguishing media**

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

**Unsuitable extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

During fire, gases hazardous to health may be formed.

**5.3. Advice for firefighters**

**Special protective equipment for firefighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Special fire fighting procedures**

Move containers from fire area if you can do so without risk.

**Specific methods**

Use standard firefighting procedures and consider the hazards of other involved materials.

## **SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel**

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**For emergency responders**

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up**

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**6.4. Reference to other sections**

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

**7.2. Conditions for safe storage, including any incompatibilities**

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances  
Hazard categories in accordance with Regulation (EC) No 1272/2008  
- H2 ACUTE TOXIC (Lower-tier requirements = 50 tons; Upper-tier requirements = 200 tons)

**7.3. Specific end use(s)**

Observe industrial sector guidance on best practices.

## **SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits****Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	MAK	4 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	Ceiling	5 mg/m3	Inhalable fraction.
	MAK	2 mg/m3	Inhalable fraction.

**Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended**

Components	Type	Value	
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4,3 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	

**Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	MAC	4,3 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	MAC	2 mg/m3	Inhalable fraction.

**Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended**

Components	Type	Value	
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m3	
		1 ppm	

**Cyprus. OELs. Occupational Exposure Limit Values of Chemicals at Work (Safety and Health at Work (Chem. Agents) Reg., Ann. 1, R.A.A. 268/2001, as amended)**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Ceiling	8 mg/m3	
	TWA	4 mg/m3	

**Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	Ceiling	5 mg/m3	Dust/aerosol, inhalable.
	TWA	2 mg/m3	Dust/aerosol, inhalable.

**Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TLV	4 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TLV	2 mg/m3	Particulate.

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	STEL	10 mg/m3	
		2 ppm	
	TWA	4,5 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)		1 ppm	
	TWA	2 mg/m3	Respirable fraction.

**Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health**

Components	Type	Value	
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	STEL	13 mg/m3	
		3 ppm	
	TWA	4,3 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)		1 ppm	
	TWA	2 mg/m3	

**France. OELs. Occupational Exposure Limits as Prescribed by Art. R.4412-149 of Labor Code, as amended**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	VME	2 mg/m3	Inhalable dust.

**France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	VME	4 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)			
	VME	2 mg/m3	Inhalable dust.

**Regulatory status:** Indicative limit (VL)

**Regulatory status:** Indicative limit (VL)

**Regulatory status:** Regulatory binding (VRC)

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	5 mg/m3	Inhalable fraction.

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	AGW	5 mg/m3	Inhalable fraction.

**Greece. OELs, Presidential Decree No. 307/1986, as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended**

Components	Type	Value	
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	STEL	8 mg/m3	
	TWA	4 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	

**Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4,5 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable dust.

**Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.



**Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	STEL	10 mg/m3	
		2 ppm	
	TWA	4,5 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Respirable dust.

**Luxembourg. OELs. Binding Occupational Exposure Limit Values (Annex I), G.D.R. of 14 November 2016, OJ Memorial A, n ° 235/2016, as amended**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Malta. OELs. Protection of Health and Safety of Workers from Risks related to Chemical Agents at Work (L.N 227/2003 Schedules I and V), as amended**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TLV	4 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TLV	2 mg/m3	Inhalable fraction.

**Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	STEL	12 mg/m3	
	TWA	4 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Portugal. Decree-Law No. 24/2012, Occupational Exposure Limit Values, Annex II, as amended**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)**

Components	Type	Value	
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	1 ppm	

**Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	STEL	4 mg/m3	
		1 ppm	
	TWA	2 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)		0,5 ppm	
	TWA	2 mg/m3	Gaseous and vapor, inhalable fraction

**Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)**

Components	Type	Value	
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4,3 mg/m3	
		1 ppm	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	

**Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	STEL	10 mg/m3	
		2 ppm	
	TWA	4,5 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)		1 ppm	
	TWA	2 mg/m3	Inhalable dust.

**Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte**

Components	Type	Value	Form
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	1 ppm 3 mg/m3	Inhalable fraction.

**UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1**

Components	Type	Value	
2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	TWA	4,3 mg/m3	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	1 ppm 2 mg/m3	

**EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**EU. OELs, Directive 2004/37/EC on carcinogen and mutagens from Annex III, Part A, as amended**

Components	Type	Value	Form
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	TWA	2 mg/m3	Inhalable fraction.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**Exposure guidelines****Belgium OELs: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**Cyprus OEL: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**Denmark GV: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**Estonia OELs: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**Finland Exposure Limit Values: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**Greece OEL: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**Hungary OELs: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**Iceland OELs: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**Ireland Exposure Limit Values: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**Italy OELs: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Danger of cutaneous absorption
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	Danger of cutaneous absorption

**Lithuania OELs: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**Norway Exposure Limit Values: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**Portugal VLEs Norm on Occupational Exposure: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**Romania OELs: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**Spain OELs: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**Sweden Threshold Limit Values: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**Switzerland SUVA Limit Values at the Workplace: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**UK EH40 WEL: Skin designation**

2,2'-iminodiethylamine; diethylenetriamine (CAS 111-40-0)	Can be absorbed through the skin.
--	-----------------------------------

**8.2. Exposure controls****Appropriate engineering controls**

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment****General information**

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection**

Chemical respirator with organic vapor cartridge and full facepiece.

**Skin protection****- Hand protection**

Wear appropriate chemical resistant gloves.

**- Other**

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection**

Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures**

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure controls**

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Amber
<b>Odor</b>	Ammoniacal.

<b>Melting point/freezing point</b>	Not available.
<b>Boiling point or initial boiling point and boiling range</b>	>374 °F (>190 °C)
<b>Flammability</b>	Not applicable.
<b>Flash point</b>	>258,8 °F (>126,0 °C)
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>pH</b>	Not available.
<b>Kinematic viscosity</b>	Not available.
<b>Solubility</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water) (log value)</b>	Not available.
<b>Vapor pressure</b>	<1 mm Hg
<b>Density and/or relative density</b>	
<b>Density</b>	0,98 g/cm3
<b>Vapor density</b>	Not available.
<b>Particle characteristics</b>	Not available.
<b>9.2. Other information</b>	
<b>9.2.1. Information with regard to physical hazard classes</b>	No relevant additional information available.
<b>9.2.2. Other safety characteristics</b>	
<b>Specific gravity</b>	0,98
<b>VOC</b>	0

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>10.4. Conditions to avoid</b>	Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Strong acids. Alkaline metals.
<b>10.6. Hazardous decomposition products</b>	No hazardous decomposition products are known.

## SECTION 11: Toxicological information

<b>General information</b>	Occupational exposure to the substance or mixture may cause adverse effects.
<b>Information on likely routes of exposure</b>	
<b>Inhalation</b>	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye damage.
<b>Ingestion</b>	Causes digestive tract burns. Harmful if swallowed.
<b>Symptoms</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Acute toxicity</b>	Harmful in contact with skin. Harmful if swallowed.
-----------------------	---

Components	Species	Test Results
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	3000 mg/kg
<b>Oral</b>		
LD50	Rat	3250 mg/kg
<b>Skin corrosion/irritation</b>	Causes severe skin burns and eye damage.	

<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
<b>Skin sensitization</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	Due to partial or complete lack of data the classification is not possible.
<b>Carcinogenicity</b>	Due to partial or complete lack of data the classification is not possible.
<b>Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)</b>	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)	
<b>Reproductive toxicity</b>	May damage fertility.
<b>Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)</b>	
bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7) Toxic for reproduction, Category 1B.	
<b>Specific target organ toxicity - single exposure</b>	Due to partial or complete lack of data the classification is not possible.
<b>Specific target organ toxicity - repeated exposure</b>	Due to partial or complete lack of data the classification is not possible.
<b>Aspiration hazard</b>	Due to partial or complete lack of data the classification is not possible.
<b>Mixture versus substance information</b>	No information available.
<b>11.2. Information on other hazards</b>	
<b>Endocrine disrupting properties</b>	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
<b>Other information</b>	Not available.

## SECTION 12: Ecological information

<b>12.1. Toxicity</b>	Harmful to aquatic life with long lasting effects. Due to partial or complete lack of data the classification for hazardous to the aquatic environment, acute hazard, is not possible.
<b>12.2. Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.
<b>12.3. Bioaccumulative potential</b>	
<b>Partition coefficient n-octanol/water (log Kow)</b>	
3,6,9-triazaundecamethylenediamine; tetraethylenepentamine	1,503
bisphenol A; 4,4'-isopropylidenediphenol	3,32
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	No data available.
<b>12.5. Results of PBT and vPvB assessment</b>	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
<b>12.6. Endocrine disrupting properties</b>	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
<b>12.7. Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13: Disposal considerations

<b>13.1. Waste treatment methods</b>	
<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

**14.1. UN number** UN2735  
**14.2. UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3,6,9-triazaundecamethylenediamine; tetraethylenepentamine; 2,2'-iminodiethylamine; diethylenetriamine)  
**14.3. Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**Label(s)** 8  
**Hazard No. (ADR)** 80  
**Tunnel restriction code** E  
**14.4. Packing group** II  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

### RID

**14.1. UN number** UN2735  
**14.2. UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3,6,9-triazaundecamethylenediamine; tetraethylenepentamine; 2,2'-iminodiethylamine; diethylenetriamine)  
**14.3. Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**Label(s)** 8  
**14.4. Packing group** II  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

### ADN

**14.1. UN number** UN2735  
**14.2. UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3,6,9-triazaundecamethylenediamine; tetraethylenepentamine; 2,2'-iminodiethylamine; diethylenetriamine)  
**14.3. Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**Label(s)** 8  
**14.4. Packing group** II  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

### IATA

**14.1. UN number** UN2735  
**14.2. UN proper shipping name** Amines, liquid, corrosive, n.o.s. (3,6,9-triazaundecamethylenediamine; tetraethylenepentamine; 2,2'-iminodiethylamine; diethylenetriamine)  
**14.3. Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**14.4. Packing group** II  
**14.5. Environmental hazards** No.  
**ERG Code** 8L  
**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
**Other information**  
**Passenger and cargo aircraft** Allowed with restrictions.  
**Cargo aircraft only** Allowed with restrictions.

### IMDG

**14.1. UN number** UN2735

**14.2. UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3,6,9-triazaundecamethylenediamine; tetraethylenepentamine, 2,2'-iminodiethylamine; diethylenetriamine)

**14.3. Transport hazard class(es)**

**Class** 8

**Subsidiary risk** -

**14.4. Packing group** II

**14.5. Environmental hazards**

**Marine pollutant** No.

**EmS** F-A, S-B

**14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**14.7. Maritime transport in bulk according to IMO instruments** Not established.

ADN; ADR; IATA; IMDG; RID



## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulations**

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)



**UFI:**

Austria: 4X15-817J-Q00M-2USR  
Belgium: 4X15-817J-Q00M-2USR  
Bulgaria: 4X15-817J-Q00M-2USR  
Croatia: 4X15-817J-Q00M-2USR  
Cyprus: 4X15-817J-Q00M-2USR  
Czech Republic: 4X15-817J-Q00M-2USR  
Denmark: 4X15-817J-Q00M-2USR  
Estonia: 4X15-817J-Q00M-2USR  
EU: 4X15-817J-Q00M-2USR  
Finland: 4X15-817J-Q00M-2USR  
France: 4X15-817J-Q00M-2USR  
Germany: 4X15-817J-Q00M-2USR  
Greece: 4X15-817J-Q00M-2USR  
Hungary: 4X15-817J-Q00M-2USR  
Iceland: 4X15-817J-Q00M-2USR  
Ireland: 4X15-817J-Q00M-2USR  
Italy: 4X15-817J-Q00M-2USR  
Latvia: 4X15-817J-Q00M-2USR  
Lithuania: 4X15-817J-Q00M-2USR  
Luxembourg: 4X15-817J-Q00M-2USR  
Malta: 4X15-817J-Q00M-2USR  
Netherlands: 4X15-817J-Q00M-2USR  
Norway: 4X15-817J-Q00M-2USR  
Poland: 4X15-817J-Q00M-2USR  
Portugal: 4X15-817J-Q00M-2USR  
Romania: 4X15-817J-Q00M-2USR  
Slovakia: 4X15-817J-Q00M-2USR  
Slovenia: 4X15-817J-Q00M-2USR  
Spain: 4X15-817J-Q00M-2USR  
Sweden: 4X15-817J-Q00M-2USR

**Authorizations**

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

**Restrictions on use**

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended**  
**- Conditions of restriction given for the associated entry number should be considered**

bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7) 66

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended**

bisphenol A; 4,4'-isopropylidenediphenol (CAS 80-05-7)

**Other EU regulations**

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances  
Hazard categories in accordance with Regulation (EC) No 1272/2008  
- H2 ACUTE TOXIC

**Other regulations**

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

**National regulations**

According to Directive 92/85/EEC as amended, pregnant women should not work with the product, if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

**France regulations**

**France INRS Table of Occupational Diseases**

Not regulated.

**Product registration number**

<b>Austria</b>	UFI: 4X15-817J-Q00M-2USR
<b>Belgium</b>	UFI: 4X15-817J-Q00M-2USR
<b>Czech Republic</b>	UFI: 4X15-817J-Q00M-2USR
<b>Denmark</b>	UFI: 4X15-817J-Q00M-2USR
<b>European Union</b>	UFI: 4X15-817J-Q00M-2USR
<b>Finland</b>	UFI: 4X15-817J-Q00M-2USR
<b>France</b>	UFI: 4X15-817J-Q00M-2USR
<b>Germany</b>	UFI: 4X15-817J-Q00M-2USR
<b>Greece</b>	UFI: 4X15-817J-Q00M-2USR

Hungary	UFI: 4X15-817J-Q00M-2USR
Italy	UFI: 4X15-817J-Q00M-2USR
Netherlands	UFI: 4X15-817J-Q00M-2USR
Norway	UFI: 4X15-817J-Q00M-2USR
Poland	UFI: 4X15-817J-Q00M-2USR
Portugal	UFI: 4X15-817J-Q00M-2USR
Slovakia	UFI: 4X15-817J-Q00M-2USR
Slovenia	UFI: 4X15-817J-Q00M-2USR
Spain	UFI: 4X15-817J-Q00M-2USR
Sweden	UFI: 4X15-817J-Q00M-2USR
Switzerland	UFI: 4X15-817J-Q00M-2USR

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.  
 ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.  
 AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).  
 CAS: Chemical Abstract Service.  
 CEN: European Committee for Standardization.  
 IATA: International Air Transport Association.  
 IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.  
 IMDG: International Maritime Dangerous Goods.  
 MAC: Maximum Allowed Concentration.  
 MARPOL: International Convention for the Prevention of Pollution from Ships.  
 PBT: Persistent, bioaccumulative and toxic.  
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
 STEL: Short term exposure limit.  
 TLV: Threshold Limit Value.  
 TWA: Time Weighted Average.  
 VLE: Exposure Limit Value.  
 VME: Exposure Average Value.  
 vPvB: Very persistent and very bioaccumulative.  
 Not available.

### References

#### Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

#### Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.  
 H312 Harmful in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.  
 H360F May damage fertility.  
 H411 Toxic to aquatic life with long lasting effects.

### Revision information

None.

### Training information

Follow training instructions when handling this material.

### Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.