# SAFETY DATA SHEET

Version #: 05

Issue date: 07-01-2013 Revision date: 08-06-2023 Supersedes date: 07-15-2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Insulcast Insulgel 70 CC FRNS - Part A

Registration number

Synonyms None. SKU# IE406R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com

**Emergency Phone Number** 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons** 

**Information Center** 

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons** 

**Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National** 

**Toxicological Information** 

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Croatia Poisons Information Center** 

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

**Cyprus Poison Center** 

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons** 

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

#### 1.4. Emergency telephone number

**Greece Poison Information** Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Hungary National Emergency Phone Number** 

+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Iceland Poison Center** 

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

available for the Emergency Service.)

113

Latvia Emergency medical

aid

+371 67042473 (Available 24 hours a day. SDS/Product information may not be

Information Center Lithuania Neatidėliotina informacija apsinuodijus

Latvia Poison and Drug

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department** 

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Netherlands National Poisons Information** Center (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

**Norway Norwegian Poison Information Center** 

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Portugal Poison Center** 

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

**Slovakia National Toxicological Information** Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Spain Toxicology Information Service** 

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Sweden National Poison Information Center** 

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Switzerland Tox Info** Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

# Classification according to Regulation (EC) No 1272/2008 as amended

# **Health hazards**

Skin sensitization

Acute toxicity, oral Category 4 H302 - Harmful if swallowed. Skin corrosion/irritation Category 2 H315 - Causes skin irritation. H319 - Causes serious eye Serious eye damage/eye irritation Category 2 irritation.

Category 1

H317 - May cause an allergic skin

reaction.

#### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

Austria: TC25-S1PJ-8003-CJQ2 Belgium: TC25-S1PJ-8003-CJQ2 Bulgaria: TC25-S1PJ-8003-CJQ2 Croatia: TC25-S1PJ-8003-CJQ2 Cyprus: TC25-S1PJ-8003-CJQ2

Czech Republic: TC25-S1PJ-8003-CJQ2 Denmark: TC25-S1PJ-8003-CJQ2 Estonia: TC25-S1PJ-8003-CJQ2 EU: TC25-S1PJ-8003-CJQ2 Finland: TC25-S1PJ-8003-CJQ2 France: TC25-S1PJ-8003-CJQ2 Germany: TC25-S1PJ-8003-CJQ2 Greece: TC25-S1PJ-8003-CJQ2 Hungary: TC25-S1PJ-8003-CJQ2 Iceland: TC25-S1PJ-8003-CJQ2 Ireland: TC25-S1PJ-8003-CJQ2 Italy: TC25-S1PJ-8003-CJQ2 Latvia: TC25-S1PJ-8003-CJQ2 Lithuania: TC25-S1PJ-8003-CJQ2 Luxembourg: TC25-S1PJ-8003-CJQ2 Malta: TC25-S1PJ-8003-CJQ2

Netherlands: TC25-S1PJ-8003-CJQ2 Norway: TC25-S1PJ-8003-CJQ2 Poland: TC25-S1PJ-8003-CJQ2 Portugal: TC25-S1PJ-8003-CJQ2 Romania: TC25-S1PJ-8003-CJQ2 Slovakia: TC25-S1PJ-8003-CJQ2 Slovenia: TC25-S1PJ-8003-CJQ2

Spain: TC25-S1PJ-8003-CJQ2 Sweden: TC25-S1PJ-8003-CJQ2

Contains: Alumina Trihydrate, Castor Oil, Epoxy Resin: reaction product of bisphenol A and epichlorohydrin

(refer to epichlorohydrin), oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

#### **Hazard pictograms**



#### Signal word Warning

#### **Hazard statements**

Harmful if swallowed. H302 Causes skin irritation. H315

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

#### **Precautionary statements**

# Prevention

P261 Avoid breathing dust. Avoid breathing mist/vapors. P261 P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace. P272

Wear eye protection/face protection. P280

Wear protective gloves. P280

#### Response

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 + P312

Rinse mouth. P330

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

#### Storage Not available.

# Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

64,17% of the mixture consists of component(s) of unknown acute inhalation toxicity. 98,02% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 98,02% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Alumina Trihydrate	60 - 100	21645-51-2 244-492-7	-	-	
Classification	: -				
Castor Oil	10 - 30	8001-79-4 232-293-8	-	-	
Classification	: -				
Epoxy Resin: reaction product of bisphenol A and epichlorohydrin (refer to epichlorohydrin)	10 - 30	25068-38-6 -	01-2119456619-26-0000	-	
Classification	: Skin Irrit. 2	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	< 1	68609-97-2 271-846-8	-	603-103-00-4	
Classification	: Skin Irrit. 2	;H315, Skin Sens. 1;	H317		

Other components below reportable

levels

#### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

1 - 5

# **SECTION 4: First aid measures**

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

# 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

**General fire hazards**No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing Powder. Carbon dioxide (CO2).

media

Material name: Insulcast Insulgel 70 CC FRNS - Part A

IE406R Version #: 05 Revision date: 08-06-2023 Issue date: 07-01-2013

SDS FU

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Avoid inhalation of dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Avoid inhalation of dust. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Minimize dust generation and accumulation. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not taste or swallow. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# Occupational exposure limits

# Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	MAK	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.

# Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.

Material name: Insulcast Insulgel 70 CC FRNS - Part A

IE406R Version #: 05 Revision date: 08-06-2023 Issue date: 07-01-2013 5 /

VME Regulatory binding (VRC) Regulatory binding (VRC) advisory OELs). Commission for the Is updated Type TWA	4 mg/m3  0,9 mg/m3  nvestigation of Health Hazard  Value  4 mg/m3	Total dust.  Respirable dust.  ds of Chemical Compounds
Regulatory binding (VRC) advisory OELs). Commission for the I s updated Type	nvestigation of Health Hazard Value	·
advisory OELs). Commission for the I s updated Type	nvestigation of Health Hazard Value	·
advisory OELs). Commission for the I s updated Type	Value	ls of Chemical Compounds
s updated Type	Value	ds of Chemical Compounds
Туре		
TWA	4 ma/m3	Form
	g/1110	Inhalable dust.
	1.5 mg/m3	Pospirable dust
	1,5 mg/m3	Respirable dust.
t Values in the Ambient Air at the Wor Type	kplace Value	Form
		Inhalable fraction.
//OW	To mg/mo	minalable matton.
	1,25 mg/m3	Respirable fraction.
390/2009 on Pollution Limits and Mea	asures to Reduce Pollution at Value	the Workplace, as amende Form
TWA	5 mg/m3	Respirable dust.
	10 ma/m3	Total dust.
s 1 8 2 Code of Practice for Chemical	· ·	
Type	Value	Form
TWA	4 mg/m3	Respirable dust.
	42	
	· ·	Total inhalable dust.
al Exposure Limits of Chemical Subst	ances at Workplace (Reg. No.	. 325/ 2007, L.V. 80, Annex
Туре	Value	
TWA	6 mg/m3	
•	ical Substances (Hygiene No	rm HN 23:2011; Order No.
Туре	Value	
TWA	6 mg/m3	
sible concentrations and intensities of	f harmful factors in the work	environment (Dz.U.Poz.
Туре	Value	Form
TWA	2,5 mg/m3	Inhalable fraction.
	40 / 0	Description of
OTEL	_	Respirable fraction.
SIEL	5 mg/m3	Respirable fraction.
	10 mg/m3	Inhalable fraction.
TWA	5 mg/m3	Inhalable fraction.
	2,5 mg/m3	Respirable fraction.
occupational exposure to chemical ag		_
Туре	Value	Form
	Type TWA  s 1 & 2, Code of Practice for Chemical Type TWA  al Exposure Limits of Chemical Subst Type TWA  ional Exposure Limit Values for Chemical Type TWA  sible concentrations and intensities of Type TWA  STEL  TWA  occupational exposure to chemical age	1,25 mg/m3  1,390/2009 on Pollution Limits and Measures to Reduce Pollution at Type  TWA  5 mg/m3  10 mg/m3  2,5 mg/m3

Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	4 mg/m3	Inhalable fraction.
		1,5 mg/m3	Respirable fraction.

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work Appex I) as amended

Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Switzerland. SUVA Grenzwerte a	m Arbeitsplatz: Aktuelle MAK-	Werte	
Components	Туре	Value	Form
Alumina Trihydrate (CAS 21645-51-2)	TWA	3 mg/m3	Respirable fraction.
UK. OELs. Workplace Exposure	Limits (WELs) (EH40/2005 (Fou	ırth Edition 2020)), Table 1	
Components	Type	Value	Form
Alumina Trihydrate (CAS	TWA	4 mg/m3	Respirable dust.

#### **Biological limit values**

 Hungary. BELs. Decree on protection of workers
 exposed to chemical agents (5/2020. (II.6)), Annex 3&4, as amended Components

 Components
 Value
 Determinant
 Specimen
 Sampling Time

 Alumina Trihydrate (CAS 21645-51-2)
 0,25 μmol/mmol 3
 Aluminum
 Creatinine in urine
 \*

 0,06 mg/g
 Aluminum
 Creatinine in urine
 \*

<sup>\* -</sup> For sampling details, please see the source document.

Switzerland. SUVA Grenzwerte am	Arbeitsplatz: Aktuelle BAT-Werte
---------------------------------	----------------------------------

Components	Value	Determinant	Specimen	Sampling Time
Alumina Trihydrate (CAS 21645-51-2)	50 μg/g	Aluminium	Creatinine in urine	*

<sup>\* -</sup> For sampling details, please see the source document.

Recommend	led monitorir	١g
procedures		

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

# 8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Provide eyewash station and safety shower.

10 mg/m3

Inhalable dust.

# Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing

should not be allowed out of the workplace.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Color Black.

Odor Not available. Melting point/freezing point Not available. Not available. **Boiling point or initial boiling** 

point and boiling range

**Flammability** Not applicable. >200,0 °F (>93,3 °C) Flash point

**Auto-ignition temperature** 840,2 °F (449 °C) estimated

**Decomposition temperature** Not available. Not available рΗ Kinematic viscosity Not available.

Solubility

Not available. Solubility (water) **Partition coefficient** Not available

(n-octanol/water) (log value)

Vapor pressure Not available.

Density and/or relative density

**Density** 14,07 lb/gal Vapor density Not available. **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

#### 9.2.2. Other safety characteristics

Specific gravity 1,68 0

# SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

# SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Dust may irritate respiratory system. Prolonged inhalation may be harmful. Inhalation

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed.

**Symptoms** 

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness

and pain. May cause an allergic skin reaction. Dermatitis. Rash.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

Components Species Test Results

Alumina Trihydrate (CAS 21645-51-2)

<u>Acute</u> Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Causes skin irritation.

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

Not available.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard**Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

01.70 by 110.g.

Other information Not available.

# **SECTION 12: Ecological information**

**12.1. Toxicity**Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF) Not available

12.4. Mobility in soil No data avail

12.5. Results of PBT and vPvB

assessment

No data available.

12.6. Endocrine disrupting

properties

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: Insulcast Insulgel 70 CC FRNS - Part A

IE406R Version #: 05 Revision date: 08-06-2023 Issue date: 07-01-2013

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

# **SECTION 14: Transport information**

#### **ADR**

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

Not assigned. Hazard No. (ADR) Tunnel restriction code Not assigned.

14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**ADN** 

Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

IATA

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

**IMDG** 

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant No.

Not assigned. **EmS** 14.6. Special precautions Not assigned.

for user

Material name: Insulcast Insulgel 70 CC FRNS - Part A

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Alumina Trihvdrate (CAS 21645-51-2)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: TC25-S1PJ-8003-CJQ2 Belgium: TC25-S1PJ-8003-CJQ2 Bulgaria: TC25-S1PJ-8003-CJQ2 Croatia: TC25-S1PJ-8003-CJQ2 Cyprus: TC25-S1PJ-8003-CJQ2

Czech Republic: TC25-S1PJ-8003-CJQ2 Denmark: TC25-S1PJ-8003-CJQ2 Estonia: TC25-S1PJ-8003-CJQ2 EU: TC25-S1PJ-8003-CJQ2 Finland: TC25-S1PJ-8003-CJQ2 France: TC25-S1PJ-8003-CJQ2 Germany: TC25-S1PJ-8003-CJQ2 Greece: TC25-S1PJ-8003-CJQ2 Hungary: TC25-S1PJ-8003-CJQ2 Iceland: TC25-S1PJ-8003-CJQ2 Ireland: TC25-S1PJ-8003-CJQ2 Italy: TC25-S1PJ-8003-CJQ2 Latvia: TC25-S1PJ-8003-CJQ2 Lithuania: TC25-S1PJ-8003-CJQ2 Luxembourg: TC25-S1PJ-8003-CJQ2 Malta: TC25-S1PJ-8003-CJQ2 Netherlands: TC25-S1PJ-8003-CJQ2 Norway: TC25-S1PJ-8003-CJQ2 Poland: TC25-S1PJ-8003-CJQ2 Portugal: TC25-S1PJ-8003-CJQ2 Romania: TC25-S1PJ-8003-CJQ2

Slovakia: TC25-S1PJ-8003-CJQ2 Slovenia: TC25-S1PJ-8003-CJQ2 Spain: TC25-S1PJ-8003-CJQ2 Sweden: TC25-S1PJ-8003-CJQ2

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Alumina Trihydrate (CAS 21645-51-2)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen

Gipsfasernund Wollastonitfasern)

France regulations

**France INRS Table of Occupational Diseases** 

Epoxy Resin: reaction product of bisphenol A and epichlorohydrin (refer to epichlorohydrin)

(CAS 25068-38-6)

Maladies professionnelles provoquées par les résines

époxydiques et leurs constituants 51

**Product registration number** 

UFI: TC25-S1PJ-8003-CJQ2 Austria **Belgium** UFI: TC25-S1PJ-8003-CJQ2 UFI: TC25-S1PJ-8003-CJQ2 **Czech Republic** Denmark UFI: TC25-S1PJ-8003-CJQ2 **European Union** UFI: TC25-S1PJ-8003-CJQ2 **Finland** UFI: TC25-S1PJ-8003-CJQ2 **France** UFI: TC25-S1PJ-8003-CJQ2 Germany UFI: TC25-S1PJ-8003-CJQ2 UFI: TC25-S1PJ-8003-CJQ2 Greece Hungary UFI: TC25-S1PJ-8003-CJQ2 UFI: TC25-S1PJ-8003-CJQ2 Italy **Netherlands** UFI: TC25-S1PJ-8003-CJQ2 UFI: TC25-S1PJ-8003-CJQ2 Norway UFI: TC25-S1PJ-8003-CJQ2 **Poland** UFI: TC25-S1PJ-8003-CJQ2 **Portugal** UFI: TC25-S1PJ-8003-CJQ2 Slovakia Slovenia UFI: TC25-S1PJ-8003-CJQ2 **Spain** UFI: TC25-S1PJ-8003-CJQ2 Sweden UFI: TC25-S1PJ-8003-CJQ2 **Switzerland** UFI: TC25-S1PJ-8003-CJQ2

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

# **SECTION 16: Other information**

# List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References Not available

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

**Revision information Training information** Disclaimer

Physical & Chemical Properties: Multiple Properties

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: Insulcast Insulgel 70 CC FRNS - Part A

IE406R Version #: 05 Revision date: 08-06-2023 Issue date: 07-01-2013